



THE STATE OF NEVADA

PERMIT TO APPROPRIATE WATER

Name of Permittee: DANIEL S. VENTURACCI
Source: UNDERGROUND
Basin: DIAMOND VALLEY
Manner of Use: IRRIGATION AND DOMESTIC
Period of Use: JANUARY 1ST THROUGH DECEMBER 31ST
Priority Date: 02/25/2013

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to State Engineer Ruling No. 6290, dated August 15, 2014. The quantification of this mitigation right is not an adjudication of Proof of Appropriation No. V01115. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. It is understood that this right must allow for a reasonable lowering of the static water level at permittee's well due to any other ground water development in the area. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the proof of completion of work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The permittee shall keep monthly records of the amount of water pumped from this well and the records must be submitted to the State Engineer on an annual basis within 30 days after the end of each calendar year.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

The total combined duty of water under Permits 81825 and 82572 shall not exceed 612.9 acre-feet annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This right is issued to mitigate Proof of Appropriation V01115 which has a claimed priority date of 1880 or earlier. Additionally, this permit cannot be severed from Proof of Appropriation V01115.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, **and not to exceed 1.54 cubic feet per second or 612.9 acre-feet annually, but not to exceed 4.0 acre-feet per acre from all sources.**

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

September 15 2015

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:


September 15 2017

Map in support of proof of beneficial use shall be filed on or before:


September 15 2017

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 15th day of **September, 2014**



State Engineer



Amended

Application No. 82572

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

THIS SPACE FOR OFFICE USE ONLY	
Date of Filing in State Engineer's Office	FEB 25 2013
Returned to applicant for correction	MAR 04 2013
Corrected Application filed	APR 01 2013
Map filed	MAR 28 2013

The applicant Daniel S. Venturacci
8500 Schurz Highway of Fallon
Street Address or P.O. Box City or Town
Nevada, 89406 hereby make(s) application for permission to appropriate the
State and ZIP Code

public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

-
- The source of water is Underground
Name of the stream, lake, underground, spring or other sources.
 - The amount of water applied for is 5.0 cfs
One second foot equals 448.83 gallons per minute.
 (a) If stored in a reservoir give the number of acre-feet _____
 - The water is to be used for Irrigation and Domestic
Irrigation, power, mining, commercial, domestic or other use. Must be limited to one major use.
 - If use is for:
 - Irrigation, state number of acres to be irrigated 1,636.36
 - Stockwater, state number and kind of animals _____
 - Other use (describe fully in No. 12) _____
 - Power:
 - Horsepower developed _____
 - Point of return of water to stream _____

5. The water is to be diverted from its source at the following point: (Describe as being within a 40-acre subdivision of public survey, and by course and distance to a found section corner. If on unsurveyed land, it should be so stated.)

SE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 3, T.23N., R54E., MDB&M., or at a point from which the SE corner of said Section 3 bears S.41°42'00"E. a distance of 865.34 feet.

6. Place of use: (Describe by legal subdivision. If on unsurveyed land, it should be so stated)

1.636.36 acres within Lot 4, S $\frac{1}{2}$ NW $\frac{1}{4}$, portions of the S $\frac{1}{2}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$, SE $\frac{1}{4}$ of Section 3; Lots 1-3, S $\frac{1}{2}$ NW $\frac{1}{4}$, S $\frac{1}{2}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$, SE $\frac{1}{4}$ of Section 4; NE $\frac{1}{4}$ of Section 9; NW $\frac{1}{4}$, N $\frac{1}{2}$ NE $\frac{1}{4}$, portions of the S $\frac{1}{2}$ NE $\frac{1}{4}$, portions of the NW $\frac{1}{4}$ SE $\frac{1}{4}$, SW $\frac{1}{4}$ of Section 10; all in T.23N., R54E., MDB&M.

7. Use will begin about January 1 and end about December 31 of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with a pump and motor, etc.)

Drilled and cased well, pump, motor and distribution lines

9. Estimated cost of works: \$60,000.00

10. Estimated time required to construct works: Three (3) years

(If the well is complete, describe works.)

11. Estimated time required to complete the application of water to beneficial use: Five (5) years

12. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

This application is being filed to mitigate impacts to existing vested rights on the Thompson Ranch. This application seeks to supplement existing right for mitigation purposes only and is limited to the extent of historic senior water diversions associated with the Thompson Ranch. The water is to be used in conjunction with Application 81825.

13. Miscellaneous remarks:

GeorgeT@tecreno.com

E-mail Address


775-722-5380

Phone No. Ext.

APPLICATION MUST BE SIGNED
BY THE APPLICANT OR AGENT

George M. Thiel, P.E., S.W.R.S.

Type of print name clearly



Signature, applicant or agent

Thiel Engineering Associates, Inc.

Company Name

2801 Tamara Court

Street Address or PO Box

Minden, NV 89423

City, State, ZIP Code

RECEIVED
2013 MAR 28 PM 4:11
STATE ENGINEERS OFFICE