



## THE STATE OF NEVADA

### PERMIT TO CHANGE THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

**Name of Permittee:** NEVADA DEPARTMENT OF TRANSPORTATION  
**Source:** UNDERGROUND (COSGRAVE SAFETY REST AREA)  
**Basin:** IMLAY AREA  
**Manner of Use:** QUASI-MUNICIPAL  
**Period of Use:** JANUARY 1ST THROUGH DECEMBER 31ST  
**Priority Date:** 04/03/1998

\*\*\*\*\*

#### APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion of the waters of an underground source as heretofore granted under Permit 64020, Certificate 16031 is issued subject to the terms and conditions imposed in said Permit 64020, Certificate 16031 and with the understanding that no other rights on the source will be affected by the change proposed herein. This well shall be equipped with a two (2) inch opening for measuring depth to water and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

If any water under this permit is cancelled or any water is not put to beneficial use, it will revert to the groundwater source and not back to the base water right.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.1 cubic feet per second or 1.08 acre-feet annually.

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

August 28 2014

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:


August 28 2016


Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 28<sup>th</sup> day of August, 2013

  
\_\_\_\_\_  
State Engineer



**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED**

THIS SPACE FOR OFFICE USE ONLY	
Date of filing in State Engineer's Office	<u>MAR 08 2013</u>
Returned to applicant for correction	_____
Corrected application filed	Map filed <u>MAR 08 2013</u>

The applicant Nevada Department of Transportation  
1263 S. Stewart St. of Carson City  
Street Address or PO Box City or Town  
Nevada, 89712 hereby make(s) application for permission to change the  
State and ZIP Code

- Point of diversion       Place of use       Manner of use       of a portion

of water heretofore appropriated under (Identify existing rights by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

Permit No. 64020, Certificate No. 16031

RECEIVED  
 2013 MAR -8 AM 8:14  
 STATE ENGINEERS OFFICE

- The source of water is underground  
Name of stream, lake, underground, spring or other sources.
- The amount of water to be changed 0.10 c.f.s., but not to exceed 0.352 million gallons annually.  
Second feet, acre-feet. One second foot equals 448.83 gallons per minute.
- The water to be used for quasi-municipal  
Irrigation, power, mining, commercial, etc. If for stock, state number and kind of animals. Must limit to one major use
- The water heretofore used for quasi-municipal  
If for stock, state number and kind of animals.
- The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.)  
Within the NE 1/4 of the SW 1/4 of Section 25, T34N, R35E, M.D.B. & M., or at a point from which the SW corner of said Section 25 bears S 52°03'11" W, a distance of 2830.58'
- The existing point of diversion is located within (If point of diversion is not changed, do not answer.)  
the SW 1/4 of the SW 1/4 of Section 25, T34N, R35E, M.D.B. & M., or at a point from which the SW corner of said Section 25 bears S 55°29'50" W, a distance of 1572.29'

7. Proposed place of use (Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.)

are portions of the SW1/4 of the SW1/4, the SE1/4 of the SW1/4, the NE1/4 of the SW1/4 and the NW1/4 of the SE1/4 of Section 25, T34N, R35E, M.D.B. & M.

8. Existing place of use (Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)

are portions of the SW1/4 of the SW1/4, the SE1/4 of the SW1/4, the NE1/4 of the SW1/4 and the NW1/4 of the SE1/4 of Section 25, T34N, R35E, M.D.B. & M.

9. Proposed use will be from January 1 to December 31 of each year.  
Month and Day Month and Day

10. Existing use permitted from January 1 to December 31 of each year.  
Month and Day Month and Day

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e., diversion structure, ditches, pipes and flumes or drilled well, pump and motor, etc.)

Drilled and cased well, equipped with power, motor, pump and meter.

12. Estimated cost of works \$97,001.29

13. Estimated time required to construct works 120 days

If well completed, describe well

14. Estimated time required to complete the application of water to beneficial use 120 days


15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

Water to be used for the traveling public at the "Cosgrave Safety Rest Area" restrooms, dumpstation, drinking water, watering lawns and trees.

16. Miscellaneous remarks:

hsalazar@dot.state.nv.us  
E-mail Address  
775-888-7470  
Phone No. Ext.

APPLICATION MUST BE SIGNED  
 BY THE APPLICANT OR AGENT

Halana D. Salazar  
Type or print name clearly  
  
Signature, applicant or agent  
Nevada Department of Transportation  
Company Name  
1263 S Stewart St.  
Street Address or PO Box  
Carson City, NV 89712  
City, State, ZIP Code

RECEIVED  
 2013 MAR -8 AM 8:10  
 STATE ENGINEERS OFFICE