



THE STATE OF NEVADA

PERMIT TO APPROPRIATE WATER

Name of Permittee: DAVID WEAVER
Source: UNDERGROUND
Basin: RAILROAD VALLEY-NORTHERN PART
Manner of Use: IRRIGATION
Period of Use: JANUARY 1ST THROUGH DECEMBER 31ST
Priority Date: 04/01/2013

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins or before the proof of completion of work is filed. The State retains the right to regulate the use of the water granted herein at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

This permit is also issued subject to the provision that the place of use of the water herein granted is limited to and supplemental to lands having existing water rights and as such, cannot be pumped unless there is no surface water available.

The total combined duty of water under Claim of Vested Right V01325; Permit 8047, Certificate 2061; Permits 82040 and 82685 shall not exceed 203.12 acre-feet annually for the irrigation of 47.72 acres.

This permit is issued ahead of senior filings for out-of-basin transfers. Pursuant to NRS 533.370(3)(d), water must remain in the basin for future economic growth and development. As such, water under this permit must remain in the basin.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, **and not to exceed 1.228 cubic feet per second or 190.88 acre-feet annually.**

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

October 10 2015

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:

October 10 2017

Map in support of proof of beneficial use shall be filed on or before:


October 10 2017

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 10th day of **October, 2014**

 P.E.

State Engineer





THE STATE OF NEVADA

PERMIT TO APPROPRIATE WATER

Name of Permittee: DAVID WEAVER
Source: UNDERGROUND
Basin: RAILROAD VALLEY-NORTHERN PART
Manner of Use: IRRIGATION
Period of Use: JANUARY 1ST THROUGH DECEMBER 31ST
Priority Date: 04/01/2013

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins or before the proof of completion of work is filed. The State retains the right to regulate the use of the water granted herein at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

This permit is also issued subject to the provision that the place of use of the water herein granted is limited to and supplemental to lands having existing water rights and as such, cannot be pumped unless there is no surface water available.

The total combined duty of water under Claim of Vested Right V01325; Permit 8047, Certificate 2061; Permits 82040 and 82685 shall not exceed 203.12 acre-feet annually for the irrigation of 47.72 acres.

This permit is issued ahead of senior filings for out-of-basin transfers. Pursuant to NRS 533.370(3)(d), water must remain in the basin for future economic growth and development. As such, water under this permit must remain in the basin.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, **and not to exceed 1.228 cubic feet per second or 190.88 acre-feet annually.**

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

October 10 2015

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:

October 10 2017

Map in support of proof of beneficial use shall be filed on or before:


October 10 2017

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 10th day of **October, 2014**

 P.E.

State Engineer



APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

THIS SPACE FOR OFFICE USE ONLY

Date of Filing in State Engineer's Office APR 1 2013

Returned to applicant for correction _____

Corrected Application filed _____ Map filed APR 1 2013

The applicant David Weaver
1405 Mill Street of Ely
Street Address or P.O. Box City or Town
Nevada 89301 hereby make(s) application for permission to appropriate the
State and ZIP Code

public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

RECEIVED
 2013 APR -1 AM 11:19
 STATE ENGINEERS OFFICE

-
1. The source of water is Underground
Name of the stream, lake, underground, spring or other sources
 2. The amount of water applied for is 1.228 cfs
One second foot equals 448.83 gallons per minute
 (a) If stored in a reservoir give the number of acre-feet N/A
 3. The water is to be used for Irrigation
Irrigation, power, mining, commercial, domestic or other use. Must be limited to one major use.
 4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated 65 Acres
 - (b) Stockwater, state number and kind of animals N/A
 - (c) Other use (describe fully in No. 12) N/A
 - (d) Power:
 - (1) Horsepower developed N/A
 - (2) Point of return of water to stream N/A

Revised 07/09

*Railroad Valley W. Part
 10-173B
 Nye*

5. The water is to be diverted from its source at the following point: (Describe as being within a 40-acre subdivision of public survey, and by course and distance to a found section corner. If on unsurveyed land, it should be so stated.)

NE1/4SE1/4 sec. 31, T.11N., R. 58E, MDM or from a point which the SWth corner of said Section 31, bears S73°38'42"W 5284.12 Feet

6. Place of use: (Describe by legal subdivision. If on unsurveyed land, it should be so stated)

Within SW1/4NE1/4, SE1/4NE1/4, NW1/4 SE1/4, NE1/4SE1/4 Section 31, T.11N., R. 58E, MDM

7. Use will begin about January 1 and end about December 31 of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with a pump and motor, etc.)

Will consist of well, pump, 2" lines, wheel lines, pivot

9. Estimated cost of works: \$45,000

10. Estimated time required to construct works: 3 years

(If the well is complete, describe works.)

11. Estimated time required to complete the application of water to beneficial use: 5 years

12. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

This water will be used to irrigate existing alfalfa fields and orchards.

13. Miscellaneous remarks:

mtnhigh1996@att.net

E-mail Address

775-289-6722


Phone No.

Ext.

APPLICATION MUST BE SIGNED
BY THE APPLICANT OR AGENT

David E. Provost PLS, WRS Agent

Type or print name clearly



Signature, applicant or agent

Mountain High Surveying

Company Name

1500 Murry Street

Street Address or PO Box

Ely, NV 89301

City, State, ZIP Code

RECEIVED
2013 APR - 1 AM 11:13
STATE ENGINEERS OFFICE