



THE STATE OF NEVADA

APPLICATION TO APPROPRIATE WATER


Name of Applicant: CASEY, CLAUDIA C.; CASEY, MICHAEL A.
Source: OTHER SURFACE WATER
Basin: GABBS VALLEY
Manner of Use: STOCKWATERING
Period of Use: NOVEMBER 1ST THROUGH APRIL 15TH
Priority Date: 05/31/2013

DENIAL OF STATE ENGINEER

This application is hereby denied on the grounds that the proposed source of water is intermittent and unreliable, and therefore has no unappropriated water at the source pursuant to NRS § 533.370(2).

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 7th day of March, 2014



State Engineer

~~AMENDED~~

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

THIS SPACE FOR OFFICE USE ONLY

Date of Filing in State Engineer's Office MAY 31 2013

Returned to applicant for correction JUN 07 2013

Corrected Application filed AUG 06 2013 Map filed JUL 20 2013

The applicant Michael A. & Claudia C. Casey
P.O. Box 5184 of Fallon
Street Address or P.O. Box City or Town
NV 89406 hereby make(s) application for permission to appropriate the
State and ZIP Code
 public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of water is Manmade pond
Name of the stream, lake, underground, spring or other sources.
2. The amount of water applied for is 0.08 CFS
One second foot equals 448.83 gallons per minute.
 - (a) If stored in a reservoir give the number of acre-feet Approx 5.5 AF
3. The water is to be used for Stockwater
Irrigation, power, mining, commercial, domestic or other use. Must be limited to one major use.
4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated _____
 - (b) Stockwater, state number and kind of animals 250 head of cattle
 - (c) Other use (describe fully in No. 12) _____
 - (d) Power:
 - (1) Horsepower developed _____
 - (2) Point of return of water to stream _____

5. The water is to be diverted from its source at the following point: (Describe as being within a 40-acre subdivision of public survey, and by course and distance to a found section corner. If on unsurveyed land, it should be so stated.)

NE NE, Sec. 27, T15N R35E, MD BM; or at a point from which the SE corner of Sec. 33, T16N R35E, MD BM, bears N13° 26' 7.2" W, a distance of 22,135.4 feet.

6. Place of use: (Describe by legal subdivision. If on unsurveyed land, it should be so stated)

Range allotment, BLM; ~~unsurveyed land~~ T10N R35E, R36E; and T11N R34E, 35E, 36E; T12N R34E, 35E, 36E, 37E; and T13N R35E, 36E, 37E; and T14N R35E, 36E, 37E, 38E, and T15N R35E, 36E, 37E, 38E; and T16N R35E, 36E, 37E, 38E, and T17N R35E, 36E, 37E, 38E. Lying within the Eastgate Grazing Allotment.

7. Use will begin about NOV. 1 and end about April 15th of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with a pump and motor, etc.)

Pond complete and in use.

9. Estimated cost of works: - 0 -

10. Estimated time required to construct works: - 0 -
(If the well is complete, describe works.)

11. Estimated time required to complete the application of water to beneficial use: In use now.

12. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

Stock can access the pond for water.

13. Miscellaneous remarks:

E-mail Address
775 423 5019
Phone No. Ext.

Michael A Casey
Type or print name clearly
Michael A Casey
Signature, applicant or agent
self

Company Name
PO Box 5184
Street Address or PO Box
Fallon Nev 89407
City, State, ZIP Code

APPLICATION MUST BE SIGNED BY THE APPLICANT OR AGENT

RECEIVED
2013 JUL 30 AM 11:12
STATE ENGINEERS OFFICE

RECEIVED
2013 AUG -6 AM 11:10
STATE ENGINEERS OFFICE