



THE STATE OF NEVADA

PERMIT TO APPROPRIATE WATER

Name of Permittee: WADE P. ROSELUND AND BRITTANY ROSELUND
Source: UNDERGROUND
Basin: WHITE RIVER VALLEY
Manner of Use: STOCKWATERING
Period of Use: JANUARY 1ST THROUGH DECEMBER 31ST
Priority Date: 07/11/2013

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to all existing rights on the source. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the period of use and the average number of livestock served from the waters of this source. It is further understood that this right must allow for a reasonable lowering of the static water level at permittee's well due to any other ground water development in the area. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.00465 cubic feet per second and 3.36 acre-feet annually or sufficient to water 150 head of cattle.

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

August 26 2015

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:


August 26 2016

Map in support of proof of beneficial use shall be filed on or before:


N/A

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 26th day of August, 2014



for State Engineer



APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

THIS SPACE FOR OFFICE USE ONLY	
Date of Filing in State Engineer's Office	<u>JUL 11 2013</u>
Returned to applicant for correction	_____
Corrected Application filed	Map filed <u>JUL 11 2013</u>

The applicant Wade P. Roselund and Brittany Roselund
P.O. Box 158 of Lund
Street Address or P.O. Box City or Town
Nevada, 89317 hereby make(s) application for permission to appropriate the
State and ZIP Code

public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of water is Underground
Name of the stream, lake, underground, spring or other sources.
2. The amount of water applied for is 0.00465 cfs
One second foot equals 448.83 gallons per minute.
 - (a) If stored in a reservoir give the number of acre-feet _____
3. The water is to be used for Stockwater
Irrigation, power, mining, commercial, domestic or other use. Must be limited to one major use.
4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated _____
 - (b) Stockwater, state number and kind of animals 150 Cattle
 - (c) Other use (describe fully in No. 12) _____
 - (d) Power:
 - (1) Horsepower developed _____
 - (2) Point of return of water to stream _____

Whiteaker Va. #13 - 207 WF

5. The water is to be diverted from its source at the following point: (Describe as being within a 40-acre subdivision of public survey, and by course and distance to a found section corner. If on unsurveyed land, it should be so stated.)

SE1/4 SE1/4 Section 20, T.12N., R.62E., M.D.B. & M., or a point from which the N1/4 corner of Section 20, T.12N., R.62E., M.D.B. & M., bears N. 16°17'19" W., a distance of 5,183.29' *Suc*

6. Place of use: (Describe by legal subdivision. If on unsurveyed land, it should be so stated)

Portions of the NW1/4 SE1/4, NE1/4 SE1/4, SE1/4 SE1/4, SW1/4 SE1/4 of Sec 20, T. 12 N., R. 62 E., M.D.B. & M.,

7. Use will begin about January 1st and end about December 31st of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with a pump and motor, etc.)

Upgrade existing well and install new troughs.

9. Estimated cost of works: \$10,000.00

10. Estimated time required to construct works: Two (2) Years
(If the well is complete, describe works.)

11. Estimated time required to complete the application of water to beneficial use: Two (2) Years


12. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

The water will be used to water 150 cattle within the place of use.

13. Miscellaneous remarks:

almberg@basineng.com
E-mail Address
(775) 289-9800
Phone No. Ext.

APPLICATION MUST BE SIGNED
BY THE APPLICANT OR AGENT

Emil W. Almborg, Jr., P.E./P.L.S.
Type or print name clearly

Signature, applicant or agent
Basin Engineering Corporation
Company Name
1070 E. Aultman Street
Street Address or PO Box
Ely, NV 89301
City, State, ZIP Code

RECEIVED
2013 JUL 11 AM 10:09
STATE ENGINEERS OFFICE