



TEMPORARY
THE STATE OF NEVADA

**PERMIT TO CHANGE THE PUBLIC WATERS OF THE
STATE OF NEVADA HERETOFORE APPROPRIATED**

Name of Permittee: SANTA FE PACIFIC GOLD CORPORATION
Source: UNDERGROUND (DW 69)
Basin: KELLY CREEK AREA
Manner of Use: MINING, MILLING AND DEWATERING
Period of Use: ONE YEAR FROM DATE OF ISSUANCE
Priority Date: 04/27/1988

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This temporary permit to change the point of diversion and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 61132 is issued subject to the terms and conditions imposed in said Permit 61132 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This temporary permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this temporary permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This temporary permit is issued pursuant to the provisions of NRS 533.345 Section 2 and will expire 1 year after the approval of the permit at which time all rights herein granted shall revert to the right being changed by this temporary permit.

This temporary permit is issued as a preferred use as provided in NRS 534.120. This temporary permit will allow the permittee to dewater the mine area. It is understood that any water produced as a result of this dewatering operation shall be used first by the permittee for mining, milling and related uses.

(Continued on Page 2)

Monthly records shall be kept of the following and reported within 15 days after the end of each quarter:

- A. The total volume of water pumped from each diversion in acre-feet.
- B. The maximum flow rate from each diversion in cubic feet per second.
- C. The pumping water level from each well in feet above mean sea level.
- D. The volume of water consumptively used for mining and milling in acre-feet.
- E. The amount of water diverted to the infiltration or injection sites, if any, in acre-feet.
- F. The amount of water lost through evaporation or other system losses project wide.

The State Engineer may require additional monitoring should conditions warrant such modification.

The manner of use of water under this permit is by nature of its activity a temporary use and any application to change the manner of use granted under this permit will be subject to additional determination and evaluation with respect to the permanent effects on existing rights and the resource within the ground water basin.

The total combined duty of water for consumptive purposes under Permits 49633, 49634, 50853, 50854, 52046, 52048 through 52051, inclusive, 58042 through 58045, inclusive, 60048 through 60057, inclusive, 61132 through 61138, inclusive, 61140 through 61144, inclusive, 61956 through 61962, inclusive, and Temporary Permits 82072T, 82073T and 82182T through 82186T inclusive, and 82971T shall not exceed 10,125 acre-feet annually. The total combined diversion rate of the above referenced permits shall not exceed 30.75 cubic feet per second on an instantaneous basis.

This temporary permit is issued subject to, and also incorporates the terms and conditions in the State Engineer's Order No. 1087, Order Adopting Rules For Well Spacing and Modification of Regulations For Water Well and Related Drilling (January, 1990) In The Heretofore Designated Kelly Creek Ground Water Basin (4-66), dated December 30, 1993, on file in the office of the State Engineer.

The point of diversion and place of use are as described on the submitted application to support this permit.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, **and not to exceed 1.12 cubic feet per second or 811.0 acre-feet annually.**

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

N/A

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:


N/A

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 26th day of August, 2013


 P.E.

 (State Engineer)



APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

THIS SPACE FOR OFFICE USE ONLY

Date of filing in State Engineer's Office JUL 17 2013

Returned to applicant for correction _____

Corrected application filed _____ Map filed MAR 28 2008 under 76809T

The applicant Santa Fe Pacific Gold Corporation
Environmental Department, 1655 Mountain City Hwy. of Elko
Street Address or PO Box City or Town
Nevada, 89801 hereby make(s) application for permission to change the
State and ZIP Code

- Point of diversion Place of use Manner of use of a portion

of water heretofore appropriated under (Identify existing rights by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

Permit 61132

1. The source of water is Underground Twin Creeks Mine - DW 69
Name of stream, lake, underground, spring or other sources.
2. The amount of water to be changed 1.12 cfs
Second feet, acre-feet. One second foot equals 448.83 gallons per minute.
3. The water to be used for Mining, milling, and dewatering
Irrigation, power, mining, commercial, etc. If for stock, state number and kind of animals. Must limit to one major use
4. The water heretofore used for Mining, milling, domestic purposes
If for stock, state number and kind of animals.
5. The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.)
within the NW 1/4 SW 1/4, Section 8, T39 N, R43 E, M.D.M., at a point from with the W 1/4 corner of Section 19, T39 N, R43 E bears S 31°56'40" W a distance of 11546 feet.
6. The existing point of diversion is located within (If point of diversion is not changed, do not answer.)
within the SW 1/4 NE 1/4, Section 19, T39 N., R43 E., M.D.M., or at a point from which the NE corner of said Section 19 bears N 59°44'37" E a distance of 2778.49 feet.

*Kelly Creek Area
4-66
Hu*

7. Proposed place of use (Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.)

Same as existing

8. Existing place of use (Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)

See attached

9. Proposed use will be from January 1 to December 31 of each year.
Month and Day Month and Day

10. Existing use permitted from January 1 to December 31 of each year.
Month and Day Month and Day

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e., diversion structure, ditches, pipes and flumes or drilled well, pump and motor, etc.)

Drilled, cased well with motor and pump, totalizing flow meter, and pipeline to the place of use.

12. Estimated cost of works \$100,000 (one hundred thousand dollars)

13. Estimated time required to construct works Completed as described above

If well completed, describe well.

14. Estimated time required to complete the application of water to beneficial use two years

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

Ground water modeling indicates a rate of 6.69 cfs is needed from this well for the Vista 7 project at Twin Creeks. Along with this temporary application, 2 other temporaries exist on DW-69. 82073T (4.0 cfs) and 82072T (1.57 cfs), the combined flow rate for the existing temporaries and this application is 6.69 cfs.

16. Miscellaneous remarks:

Please refer to the map filed under 81077T for point of diversion details.

Please refer to the map filed under 61132 for existing point of diversion and place of use details.

Bryce.Vorwaller@Newmont.com

E-mail Address

775-778-4318


Phone No.

Ext.

APPLICATION MUST BE SIGNED
BY THE APPLICANT OR AGENT

Bryce Vorwaller

Type or print name clearly



Signature, applicant or agent

Newmont USA Limited

Company Name

Environmental Department, 1655 Mountain City Hwy

Street Address or PO Box

Elko, Nevada 89801

City, State, ZIP Code

RECEIVED
2013 JUL 17 AM 10:24
STATE ENGINEERS OFFICE

Section 04, T38N, R43E, M.D.M.
Section 05, T38N, R43E, M.D.M.
Section 09, T38N, R43E, M.D.M.
Section 15, T38N, R43E, M.D.M.
NE $\frac{1}{4}$ Section 01, T39N, R42E, M.D.M.
NW $\frac{1}{4}$ NE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 02, T39N, R42E, M.D.M.
E $\frac{1}{2}$ Section 12, T39N, R42E, M.D.M.
E $\frac{1}{2}$ Section 13, T39N, R42E, M.D.M.
Section 24, T39N, R42E, M.D.M.
W $\frac{1}{2}$ Section 02, T39N, R43E, M.D.M.
Section 03, T39N, R43E, M.D.M.
Section 04, T39N, R43E, M.D.M.
Section 05, T39N, R43E, M.D.M.
Section 06, T39N, R43E, M.D.M.
Section 07, T39N, R43E, M.D.M.
Section 08, T39N, R43E, M.D.M.
Section 09, T39N, R43E, M.D.M.
Section 10, T39N, R43E, M.D.M.
W $\frac{1}{2}$ Section 11, T39N, R43E, M.D.M.
W $\frac{1}{2}$ Section 14, T39N, R43E, M.D.M.
Section 15, T39N, R43E, M.D.M.
Section 16, T39N, R43E, M.D.M.
Section 17, T39N, R43E, M.D.M.
Section 18, T39N, R43E, M.D.M.
Section 19, T39N, R43E, M.D.M.
Section 20, T39N, R43E, M.D.M.
Section 21, T39N, R43E, M.D.M.
W $\frac{1}{2}$ Section 22, T39N, R43E, M.D.M.
Section 28, T39N, R43E, M.D.M.
Section 29, T39N, R43E, M.D.M.
Section 30, T39N, R43E, M.D.M.
Section 31, T39N, R43E, M.D.M.
Section 32, T39N, R43E, M.D.M.
Section 33, T39N, R43E, M.D.M.
E $\frac{1}{2}$ Section 01, T40N, R42E, M.D.M.
E $\frac{1}{2}$ Section 12, T40N, R42E, M.D.M.
Section 13, T40N, R42E, M.D.M.
E $\frac{1}{2}$ Section 14, T40N, R42E, M.D.M.
E $\frac{1}{2}$ Section 23, T40N, R42E, M.D.M.
Section 24, T40N, R42E, M.D.M.
Section 25, T40N, R42E, M.D.M.
E $\frac{1}{2}$ Section 26, T40N, R42E, M.D.M.
E $\frac{1}{2}$ Section 35, T40N, R42E, M.D.M.
Section 36, T40N, R42E, M.D.M.
W $\frac{1}{2}$ Section 04, T40N, R43E, M.D.M.
Section 05, T40N, R43E, M.D.M.
Section 06, T40N, R43E, M.D.M.

STATE ENGINEERS OFFICE
2013 JUL 17 AM 10:24
RECEIVED

Section 07, T40N, R43E, M.D.M.
Section 08, T40N, R43E, M.D.M.
NW¼ SW¼ SE¼ Section 09, T40N, R43E, M.D.M.
S¼ Section 10, T40N, R43E, M.D.M.
S¼ Section 11, T40N, R43E, M.D.M.
Section 14, T40N, R43E, M.D.M.
Section 15, T40N, R43E, M.D.M.
Section 16, T40N, R43E, M.D.M.
Section 17, T40N, R43E, M.D.M.
Section 18, T40N, R43E, M.D.M.
Section 19, T40N, R43E, M.D.M.
Section 20, T40N, R43E, M.D.M.
Section 21, T40N, R43E, M.D.M.
Section 22, T40N, R43E, M.D.M.
Section 23, T40N, R43E, M.D.M.
Section 26, T40N, R43E, M.D.M.
Section 27, T40N, R43E, M.D.M.
Section 28, T40N, R43E, M.D.M.
Section 29, T40N, R43E, M.D.M.
Section 30, T40N, R43E, M.D.M.
Section 31, T40N, R43E, M.D.M.
Section 32, T40N, R43E, M.D.M.
Section 33, T40N, R43E, M.D.M.
Section 34, T40N, R43E, M.D.M.
W¼ Section 35, T40N, R43E, M.D.M.
S¼ Section 35, T41N, R42E, M.D.M.
S¼ Section 36, T41N, R42E, M.D.M.
S¼ Section 31, T41N, R43E, M.D.M.
S¼ Section 32, T41N, R43E, M.D.M.

RECEIVED
2013 JUL 17 AM 10:24
STATE ENGINEERS OFFICE