THE STATE OF NEVADA

PERMIT TO CHANGE THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Name of Permittee:	**VERDI SPRINGS, LLC**
Source:	**UNDERGROUND**
Basin:	**TRUCKEE CANYON SEGMENT**
Manner of Use:	**QUASI-MUNICIPAL**
Period of Use:	**JANUARY 1ST THROUGH DECEMBER 31ST**
Priority Date:	**07/18/1983**

****

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit, to change the place of use of the waters of an underground source as heretofore granted under Permit 47077, is issued subject to the terms and conditions imposed in said Permit 47077 and with the understanding that no other rights on the source will be affected by the change proposed herein. This well shall be equipped with a two (2) inch opening for measuring depth to water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 83073, 83074 and 83075 shall not exceed 883 acre-feet annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, **and not to exceed 1.0 cubic feet per second or 724.0 acre-feet annually.**

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:	**April 18 2015**
Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:	**April 18 2019**
Map in support of proof of beneficial use shall be filed on or before:	**N/A**

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 18th day of **April, 2014**

J. K. P.E.

State Engineer

AMENDED

Application No. 83074

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

THIS SPACE FOR OFFICE USE ONLY

Date of filing in State Engineer's Office SEP 05 2013

Returned to applicant for correction SEP 12 2013

Corrected application filed _____ Map filed Oct 18, 1983 under 47076

The applicant Verdi Springs, LLC

_____ of Reno
Street Address or PO Box — City or Town

Nevada hereby make(s) application for permission to change the
State and ZIP Code

☐ Point of diversion ☒ Place of use ☐ Manner of use ☐ of a portion

of water heretofore appropriated under (Identify existing rights by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

Permit No. 47077

RECEIVED 2013 OCT -8 AM 11:10 STATE ENGINEERS OFFICE

1. The source of water is Underground
Name of stream, lake, underground, spring or other sources.

2. The amount of water to be changed 724 afa
Second feet, acre-feet. One second foot equals 448.83 gallons per minute.

3. The water to be used for No change - Quasi-Municipal
Irrigation, power, mining, commercial, etc. If for stock, state number and kind of animals. Must limit to one major use

4. The water heretofore used for Quasi-Municipal
If for stock, state number and kind of animals.

5. The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.)

No change to Point of Diversion

6. The existing point of diversion is located within (If point of diversion is not changed, do not answer.)
NE 1/4 SW 1/4 of Section 8, T 19N, R 18E, MDB&M, or at a point from which the south quarter corner of said Section 8 bears South 7°33'11' E 1360.00 feet.

7. Proposed place of use (Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.)

See attached Exhibit "A" as described in Permit 77478 and shown on the map accompanying said Permit on file

8. Existing place of use (Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)

Sections 8, 9, 16, 17, T 19N, R 18E, MDB&M; E 1/2 Sec 7, E 1/2 Sec 18, T 19N, R 18E, MDB&M

9. Proposed use will be from January 1st (Month and Day) to December 31st (Month and Day) of each year.

10. Existing use permitted from January 1st (Month and Day) to December 31st (Month and Day) of each year.

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e., diversion structure, ditches, pipes and flumes or drilled well, pump and motor, etc.)

An 8' diameter corrugated causing 24' in depth with two (2) 7 1/2 hp deep well turbine pumps, a chlorinator, pressure tank, all enclosed in a building with arterial pipelines to serve customers (description from Certificate No. 9670)

12. Estimated cost of works Completed

13. Estimated time required to construct works Completed
If well completed, describe well.

14. Estimated time required to complete the application of water to beneficial use Ten (10) years

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

Water will be pumped from existing spring and delivered into TMWA water treatment system to supply Industrial and Domestic water

16. Miscellaneous remarks:

Raymond J. Pancia, Jr.
Type or print name clearly

Signature, applicant or agent

Verdi Springs, LLC c/o McDonald Carano Wilson
Company Name

PO Box 2670
Street Address or PO Box

Reno, NV 89505 Attn: Michael A.T. Pagni
City, State, ZIP Code

mpagni@mcdonaldcarano.com
E-mail Address

775-788-2000
Phone No. Ext.

APPLICATION MUST BE SIGNED BY THE APPLICANT OR AGENT

Revised 07/13 $240 FILING FEE AND SUPPORTING MAP MUST ACCOMPANY APPLICATION

83074

EXHIBIT "A"
Proposed Place of Use

DIVISION	SECTION	T-N	R-E	
ALL	1 – 5	18	18	M.D.B.& M.
E ½	6 & 7	18	18	M.D.B.& M.
ALL	8 – 17	18	18	M.D.B.& M.
E ½	18 & 19	18	18	M.D.B.& M.
ALL	20 – 29	18	18	M.D.B.& M.
E ½	30 & 31	18	18	M.D.B.& M.
ALL	32 – 36	18	18	M.D.B.& M.
ALL	1 – 5	19	18	M.D.B.& M.
E ½	6 & 7	19	18	M.D.B.& M.
ALL	8 – 17	19	18	M.D.B.& M.
E ½	18 & 19	19	18	M.D.B.& M.
ALL	20 – 29	19	18	M.D.B.& M.
E ½	30 & 31	19	18	M.D.B.& M.
ALL	32 – 36	19	18	M.D.B.& M.
ALL	1 – 5	20	18	M.D.B.& M.
E ½	6 & 7	20	18	M.D.B.& M.
ALL	8 – 17	20	18	M.D.B.& M.
E ½	18 & 19	20	18	M.D.B.& M.
ALL	20 – 29	20	18	M.D.B.& M.
E ½	30 & 31	20	18	M.D.B.& M.
ALL	32 – 36	20	18	M.D.B.& M.
ALL	1 – 5	21	18	M.D.B.& M.
E ½	6 & 7	21	18	M.D.B.& M.
ALL	8 – 17	21	18	M.D.B.& M.
E ½	18 & 19	21	18	M.D.B.& M.
ALL	20 – 29	21	18	M.D.B.& M.
E ½	30 & 31	21	18	M.D.B.& M.
ALL	32 – 36	21	18	M.D.B.& M.
ALL	1 – 36	17	19	M.D.B.& M.
ALL	1 – 36	18	19	M.D.B.& M.
ALL	1 – 36	19	19	M.D.B.& M.
ALL	1 – 36	20	19	M.D.B.& M.
ALL	1 – 36	21	19	M.D.B.& M.
ALL	5 & 6	16	20	M.D.B.& M.
ALL	1 – 36	17	20	M.D.B.& M.
ALL	2 – 35	18	20	M.D.B.& M.
W ½	36	18	20	M.D.B.& M.
ALL	1 – 12	19	20	M.D.B.& M.
N ½	13	19	20	M.D.B.& M.
ALL	14 – 23	19	20	M.D.B.& M.
ALL	26 – 35	19	20	M.D.B.& M.
ALL	06, 07 & 18	19	21	M.D.B.& M.
ALL	1 – 36	20	20	M.D.B.& M.
ALL	1 – 36	21	20	M.D.B.& M.
ALL	1 – 36	20	21	M.D.B.& M.
ALL	1 – 36	21	21	M.D.B.& M.

See supporting map filed with this Application.

RECEIVED
2013 OCT -8 AM 11: 10
STATE ENGINEERS OFFICE