



## THE STATE OF NEVADA

### PERMIT TO CHANGE THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Name of Permittee: WESTCARE FOUNDATION, INC.  
Source: SPRING (HARRIS SPRINGS)  
Basin: LAS VEGAS VALLEY  
Manner of Use: COMMERCIAL  
Period of Use: JANUARY 1ST THROUGH DECEMBER 31ST  
Priority Date: 10/27/1934

\*\*\*\*\*

#### APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit, to change the point of diversion, place and manner of use, of a portion of the waters of Big and Little Harris Springs as heretofore granted under Permit 9811, Certificate 2150, is issued subject to the terms and conditions imposed in said Permit 9811, Certificate 2150 and with the understanding that no other rights on the source will be affected by the change proposed herein. A measuring device must be installed and measurements of water use kept.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The location and design of the induction well must be approved by the State Engineer prior to the drilling of the induction well.

This permit is issued for commercial purposes within the described place of use, further identified by the Clark County Assessor as APN 135-01-000-004.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, **and not to exceed 0.008 cubic feet per second or 6.0 acre-feet annually.**

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

September 17 2015

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:


September 17 2017


Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 17<sup>th</sup> day of **September, 2014**

  
\_\_\_\_\_  
State Engineer



**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED**

THIS SPACE FOR OFFICE USE ONLY	
Date of filing in State Engineer's Office	<b>SEP 25 2013</b>
Returned to applicant for correction	
Corrected application filed	Map filed <b>SEP 25 2013</b>

The applicant WestCare Foundation, Inc., A Nevada Non Profit Corporation - c/o Mike Lavin

P.O. Box 94738 of Las Vegas  
Street Address or P.O. Box City or Town

Nevada, 89193, hereby make(s) application for permission to change the  
State and Zip Code

- Point of Diversion   
  Place of Use   
  Manner of Use   
  of a Portion

of water heretofore appropriated under Permit 9811, Certificate 2150  
Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.

RECEIVED  
 SEP 25 11:11 AM  
 STATE ENGINEER'S OFFICE

1. The source of water is Harris Springs (Induction Well)  
Name of stream, lake, underground, spring or other sources.

2. The amount of water to be changed 0.008 cfs, 6.0 acre-feet  
Second feet, acre-feet. One second foot equals 448.83 gallons per minute.

3. The water to be used for Commercial  
Irrigation, power, mining, commercial, etc. If for stock state number and kind of animals. Must limit to one major use.

4. The water heretofore used for Irrigation  
If for stock state number and kind of animals.

5. The water is to be diverted at the following point within the NE 1/4 SW 1/4 of Section 01, T. 20 S., R. 57 E.,  
Describe as being within a 40-acre subdivision of public survey and by course  
M.D.B.& M., at a point from which the north 1/4 of said section 01 bears North 17°49'18" East a  
and distance to a found section corner. If on unsurveyed land, it should be stated.  
distance of 3,597.8 feet.

6. The existing point of diversion is located within the NW 1/4 SW 1/4 of Section 01, T. 20 S., R. 57 E.,  
If point of diversion is not changed, do not answer.  
M.D.B.& M., at a point from which the southwest 1/16 of said section 01 bears South 28° 00' East a distance  
of 586.0 feet, as shown on Proof of Beneficial Use map filed under permit 9811.

Note: Certificate 2150 has a incomplete description of two points of diversion, being Big Harris spring and Little Harris spring, but only the point of diversion for Little Harris spring has a established course and distance on the supporting map filed under permit 9811.

L V V  
13-212  
4

7. Proposed place of use 14.46 acres within the NE¼ SW¼ of Section 01 T. 20 S., R. 57 E., M.D.B.&M.,  
Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.  
further described as APN 135-01-000-004.

8. Existing place of use 5.37 acres within the NE¼ SW¼ and .35 acres within the SE¼ NW¼ of Section 01,  
Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation  
T. 20 S., R. 57 E., M.D.B.&M. A total of .82 acres to be removed from irrigation, being .47 acres within the  
NE¼ SW¼ and .35 acres within the SE¼ NW¼ of Section 01 T. 20 S., R. 57 E., M.D.B.&M.

9. Proposed use will be from January 1st to December 31st of each year.  
Month and Day Month and Day

10. Existing use permitted from January 1st to December 31st of each year.  
Month and Day Month and Day

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works) Drilled induction well with a submersible pump to capture flow  
State manner in which water is to be diverted, i.e. diversion structure, ditches, pipes and  
from Harris Springs, one ≈10,000 gallon storage tank, two pressure tanks, two booster pumps to an underground  
flumes or drilled well, pump and motor, etc.  
distribution system.

12. Estimated cost of works \$50,000.00


13. Estimated time required to construct works 1 Year  
If well completed, describe well.

14. Estimated time required to complete the application of water to beneficial use 5 years

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary):  
Failure to provide a detailed description may cause a delay in processing.  
The water being changed under this application will be used for commercial purposes within APN 135-01-000-004.  
The commercial facility is a residential rehabilitation facility which has been in existence since 1979. The facility  
consist of two office buildings, one multipurpose building, one dining hall, one shower/bath building and six  
residential units which house an average of 48 residents, up to a maximum of 56 residents on a year round basis.

16. Miscellaneous \_\_\_\_\_

702-525-1923  
Phone No.  
  
\_\_\_\_\_  
E-mail

By Robert Conche, P.E.  
Print or type name clearly  
  
Signature, Applicant or Agent  
Hydrotech Consulting Services, LLC  
Company Name  
4280 North Tioga Way  
Street Address or P.O. Box  
Las Vegas, NV 89129  
City, State, Zip Code

**APPLICATION MUST BE SIGNED  
BY THE APPLICANT OR AGENT**