



TEMPORARY
THE STATE OF NEVADA

**PERMIT TO CHANGE THE PUBLIC WATERS OF THE
STATE OF NEVADA HERETOFORE APPROPRIATED**

Name of Permittee: RUSSELL LANE PARKER AND TAMMY LAVON PARKER
Source: UNDERGROUND
Basin: CLOVERS AREA
Manner of Use: IRRIGATION
Period of Use: ONE YEAR FROM DATE OF ISSUANCE.
Priority Date: 12/16/1965

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This temporary permit, to change the point of diversion, place and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 22891, Certificate 8056, is issued subject to the terms and conditions imposed in said Permit 22891, Certificate 8056, and with the understanding that no other rights on the source will be affected by the change proposed herein. This well shall be equipped with a two (2) inch opening for measuring depth to water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This temporary permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this temporary permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This temporary permit is issued pursuant to the provisions of NRS 533.345 Section 2 and will expire 1 year after the approval of the permit at which time all rights herein granted shall revert to the right being changed by this temporary permit.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, **and not to exceed 0.20 cubic feet per second or 93.40 acre-feet annually.**

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

N/A

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:

N/A

Map in support of proof of beneficial use shall be filed on or before:


N/A

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 13th day of March, 2014



P.E.
State Engineer



APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

THIS SPACE FOR OFFICE USE ONLY

Date of filing in State Engineer's Office JAN 31 2014

Returned to applicant for correction _____

Corrected application filed _____ Map filed JAN 31 2014 ^{under} under 83492T

The applicant Russell Lane Parker and Tammy Lavon Parker

HC 61 Box 20 of Battle Mountain
Street Address or P.O. Box City or Town

Nevada 89820, hereby make(s) application for permission to change the
State and Zip Code

- Point of diversion Place of use Manner of use of a portion

of water heretofore appropriated under (Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree)

Permit No. 22891, Certificate No. 8056

1. The source of water is Underground
Name of stream, lake, underground, spring or other sources.

2. The amount of water to be changed 0.200 cfs 93.40 acre feet
Second feet, acre-feet. One second foot equals 448.83 gallons per minute.

3. The water to be used for Irrigation
Irrigation, power, mining, commercial, etc. If for stock state number and kind of animals. Must limit to one major use.

4. The water heretofore used for Irrigation and Domestic
If for stock state number and kind of animals.

5. The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be so stated.)

SW1/4 SW1/4 of Section 9, T.34 N., R.45 E., M.D.B. & M., at a point from which the South 1/4 corner of said Section 9 bears S 73° 38' 03" E, 2421.87 feet.

6. The existing point of diversion is located within (If point of diversion is not changed, do not answer)

NW1/4 SW1/4 of Section 24, T.34 N., R.44 E., M.D.B. & M., at a point from which the Southwest corner of said Section 24 bears S 11° 24' 00" W, 1792.00 feet.

*64-LA
Clovers Area*

7. Proposed place of use (Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.)

Portions of the West 1/2 of Section 9, T.34 N., R.45 E., M.D.B. & M.

23.35 acres to be irrigated.

8. Existing place of use (Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)

South 1/2 of Section 24, T.34 N., R.44 E., M.D.B. & M. 5.92 ac. in the NW1/4 SW1/4, 7.36 ac. in the NE1/4 SW1/4, 6.99 ac. in the SW1/4 SW1/4, and 3.08 ac. in the SE1/4 SW1/4, for a total of 23.35 ac. In Section 24, T.34 N., R.44 E., M.D.B. & M. to be removed from irrigation.

9. Proposed use will be from January 1 to December 31 of each year.
Month and Day Month and Day

10. Existing use permitted from January 1 to December 31 of each year.
Month and Day Month and Day

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e. diversion structure, ditches, pipes and flumes or drilled well, pump, and motor, etc.)

Drilled well, pump, motor, totalizing meter, pipelines and sprinkler system

12. Estimated cost of works \$10,000

13. Estimated time required to construct works Well is complete under Permit 76909 and others.
If well completed, describe well.

14. Estimated time required to complete the application of water to beneficial use 1 year

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary:)(Failure to provide a detailed description may cause a delay in processing)

A 53.91 acre portion of Permit 22891, Certificate 8056 was previously forfeited and subsequently reinstated by Settlement Agreement and Mutual Release between the applicants and the Division of Water Resources. A condition of the agreement is that a Resumption of Water to Beneficial Use for the reinstated 53.91 acres must be filed by October 1, 2014 and no further extensions of time to prevent forfeiture will be approved. Mr. and Mrs. Parker have sold the reinstated 53.91 acres to Erik and Kristine Taylor by deed recorded 01/08/2014. We are filing this temporary application to ensure that Mr. and Mrs. Taylor will be able to irrigate the acreage being changed for the entire upcoming irrigation season in order to file the required Proof of Resumption for the total duty certificated under the portion of permit 22891 that was reinstated. We are in the process of preparing and filing the Report of Conveyance to update title to the Taylor's and also the permanent applications to change the portions of permit 22891 reinstated.

16. Miscellaneous remarks:

remorley@frontiernet.net

E-mail Address


(775) 738-4053

Phone No.

Ext.

Robert E. Morley

Type or print name clearly



Signature, applicant or agent

High Desert Engineering, LLC

Company Name

640 Idaho Street

Street address or P.O. Box

Elko, Nevada 89801

City, State, Zip Code

APPLICATION MUST BE SIGNED
BY THE APPLICANT OR AGENT

Revised 07/13

\$180 FILING FEE AND SUPPORTING MAP MUST ACCOMPANY APPLICATION

RECEIVED
2014 JAN 31 AM 10:53
STATE ENGINEERS OFFICE