



THE STATE OF NEVADA
APPLICATION TO APPROPRIATE WATER


Name of Permittee: JOE SAVAL COMPANY LLC
Source: SPRING (JERSEY HOT SPRING)
Basin: JERSEY VALLEY
Manner of Use: INDUSTRIAL
Period of Use: JANUARY 1ST THROUGH DECEMBER 31ST
Priority Date: 04/11/2014

DENIAL OF STATE ENGINEER

This application is hereby denied on the grounds that there is no unappropriated water at the source and to approve the application would threaten to prove detrimental to the public interest.

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the
seal of my office, this 2nd day of March, 2015



State Engineer

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

THIS SPACE FOR OFFICE USE ONLY	
Date of Filing in State Engineer's Office	<u>APR 11 2014</u>
Returned to applicant for correction	_____
Corrected Application filed	Map filed <u>APR 11 2014</u>

The applicant Joe Saval Company, LLC

P.O. Box 296 of Battle Mountain
Street Address or P.O. Box City or Town

Nevada 89820 hereby make(s) application for permission to appropriate the
State and ZIP Code

public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

LLC Filing Date - 5/23/1996; Filed in State of Nevada

1. The source of water is Jersey Hot Spring aka Spring "F"
Name of the stream, lake, underground, spring or other sources.

2. The amount of water applied for is 0.11 c.f.s - NTE 79.6 AFA
One second foot equals 448.83 gallons per minute.

(a) If stored in a reservoir give the number of acre-feet _____

3. The water is to be used for _____
Irrigation, power, mining, commercial, domestic or other use. Must be limited to one major use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated _____

(b) Stockwater, state number and kind of animals _____

(c) Other use (describe fully in No. 12) Industrial

(d) Power:

(1) Horsepower developed _____

(2) Point of return of water to stream _____

*Jersey v.
-132
10 Re*

5. The water is to be diverted from its source at the following point: (Describe as being within a 40-acre subdivision of public survey, and by course and distance to a found section corner. If on unsurveyed land, it should be so stated.)

Within the SE 1/4 SE 1/4, section 29, T. 27 N., R. 40 E., M.D.B.&M., or at a point which the SE corner of section 28, T. 27 N., R. 40 E., M.D.B.&M. bears S. 84 deg. 18' 0.0 " E., a distance of 5916.75 ft.. Please see map filed under 77472.

6. Place of use: (Describe by legal subdivision. If on unsurveyed land, it should be so stated)

within sections 5, 6, & 7, T. 26 N., R. 40 E., M.D.B.&M., and sections 2, 3, 9, 10, 15, 16, 20, 21, W 1/2 of 22, W 1/2 of 27, 28, 29, 30, 31, 32, and 33, T. 27 N., R. 40 E., M.D.B.&M., and section 34 and 35, T. 28N., R. 40 E., M.D.B.&M.

Please see map accompanying this application.

7. Use will begin about January 1 and end about December 31 of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with a pump and motor, etc.)

Water is currently in existing pond. Portble pump, pipe, motor and truck fill stand will be used on site to fill tanker trucks for delivery to place of use.

9. Estimated cost of works: \$10,000.00

10. Estimated time required to construct works: one year
(If the well is complete, describe works.)

11. Estimated time required to complete the application of water to beneficial use: three year

12. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

Water is to be used for industrial purposes within the place of use. Water will be used for dust suppression on road ways, water needs for development of wells, and geothermal power plant needs.

13. Miscellaneous remarks:

The source of this water is Jersey Hot spring aka Spring "F". It is understood that this spring is currently under an adjudication. This application to appropriate water is subject to senior rights as determined by conclusion of the adjudication.

michael@stankaconsulting.com
E-mail Address
(775) 885-9283
Phone No. Ext.

APPLICATION MUST BE SIGNED
 BY THE APPLICANT OR AGENT

Michael Stanka PE, Agent
Type or print name clearly

Signature, applicant or agent
Stanka Consulting, Ltd
Company Name
3032 Silver Sage Drive, Suite 101
Street Address or PO Box
Carson City, Nevada 89701
City, State, ZIP Code

RECEIVED
 2014 APR 11 PM 12:09
 STATE ENGINEERS OFFICE