

**THE STATE OF NEVADA****PERMIT TO APPROPRIATE WATER**

**Name of Permittee:** RONALD J. AND LYNN A. JENKINS  
**Source:** UNDERGROUND  
**Basin:** WINNEMUCCA SEGMENT  
**Manner of Use:** COMMERCIAL AND DOMESTIC  
**Period of Use:** JANUARY 1ST THROUGH DECEMBER 31ST  
**Priority Date:** 04/17/2014

\*\*\*\*\*

**APPROVAL OF STATE ENGINEER**

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the proof of completion of work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use.

The total allowable withdrawal of water from the well under this permit for both commercial and domestic purposes shall not exceed 2.0 acre-feet annually and is limited for use on Humboldt County Assessor's Parcel Numbers 3537-09-427-02 and 3537-09-200-001.

If any water under this permit is cancelled, withdrawn, or any water is not put to beneficial use, it will revert to the groundwater source.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, **and not to exceed 0.0557 cubic feet per second or 2.0 acre-feet annually.**

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

August 27 2015

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:


August 27 2017


Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 27<sup>th</sup> day of **August, 2014**

  
\_\_\_\_\_  
State Engineer



**APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

THIS SPACE FOR OFFICE USE ONLY	
Date of Filing in State Engineer's Office	<u>APR 17 2014</u>
Returned to applicant for correction	_____
Corrected Application filed	Map filed <u>APR 17 2014</u>

The applicant Ronald J. and Lynn A. Jenkins

6930 Airport Road

Street Address or P.O. Box

of Winnemucca

City or Town

Nevada, 89445

State and ZIP Code

hereby make(s) application for permission to appropriate the

public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

RECEIVED  
 2014 APR 17 PM 1:42  
 STATE ENGINEERS OFFICE

1. The source of water is underground

Name of the stream, lake, underground, spring or other sources.

2. The amount of water applied for is 0.0557 cfs not to exceed 2.0 acre feet

One second foot equals 448.83 gallons per minute.

(a) If stored in a reservoir give the number of acre-feet \_\_\_\_\_

3. The water is to be used for Commercial and Domestic

Irrigation, power, mining, commercial, domestic or other use. Must be limited to one major use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated \_\_\_\_\_

(b) Stockwater, state number and kind of animals \_\_\_\_\_

(c) Other use (describe fully in No. 12) Commercial and Domestic

(d) Power:

(1) Horsepower developed \_\_\_\_\_

(2) Point of return of water to stream \_\_\_\_\_

*Winnemucca Segment*  
*4-70*  
*HU*

5. The water is to be diverted from its source at the following point: (Describe as being within a 40-acre subdivision of public survey, and by course and distance to a found section corner. If on unsurveyed land, it should be so stated.)  
within the NE1/4SE1/4 of Section 9, T.35N.,R.37E., M.D.B.&M., or at a point from which the East 1/4 corner of said Section 9, bears N24°16'E, 363.00 feet.

6. Place of use: (Describe by legal subdivision. If on unsurveyed land, it should be so stated)  
7.56 acres lying within portions of the NE1/4SE1/4 and SE1/4NE1/4 of Section 9, T.35N.,R.37E., M.D.B.&M.

7. Use will begin about January 1st and end about December 31st of each year.  
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with a pump and motor, etc.)  
A drilled well submersible pump and water distribution system.

9. Estimated cost of works: \$25,000.00±

10. Estimated time required to construct works: 2 years  
(If the well is complete, describe works.)

11. Estimated time required to complete the application of water to beneficial use: 4 years


12. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

The applicants have a storage facility on portion of the place of use, they wish to build a residence / office and possibly additional storage units on the balance of the property. The annual consumptive use of will not exceed 2.0 acre feet.

13. Miscellaneous remarks:  
Fixture Count is attached.

dms@winnemucca.net  
E-mail Address  
775-623-4414  
Phone No. Ext.

APPLICATION MUST BE SIGNED  
BY THE APPLICANT OR AGENT

John H. Milton III  
Type or print name clearly  
  
Signature, applicant or agent  
Desert Mountain Surveying  
Company Name  
146 West Second Street  
Street Address or PO Box  
Winnemucca, Nevada, 89445  
City, State, ZIP Code

**Fixture Count**

<b>Type of Fixture</b>	<b>Private Use</b>	<b>Public Use</b>	<b>No. Of Fixtures</b>	<b>Fixture Unit</b>	
				<b>Count</b>	<b>Private</b>
Coffee Maker	1	1			0
Drinking Fountain	1	1			0
Ice Make	3	8			0
Dishwasher-Commercial	8	15			0
Dishwasher-Home	2	4	1		2
Disposal-Commercial	5	10			0
Disposal-Home	2	4	1		2
Laundry Machine-Commercial	25	50			0
Laundry Machine-Home	2	14	1		2
Laundry Tub/Tray	2	4			0
Lavatory Sink	1	2			0
Sink Kitchen	2	4	1		2
Sink Service	2	4			0
Sink Wash	1	2	2		2
Sink Bar	1	2			0
Bathtub/Shower	1	2	2		2
Urinal	1	1.5			0
Water Closet	1.5	2.5	2		3
Floor Sink	2	4			0
Hose Bibb	3	5	4		12
Car Wash Stall	8	45			0
			<b>Total Units</b>	<b>26</b>	<b>0.437 AF*</b>
<b>Other, in AF</b>					
<b>Landscaping/Dust Control, etc...</b>					<b>1.563</b>
			<b>Total</b>	<b>2.00 AF</b>	

PROSPECT  
 2014 APR 17 PM 1:42  
 STATE ENGINEERS OFFICE