

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

THIS SPACE FOR OFFICE USE ONLY		
Date of filing in State Engineer's Office	<u>APR 22 2014</u>	
Returned to applicant for correction	<u>MAY 22 2014</u>	
Corrected application filed	<u>JUL 21 2014</u>	Map filed <u>Feb 8 1961</u> under <u>19543</u>

The applicant FLT Trust
2620 South Maryland Parkway of Las Vegas
Street Address or PO Box City or Town
Nevada 89109 hereby make(s) application for permission to change the
State and ZIP Code

Point of diversion Place of use Manner of use of a portion

of water heretofore appropriated under (Identify existing rights by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

Permit 26462, Certificate 9739

- The source of water is underground
Name of stream, lake, underground, spring or other sources.
- The amount of water to be changed 0.22 cfs but not to exceed 31.97 acre-feet
Second feet, acre-feet. One second foot equals 448.83 gallons per minute.
- The water to be used for Irrigation
Irrigation, power, mining, commercial, etc. If for stock, state number and kind of animals. Must limit to one major use
- The water heretofore used for Irrigation
If for stock, state number and kind of animals.
- The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.)
Within the SW1/4 SE1/4 of Section 29, T.36N., R.40E., M.D.B.&M., or at a point from which the S 1/4 corner of said Section 29 bears S. 2°20' ^W E., a distance of 270.0 feet as shown on the map filed under Permit 19543.
- The existing point of diversion is located within (If point of diversion is not changed, do not answer.)
Within the SW1/4 NW1/4 of Section 32, T.36N., R.40E., M.D.B.&M., or at a point from which the NW corner of said Section 32 bears N. 30°14' W., a distance of 1,655.0 feet as shown on the map filed under Permit 26462, Certificate 9739.

RECEIVED
 JUL 21 2014
 STATE ENGINEER
 CAROLINE
 SUC
 SEE E-MAIL

