



THE STATE OF NEVADA

PERMIT TO CHANGE THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Name of Permittee: Y-3 II
 Source: UNDERGROUND (WELL 1)
 Basin: SALMON FALLS CREEK AREA
 Manner of Use: IRRIGATION
 Period of Use: JANUARY 1ST THROUGH DECEMBER 31ST
 Priority Date: 10/02/1967

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit, to change the point of diversion of a portion of the waters of an underground source as heretofore granted under Permit 83319, is issued subject to the terms and conditions imposed in said Permit 83319 and with the understanding that no other rights on the source will be affected by the change proposed herein. This well shall be equipped with a two (2) inch opening for measuring depth to water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 83318, 83319 and 83841 shall not exceed 1,812 acre feet annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.414 cubic feet per second or 300.0 acre-feet annually, but not to exceed 4.0 acre feet per acre from all sources.

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

December 22 2015

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:

December 22 2017

Map in support of proof of beneficial use shall be filed on or before:


December 22 2017

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 22nd day of December, 2014



State Engineer



APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

THIS SPACE FOR OFFICE USE ONLY

Date of filing in State Engineer's Office MAY 15 2014

Returned to applicant for correction _____

Corrected application filed _____ Map filed Dec 13 2013 under 83318

The applicant Y-3 II
Box 5405 of Boise
 Street Address or PO Box City or Town
Idaho 83705 hereby make(s) application for permission to change the
 State and ZIP Code

Point of diversion Place of use Manner of use of a portion
 of water heretofore appropriated under (Identify existing rights by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)
permit #83319

- The source of water is underground (well #1)
Name of stream, lake, underground, spring or other sources.
- The amount of water to be changed 300.0 acre-feet (duty only) 0.414 cfs
Second feet, acre-feet. One second foot equals 448.83 gallons per minute.
- The water to be used for same as existing
Irrigation, power, mining, commercial, etc. If for stock, state number and kind of animals. Must limit to one major use
- The water heretofore used for irrigation
If for stock, state number and kind of animals.
- The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.)
within Lot 2 (SW¼NW¼) Section 18, T.47N., R.65E., M.D.M., from which the NW corner of said section 18 bears N14°17'W., 1.511.6 ft. distant.
- The existing point of diversion is located within (If point of diversion is not changed, do not answer.)
SE¼NE¼ Section 13, T.47N., R.64E., M.D.M., from which the NE corner of said section 13 bears N.1°30'E., 1.451 ft. distant.

RECEIVED
 2014 MAY 15 PM 1:24
 STATE ENGINEERS OFFICE

Salmon Falls Creek Area
 3 - 40
 61

7. Proposed place of use (Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.)

453 acres within portions of the following:

T.47N., R.64E., M.D.M.: Sec.13: S½NE¼, SE¼, E½SW¼, SE¼NW¼, Sec.24: NE¼NW¼, N½NE¼,

T.47N., R.65E., M.D.M.: Sec.7: SE¼SW¼, SW¼SE¼; Sec.17: SW¼, S½NW¼; Sec.18: NE¼NW¼, NW¼NE¼, S½N½, N½S½, S½SW¼, SE¼SE¼.

8. Existing place of use (Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)

453.0 acres within portions of the following:

T.47N., R.64E., M.D.M.: Sec.13: S½NE¼, SE¼, E½SW¼, SE¼NW¼; Sec.24: NE¼NW¼, N½NE¼,

T.47N., R.65E., M.D.M.: Sec.7: SE¼SW¼, SW¼SE¼; Sec.17: SW¼, S½NW¼; Sec.18: NE¼NW¼, NW¼NE¼, S½N½, N½S½, S½SW¼, and SE¼SE¼.

9. Proposed use will be from January 1 to December 31 of each year.
Month and Day Month and Day

10. Existing use permitted from January 1 to December 31 of each year.
Month and Day Month and Day

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e., diversion structure, ditches, pipes and flumes or drilled well, pump and motor, etc.)

existing drilled and cased well, electric motor driving turbine pump, with 8" discharge line to sprinkler system

12. Estimated cost of works no additional expense

13. Estimated time required to construct works existing works

If well completed, describe well.

14. Estimated time required to complete the application of water to beneficial use five years

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

This change application made for the purpose of adding sufficient duty to this irrigation well from companion irrigation well (see permit #83319), in conformance to actual operational experience.

16. Miscellaneous remarks:

Please refer to map filed under #83318 & 83319 to support all of the above descriptions. Please send copies of correspondence and notices to the undersigned agent.

bill@farrwestengineering.com

E-mail Address

738-2121

Phone No.

111

Ext.

APPLICATION MUST BE SIGNED
BY THE APPLICANT OR AGENT

William A. Nisbet

Type or print name clearly

William A. Nisbet

Signature, applicant or agent

Farr West Engineering

Company Name

421 Court Street

Street Address or PO Box

Elko, Nevada 89801-3527

City, State, ZIP Code