



THE STATE OF NEVADA

PERMIT TO APPROPRIATE WATER

Name of Permittee: RODNEY AND VIRGINIA ST. CLAIR
Source: UNDERGROUND (CASEY HOT SPRINGS WELL)
Basin: MUD MEADOW
Manner of Use: IRRIGATION
Period of Use: JANUARY 1ST THROUGH DECEMBER 31ST
Priority Date: 05/21/2014

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins or before the proof of completion of work is filed. The State retains the right to regulate the use of the water granted herein at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

This permit is also issued subject to the provision that 90.5 acres, a portion of the place of use of the water herein granted, is limited to and supplemental to lands having existing surface water under Permit 83847.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 3.53 cubic feet per second or 1280.0 acre-feet annually, but not to exceed 4.0 acre-feet per acre from all sources.

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

October 14 2016

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:

October 14 2017

Map in support of proof of beneficial use shall be filed on or before:


October 14 2017

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 14th day of October, 2014



State Engineer



APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

THIS SPACE FOR OFFICE USE ONLY	
Date of Filing in State Engineer's Office _____	MAY 21 2014
Returned to applicant for correction _____	
Corrected Application filed _____	Map filed MAY 21 2014

The applicant Rodney and Virginia St. Clair
8319 Clark Rd. of Marsing
Street Address or P.O. Box City or Town
Idaho 83639 hereby make(s) application for permission to appropriate the
State and ZIP Code

public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

2014 MAY 21 AM 10:24
 STATE ENGINEERS OFFICE

1. The source of water is an underground source (Casey Hot Springs Well)
Name of the stream, lake, underground, spring or other sources.
2. The amount of water applied for is 3.53 c.f.s., not to exceed 1,280 AFA
One second foot equals 448.83 gallons per minute.
 - (a) If stored in a reservoir give the number of acre-feet _____
3. The water is to be used for Irrigation
Irrigation, power, mining, commercial, domestic or other use. Must be limited to one major use.
4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated 320 acres
 - (b) Stockwater, state number and kind of animals _____
 - (c) Other use (describe fully in No. 12) _____
 - (d) Power:
 - (1) Horsepower developed _____
 - (2) Point of return of water to stream _____

MM
2-26
HJ

5. The water is to be diverted from its source at the following point: (Describe as being within a 40-acre subdivision of public survey, and by course and distance to a found section corner. If on unsurveyed land, it should be so stated.)
within Lot 8 of Section 16, T. 36 N., R. 26 E., M.D.B.&M., or at a point from which the SW corner of Section 8, T. 36 N., R. 26 E., M.D.B.&M. bears N. 76° 45' 46.8" W., a distance of 9,583.4 feet. (Please see accompanying map)

6. Place of use: (Describe by legal subdivision. If on unsurveyed land, it should be so stated)
320 acres within Lot 7, Lot 8, Lot 10, Lot 15, the NW1/4 SE1/4, and the SW1/4 SE1/4 of Section 16, and within portions of the NW1/4 NE1/4 and the NE1/4 NE1/4 of Section 21, all within T. 36 N., R. 26 E., M.D.B.&M. (Please see accompanying map)

7. Use will begin about January 1st and end about December 31st of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with a pump and motor, etc.)

Proposed works include drilling of well, installation of pump and electrical, installation of any pipelines, ditches, and any other required earthwork

9. Estimated cost of works: \$100,000.00

10. Estimated time required to construct works: 3 years
(If the well is complete, describe works.)

11. Estimated time required to complete the application of water to beneficial use: 1 years

12. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)


Well to be drilled. Pump and electrical to be installed. Water will be conveyed from pump through pipelines and ditches to fields were it will be placed to beneficial use for irrigation practices. Please note that no current irrigation practices exist in the proposed place of use. A great deal of resources will be required to complete works.

13. Miscellaneous remarks:

Additional Application to be filed for Casey Hot Springs (spring source) alongside this one. Portions of this underground application may be used as supplemental source to proposed surface water irrigation applied for under application to appropriate the waters of Casey Hot Springs (to be filed at the same time as this Application). Diversion rate of 3.53 c.f.s. is requested. It's anticipated that irrigation will only run half time (182 days out the 365 day year).

michael@stankaconsulting.com
E-mail Address
(775) 885-9283
Phone No. Ext.

APPLICATION MUST BE SIGNED
 BY THE APPLICANT OR AGENT

Michael A. Stanka, P.E.
Type or print name clearly

Signature, applicant or agent
Stanka Consulting, LTD
Company Name
3032 Silver Sage Dr., Suite 101
Street Address or PO Box
Carson City, NV 89701
City, State, ZIP Code

2014 MAY 21 AM 10:24
 CIVIL ENGINEERS OFFICE