Permit No. 83914

THE STATE OF NEVADA

PERMIT TO CHANGE THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Name of Permittee:	**TRIPLE AUGHT FOUNDATION**
Source:	**UNDERGROUND**
Basin:	**GARDEN VALLEY**
Manner of Use:	**INDUSTRIAL**
Period of Use:	**JANUARY 1ST THROUGH DECEMBER 31ST**
Priority Date:	**05/18/2004**

****

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit, to change the point of diversion and place of use of the waters of an underground source as heretofore granted under Permit 71230, is issued subject to the terms and conditions imposed in said Permit 71230 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The issuance of Permit 83914 totally abrogates Permit 71230.

This water right is by nature of its activity a temporary use and any application to change the manner of use granted under this permit will be subject to additional determination and evaluation with respect to the permanent effects on existing rights and the resource within the groundwater basin.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, **and not to exceed 1.0 cubic feet per second or 4.76 acre-feet annually.**

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:	**December** 29 **2015**
Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:	**December** 29 **2017**
Map in support of proof of beneficial use shall be filed on or before:	**N/A**

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 29th day of **December, 2014**

J. K. P.E.

State Engineer

STATE ENGINEER STATE OF NEVADA

Application No. 83914

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

THIS SPACE FOR OFFICE USE ONLY

Date of filing in State Engineer's Office JUN 19 2014

Returned to applicant for correction JUN 24 2014

Corrected application filed _____ Map filed AUG 05 2014

The applicant Triple Aught Foundation

HC 61 Box 33 (Street Address or PO Box) of Hiko (City or Town)

89017 NEVADA (State and ZIP Code) hereby make(s) application for permission to change the

SLM 6/20/14

☑ Point of diversion ☑ Place of use ☐ Manner of use ☐ of a portion

of water heretofore appropriated under (Identify existing rights by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

Permit #71230

1. The source of water is Underground
   Name of stream, lake, underground, spring or other sources.

2. The amount of water to be changed 1.0 cfs; 1.55 mga (4.76 afa)
   Second feet, acre-feet. One second foot equals 448.83 gallons per minute.

3. The water to be used for Industrial
   Irrigation, power, mining, commercial, etc. If for stock, state number and kind of animals. Must limit to one major use

4. The water heretofore used for Industrial
   If for stock, state number and kind of animals.

5. The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.)

   Within the SW1/4 SW1/4 of Section 14, T. 2N., R.58E., M.D.B.&M., or at a point from which the SW corner of said Section 14 bears S. 31°32'18" W., 385.59 feet distant.

6. The existing point of diversion is located within (If point of diversion is not changed, do not answer.)

   The NW1/4 SE1/4 of Section 15, T.2N., R.58E., M.D.B.&M., or at a point from which the NE corner of Section 15, T.2N., R.58E., M.D.B.&M., bears N. 36°53'50" E., 3,349.33 feet distant.

Garden Valley
10 - 172
L1

83914

7. Proposed place of use (Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.)

The S1/2 SW1/4 and S1/2 NW1/4 SW1/4 of Section 14 and the NW1/4, SE1/4, W1/2 NE1/4, SE1/4 NE1/4, and NE1/4 SW1/4 of Section 15, T. 2N., R. 58 E., M.D.B.&M.

8. Existing place of use (Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)

The SW1/4 SW1/4 and S1/2 NW1/4 SW1/4 of Section 14, and the NW1/4, SE1/4, NE1/4 SW1/4, NW1/4 NE1/4, SW1/4 NE1/4, and SE1/4 NE1/4 in Section 15, T. 2N., R. 58 E., M.D.B.&M.

9. Proposed use will be from January 1st (Month and Day) to December 31st (Month and Day) of each year.

10. Existing use permitted from January 1st (Month and Day) to December 31st (Month and Day) of each year.

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e., diversion structure, ditches, pipes and flumes or drilled well, pump and motor, etc.)

A well will be drilled and water pumped into a storage tank or truck tanks.

12. Estimated cost of works $50,000

13. Estimated time required to construct works One (1) Year

If well completed, describe well.

14. Estimated time required to complete the application of water to beneficial use Three (3) Years

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

The water will be used for construction and maintenance of a large earth moving project. The water will also be used for batching concrete and dust and weed control.

16. Miscellaneous remarks:

almberg@basineng.com
E-mail Address

(775) 289-9800
Phone No. Ext.

APPLICATION MUST BE SIGNED BY THE APPLICANT OR AGENT

Emil W. Almberg, Jr., P.E./P.L.S.
Type or print name clearly

Signature, applicant or agent

Basin Engineering Corporation
Company Name

1070 E. Aultman Street
Street Address or PO Box

Ely, NV 89301
City, State, ZIP Code

Revised 07/13

$240 FILING FEE AND SUPPORTING MAP MUST ACCOMPANY APPLICATION