



THE STATE OF NEVADA

PERMIT TO APPROPRIATE WATER

Name of Permittee: DRY LAKE WATER, LLC
Source: UNDERGROUND
Basin: GARNET VALLEY
Manner of Use: QUASI-MUNICIPAL
Period of Use: JANUARY 1ST THROUGH DECEMBER 31ST
Priority Date: 07/01/2014

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This diversion rate only permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins or before the proof of completion of work is filed. The State retains the right to regulate the use of the water granted herein at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 72098, 79948, 81344 and 84041, having the same point of diversion, shall not exceed 94.16 acre-feet annually.

The total combined duty of water under Permits 66784, 66785, 72098, 77389, 79948, 81344 and 84041, being fully supplemental, shall not exceed 178.0 acre-feet annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, **and not to exceed 0.5 cubic feet per second or 40.0 acre-feet annually.**

Work must be prosecuted with reasonable diligence and proof of completion

of work shall be filed on or before:

Filed Under 72098 on April 30, 2010

Water must be placed to beneficial use and proof of the application of water to

beneficial use shall be filed on or before:


December 29 2017

Map in support of proof of beneficial use shall be filed on or before:


N/A

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 29th day of **December, 2014**



State Engineer



APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

THIS SPACE FOR OFFICE USE ONLY	
Date of Filing in State Engineer's Office	<u>JUL 01 2014</u>
Returned to applicant for correction	_____ under
Corrected Application filed	Map filed <u>Apr 15 2004</u> <u>72098</u>

The applicant Dry Lake Water, LLC.
9910 West Cheyenne Ave., Ste. 110 of Las Vegas
Street Address or P.O. Box City or Town
Nevada, 89129 hereby make(s) application for permission to appropriate the
State and ZIP Code

public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

RECEIVED
 2014 JUL -1 PM 12:43
 STATE ENGINEERS OFFICE

-
- The source of water is underground
Name of the stream, lake, underground, spring or other sources.
 - The amount of water applied for is 40.0 acre feet per year at a rate not to exceed 0.5 cubic feet per second
One second foot equals 448.83 gallons per minute.
 (a) If stored in a reservoir give the number of acre-feet _____
 - The water is to be used for Quasi-municipal
Irrigation, power, mining, commercial, domestic or other use. Must be limited to one major use.
 - If use is for:
 - Irrigation, state number of acres to be irrigated _____
 - Stockwater, state number and kind of animals _____
 - Other use (describe fully in No. 12) _____
 - Power:
 - Horsepower developed _____
 - Point of return of water to stream _____

Garnet Valley (Dry Lake Valley)
 13 - 216
 C1

5. The water is to be diverted from its source at the following point: (Describe as being within a 40-acre subdivision of public survey, and by course and distance to a found section corner. If on unsurveyed land, it should be so stated.)

Within the SE 1/4 SW 1/4 of Section 13, T18S, R63E, MDM at a point which bears S 63 degrees 03 minutes 38 seconds W, 1610.75 feet to the SW corner of said Section 13, as shown on the map accompanying Permit 72098.

6. Place of use: (Describe by legal subdivision. If on unsurveyed land, it should be so stated)

Apex Industrial Park (as shown on "Place of Use" map accompanying applications #66162-66166). Specifically, Township 17 South, Range 63 East: parts of Sections 32 and 33; Township 18 South, Range 63 East: parts of Sections 3, 4, 5, 8, 9, 10, 11, 13, 14, 20, 21, 22, 23, 24, 26, 27, 28, 29, 30, 31, 32, 33, 34, and 35; Township 19 South, Range 63 East: parts of Sections: 2, 3, 4, 5, 6, 7, 8, and 9.

7. Use will begin about January 1 and end about December 31 of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with a pump and motor, etc.)

An existing well, pump, tanks, and pipeline as described in the Proof of Completion for Permit 72098 filed 4-30-2010.

9. Estimated cost of works: Already constructed.

10. Estimated time required to construct works: Already constructed.

(If the well is complete, describe works.)

11. Estimated time required to complete the application of water to beneficial use: 5 years

12. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

See Attachment A.

13. Miscellaneous remarks:

66784

No new water is being sought. This application is seeking an additional Point of Diversion for water that is already permitted under existing permit ~~77684~~. The intent of this application is that water from this permit plus water already permitted under Permit ~~77684~~ (and already commingled permits) would have a combined annual duty equal to the total amount already permitted. There are no domestic wells within 2,500 feet of the proposed point of diversion.

PER EMAIL
8/6/14
WHR

globalhydrologic@sbcglobal.net

E-mail Address

(775) 787-1300

Phone No.

Ext.

Mark D. Stock

Mark D. Stock
Type or print name clearly

Signature, applicant or agent

Global Hydrologic Services Inc.

Company Name

561 Keystone, #200

Street Address or PO Box

Reno, Nevada 89503

City, State, ZIP Code

RECEIVED
JUL - 1 PM 12:43
ENGINEERS OFFICE

Attachment A

The Southern Nevada Water Authority, the City of North Las Vegas, and Dry Lake Water, LLC. are working together to provide a cooperatively managed water source for the Apex Industrial Park.

The Apex Industrial Park consists of nearly 10,000 acres of property, with approximately 5,000 acres being developable for industrial or commercial operations. Numerous landowners have acquired property within the Park over the last several years, with several building facilities including Love's Truck Stop; Delta Liquid Energy; MK Environmental; Richie Brothers Auction; among others. Interest in development has risen in the last six months and several land sales are in escrow at this time. The City of North Las Vegas has given Apex a high priority and sees it as a "crown jewel" for industrial and commercial development within the City. The Mayor and Staff's commitment to the Park has created a great deal of excitement in the community.

Development interest within Apex Industrial Park has increased over the last 12-month period—several properties have been placed into escrow with additional Letters of Intent being received each month. Additional water is needed in order to meet the new development needs.

The immediate need in the Love's Truck Stop area is that the owners have acquired additional property and will be expanding their facilities as well as constructing an RV and Boat storage in the near future. Thus, near term use of this water also would be for an existing Truck Stop with Fast Food Restaurant, convenience store and minor irrigation for desert landscaping.

RECEIVED
2014 JUL -1 PM 12:43
CIVIL ENGINEERS OFFICE