



change_app
THE STATE OF NEVADA

**APPLICATION TO CHANGE THE PUBLIC WATERS OF
THE STATE OF NEVADA HERETOFORE
APPROPRIATED**


Name of Permittee: **THIEL, GEORGE M. AND CHRISTINE M.**
Source: **UNDERGROUND**
Basin: **CARSON VALLEY**
Manner of Use: **IRRIGATION**
Period of Use: **JANUARY 1ST THROUGH DECEMBER 31ST**
Priority Date: **12/31/1897**

DENIAL OF STATE ENGINEER

This application is hereby denied on the grounds that the Applicant has not submitted the information requested by the State Engineer's Office within the established time frame, and that without this information granting of the application would threaten to prove detrimental to the public interest.

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the
seal of my office, this 1 day of April, 2015



for State Engineer

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

THIS SPACE FOR OFFICE USE ONLY

Date of filing in State Engineer's Office JUL 23 2014

Returned to applicant for correction _____

Corrected application filed _____ Map filed Oct 2 1989 under 53592

The applicant George M. Thiel and Christine M. Thiel

2801 Tamara Court of Minden

Street Address or PO Box City or Town

Nevada 89423 hereby make(s) application for permission to change the

State and ZIP Code

Point of diversion Place of use Manner of use of a portion

of water heretofore appropriated under (Identify existing rights by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

Vested Claim 04690

RECEIVED
 JUL 23 PM 1:35
 STATE ENGINEERS OFFICE

1. The source of water is Underground Source

Name of stream, lake, underground, spring or other sources.

2. The amount of water to be changed 0.1 cfs

Second feet, acre-feet. One second foot equals 448.83 gallons per minute.

3. The water to be used for Irrigation

Irrigation, power, mining, commercial, etc. If for stock, state number and kind of animals. Must limit to one major use

4. The water heretofore used for Stockwater

If for stock, state number and kind of animals.

5. The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.)

SE1/4 SE1/4, Section 30, T.14N., R.20E., M.D.B.&M., or at a point from which the W1/4 corner of Section 32, T.14N., R.20E., M.D.B.&M. bears S.09°53'00"E., a distance of 2980 feet. (Use map filed under Permit 53592).

6. The existing point of diversion is located within (If point of diversion is not changed, do not answer.)

SE1/4 SE1/4, Section 30, T.14N., R.20E., M.D.B.&M., or at a point from which the W1/4 corner of Section 32, T.14N., R.20E., M.D.B.&M. bears S.18°45'00"E., a distance of 3578 feet. (Use map filed under Permit 53592).

C V
8 - 1251H
Dc

7. Proposed place of use (Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.)

S1/2 SE1/4 SE1/4 and NE1/4 SE1/4 SE1/4, Section 30, T.14N., R.20E., M.D.B.&M. (Please use map filed under Permit 59671).

8. Existing place of use (Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)

SW1/4 SE1/4, Section 30, T.14N., R.20^EM.D.B.&M. (Please use map filed under Permit 70128).

7/29/14

9. Proposed use will be from January 1 to December 31 of each year.
Month and Day Month and Day

10. Existing use permitted from January 1 to December 31 of each year.
Month and Day Month and Day

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e., diversion structure, ditches, pipes and flumes or drilled well, pump and motor, etc.)

An existing well. Install additional distribution system to provide additional irrigation water to the proposed place of use.

12. Estimated cost of works \$20,000

13. Estimated time required to construct works 2 years
If well completed, describe well.

14. Estimated time required to complete the application of water to beneficial use 5 years

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

Provide additional irrigation area to the Proposed Place of Use.

16. Miscellaneous remarks:

georget@tecreno.com
E-mail Address
775-722-5380
Phone No. Ext.

APPLICATION MUST BE SIGNED
BY THE APPLICANT OR AGENT

George M. Thiel, P.E., S.W.R.S.
Type or print name clearly
George M. Thiel
Signature, applicant or agent
Thiel Engineering Associates
Company Name
2801 Tamara Court
Street Address or PO Box
Minden, NV 89423
City, State, ZIP Code

RECEIVED
JUL 23 PM 1:09
THE ENGINEERS OFFICE