



## THE STATE OF NEVADA

### PERMIT TO CHANGE THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Name of Permittee: SOUTH TRUCKEE MEADOWS  
GENERAL IMPROVEMENT DISTRICT  
Source: UNDERGROUND  
Basin: TRUCKEE MEADOWS  
Manner of Use: MUNICIPAL  
Period of Use: JANUARY 1ST THROUGH DECEMBER 31ST  
Priority Date: 01/04/1972

\*\*\*\*\*

#### APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit, to change the point of diversion, place and manner of use of the waters of an underground source as heretofore granted under Permit 52426, Certificate 17534, is issued subject to the terms and conditions imposed in said Permit 52426, Certificate 17534, and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

Monthly records shall be kept of the amount of water pumped from this well and the records submitted to the State Engineer on a quarterly basis within 15 days after the end of each calendar quarter.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

(Continued on Page 2)

The total combined duty of water under Permits 30261, 48571, Certificate 12006; Permits 48572, 48575, 48581, Certificate 12007; Permit 48584, Certificate 12008; Permit 48585, Certificate 14908; Permits 48586, 49470, 51803, 51804, 51805, 51806, 51947, 52507, 52862, Certificate 13947; Permit 54283, Certificate 14909; Permit 57213, Certificate 17756; Permit 57334, Certificate 18711; Permit 57335, Certificate 19120; Permit 57410, Permit 57411, Certificate 19525; Permit 57412, Permit 57413, Certificate 18712; Permit 57414, Permit 57415, Certificate 18428; Permit 57416, Certificate 18429; Permit 58325, Certificate 17655; Permit 58326, Certificate 17565; Permit 58929, Certificate 18713; Permit 58930, Certificate 18714; Permits 59331, 59791, Certificate 17657; Permit 59792, Certificate 17658; Permit 61189, Certificate 17699; Permit 61332, Certificate 18432; Permit 61333, Certificate 17582; Permit 61466, Certificate 18431; Permit 61977, Certificate 18753; Permit 61999, Permit 62036, Certificate 17648; Permit 62237, Certificate 18775; Permit 62404, Permit 62535, Certificate 18715; Permit 62859, Certificate 17584; Permit 63004, Permit 63254, Certificate 18432; Permit 63255, Certificate 18716; Permit 63406, Certificate 17585; Permit 63495, Certificate 18433; Permit 63603, Certificate 17702; Permit 64293, Certificate 17659; Permit 64294, Certificate 17660; Permit 64376, Certificate 18434; Permits 64508, 64543, 64987, 65079, 65080, 65081, 65110, 65111, 65185, 65194, 66326, 66327, 67315, Permit 67958, Certificate 18435; Permits 68052, 68053, 69797, 70273, Permit 71522, Certificate 18717; Permits 75286, 75287, 75288, 75305, 75306, 75307, 75308, 75309, 75351, 75352, 75527, 75528, 79018, 79019, 79020 and 84279 shall not exceed 4908.63 acre-feet annually.

The point of diversion and place of use are as described on the submitted application to support this permit.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, **and not to exceed 0.026 cubic feet per second or 1.16 acre-feet annually.**

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

April 16 2016

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:


April 16 2018

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 16<sup>th</sup> day of **April, 2015**

  
\_\_\_\_\_  
State Engineer

84279

Application No.

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

THIS SPACE FOR OFFICE USE ONLY
Date of filing in State Engineer's Office AUG 29 2014
Returned to applicant for correction
Corrected application filed Map filed Jan 2 1985 under 48568 (6/9)

The applicant South Truckee Meadows General Improvement District
P.O. Box 11130 of Reno
Street Address or PO Box City or Town
NV 89520-0027 State and ZIP Code
hereby make(s) application for permission to change the

- Point of diversion
Place of use
Manner of use
of a portion

of water heretofore appropriated under (Identify existing rights by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

Permit 52426, Certificate 17534

- 1. The source of water is Underground
Name of stream, lake, underground, spring or other sources.
2. The amount of water to be changed 0.026 cfs, 1.16 acre-feet
Second feet, acre-feet. One second foot equals 448.83 gallons per minute.
3. The water to be used for Municipal
Irrigation, power, mining, commercial, etc. If for stock, state number and kind of animals. Must limit to one major use
4. The water heretofore used for Quasi-Municipal and Domestic
If for stock, state number and kind of animals.
5. The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.)
SW1/4 SE 1/4 Section 8, T. 18 N., R. 20 E., M.D.B. & M., or at a point from which the N1/4 corner of said section 8 bears N. 3 degrees W., a distance of 4,875.00 feet ( please refer to map filed under permit 57410).
48568 pg. 6 of 9
6. The existing point of diversion is located within (If point of diversion is not changed, do not answer.)
SE1/4 NW1/4 Section 4, T. 18 N., R. 20 E., MDB&M, or at a point from which the N1/4 corner of said Section 4 Bears N. 2 degrees, 09 min 50 sec E., a distance of 1805.28 feet. ( please refer to map filed under 52426).

T W
6-87
wa

100 0 2 100

RECEIVED

2014 AUG 29 PM 1:43

STATE ENGINEERS OFFICE

7. Proposed place of use (Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.)

Please refer to attached exhibit "A". please refer to map filed under 75116.

8. Existing place of use (Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)

Please refer to attached Exhibit "B". refer to map filed under permit 48568. (1/9)

9. Proposed use will be from January 1 to December 31 of each year.  
Month and Day Month and Day

10. Existing use permitted from January 1 to December 31 of each year.  
Month and Day Month and Day

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e., diversion structure, ditches, pipes and flumes or drilled well, pump and motor, etc.)

Existing Production well within Double Diamond area, Storage and Distribution system, all complete.

12. Estimated cost of works in excess of \$1,000,000.00

13. Estimated time required to construct works Complete

If well completed, describe well.

14. Estimated time required to complete the application of water to beneficial use 10 years

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

the existing POD under this application was a well drilled at the South Truckee Meadows Water Reclamation Facility. This well provided domestic water supply at the plant. However, with growth in the area, County distribution system expanded to and near the Sewer Plant, at which time, the domestic water supply was converted to County system. this well has been properly abandoned.

16. Miscellaneous remarks:

vbehmaram@washoecounty.us  
E-mail Address  
(775)954-4647  
Phone No. Ext.

APPLICATION MUST BE SIGNED  
BY THE APPLICANT OR AGENT

Vahid Behmaram  
Vahid Behmaram Type or print name clearly  
Signature, applicant or agent  
Washoe County Community Services Department  
Company Name  
P.O. Box 11130  
Street Address or PO Box  
Reno, NV 89520-0027  
City, State, ZIP Code

STATE ENGINEERS OFFICE  
2014 AUG 29 PM 1:13  
RECEIVED

EXHIBIT "A"  
PROPOSED PLACE OF USE

<u>DIVISION</u>	<u>SECTION</u>	<u>T-N</u>	<u>R-E</u>	
ALL	1 - 5	18	18	M.D.B. & M.
E 1/2	6 & 7	18	18	M.D.B. & M.
ALL	8 - 17	18	18	M.D.B. & M.
E 1/2	18 & 19	18	18	M.D.B. & M.
ALL	20 - 29	18	18	M.D.B. & M.
E 1/2	30 & 31	18	18	M.D.B. & M.
ALL	32 - 36	18	18	M.D.B. & M.
ALL	1 - 5	19	18	M.D.B. & M.
E 1/2	6 & 7	19	18	M.D.B. & M.
ALL	8 - 17	19	18	M.D.B. & M.
E 1/2	18 & 19	19	18	M.D.B. & M.
ALL	20 - 29	19	18	M.D.B. & M.
E 1/2	30 & 31	19	18	M.D.B. & M.
ALL	32 - 36	19	18	M.D.B. & M.
ALL	1 - 5	20	18	M.D.B. & M.
E 1/2	6 & 7	20	18	M.D.B. & M.
ALL	8 - 17	20	18	M.D.B. & M.
E 1/2	18 & 19	20	18	M.D.B. & M.
ALL	20 - 29	20	18	M.D.B. & M.
E 1/2	30 & 31	20	18	M.D.B. & M.
ALL	32 - 36	20	18	M.D.B. & M.
ALL	1 - 5	21	18	M.D.B. & M.
E 1/2	6 & 7	21	18	M.D.B. & M.
ALL	8 - 17	21	18	M.D.B. & M.
E 1/2	18 & 19	21	18	M.D.B. & M.
ALL	20 - 29	21	18	M.D.B. & M.
E 1/2	30 & 31	21	18	M.D.B. & M.
ALL	32 - 36	21	18	M.D.B. & M.
ALL	1 - 36	17	19	M.D.B. & M.
ALL	1 - 36	18	19	M.D.B. & M.
ALL	1 - 36	19	19	M.D.B. & M.
ALL	1 - 36	20	19	M.D.B. & M.
ALL	1 - 36	21	19	M.D.B. & M.
ALL	5 & 6		20	M.D.B. & M.
ALL	1 - 36		20	M.D.B. & M.
ALL	2 - 35	18	20	M.D.B. & M.
W 1/2	36	18	20	M.D.B. & M.

RECEIVED  
 29 AUG 29 PM 1:44  
 GATE ENGINEERS OFFICE

ALL	1 - 12	19	20	M.D.B. & M.
N ½	13	19	20	M.D.B. & M.
ALL	14 - 23	19	20	M.D.B. & M.
ALL	26 - 35	19	20	M.D.B. & M.
ALL	06, 07 & 18	19	21	M.D.B. & M.
ALL	1 - 36	20	20	M.D.B. & M.
ALL	1 - 36	21	20	M.D.B. & M.
ALL	1 - 36	20	21	M.D.B. & M.
ALL	1 - 36	21	21	M.D.B. & M.

See supporting map on file under Application No. 75116.

RECEIVED  
2014 AUG 29 PM 1:44  
STATE ENGINEERS OFFICE

## Exhibit "B"

PLACE OF USESOUTH TRUCKEE MEADOWS GENERAL IMPROVEMENT DISTRICTT. 18N., R. 18E., MDB&M

Portions of Section: 22, 23, 26 and 35  
 All of Sections: 24, 25 and 36

T. 17N., R. 18E., MDB&M

Portions of Sections: 2, 11 and 12  
 All of Section 1

T. 17N., R. 19E., MDB&M

Portions of Sections: 1, 5, 6 and 7

T. 18N., R. 19E., MDB&M

Portions of Sections: 32 through 36  
 All of Sections: 19 through 31

T. 18N., R. 20E., MDB&M

Portions of Sections: 2, 5, 8, 17, 20, 32, 33, 34 and 36, 12  
 All of Sections: 3, 4, 9, 10, 11, 13, 14, 15, 16, 21 through 31, and 35, 19

T. 19N., R. 20E., MDB&M

Portions of Sections: 32, 33 and 35  
 All of Section: 34

T. 18N., R. 21E., MDB&M

Portions of Sections: 18 and 19, 7

T. 17N., R. 20E., MDB&M

Portions of Sections: 2, 11, 22, 23, 25, 26, and 27, 5, 6, 14  
 All of Sections: 1, 12, 13, and 24

RECEIVED  
 2014 AUG 29 PM 1:44  
 STATE ENGINEERS OFFICE