



THE STATE OF NEVADA

PERMIT TO CHANGE THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Name of Permittee: R.D.D., INC.
 Source: STREAM (CRAINE CREEK)
 Basin: GRIDLEY LAKE VALLEY
 Manner of Use: IRRIGATION
 Period of Use: MARCH 15TH THROUGH NOVEMBER 1ST
 Priority Date: 01/01/1890

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit, to change the point of diversion and place of use of a portion of the waters of Craine Creek, as heretofore appropriated under Proof V02635 as appears in the Craine Creek, Knott Creek, Cove Creek, Corral Creek and Center Creek Decree, Dated March 1, 1971, in the District Court of the Sixth Judicial District of the State of Nevada, in and for the County of Humboldt, is issued subject to the terms, conditions and irrigation period imposed in said decree and with the understanding that no other rights on the source will be affected by the change proposed herein.

The total combined duty of surface water under Permits 84341, 84342, 84345 and 84352 and supplemental groundwater under Permits 84339, 84340, 84343, 84344, 84346, 84347, 84348, 84349, 84350, and 84351 shall not exceed 8,127.99 acre-feet for the irrigation of 2,535.13 acres within the described place of use. Supplemental groundwater shall not be pumped from the wells described in these permits except to the extent necessary to make up the portion of the entitled duty of surface water under Permits 84341, 84342, 84345, and 84352 in any given year.

A monthly report shall be submitted to the State Engineer on an annual basis by February 15th of each year which shall include the amount of water diverted and the amount of water used.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 40.13 cubic feet per second or 3,729.8 acre-feet per season, but not to exceed 4.0 acre-feet per acre from all sources.

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

April 15 2016

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:


April 15 2018

Map in support of proof of beneficial use shall be filed on or before:


April 15 2018

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 15th day of April, 2015



State Engineer



APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

THIS SPACE FOR OFFICE USE ONLY

Date of filing in State Engineer's Office SEP 15 2014

Returned to applicant for correction SEP 25 2014

Corrected application filed _____ Map filed Oct 6 2014 under 84339

The applicant R.D.D., Inc.
2489 West Main Street of Littleton
Street Address or PO Box City or Town
Colorado, 80120 hereby make(s) application for permission to change the
State and ZIP Code

Point of diversion Place of use Manner of use of a portion

of water heretofore appropriated under (Identify existing rights by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

Permit 02635, Certificate 414
proof

RECEIVED
 2014 SEP 15 PM 2:11
 STATE ENGINEERS OFFICE

KE

1. The source of water is Craine Creek and Tributaries
Name of stream, lake, underground, spring or other sources.

2. The amount of water to be changed as decreed (46.408 c.f.s. combined with the application to change VO 2636)
Second feet, acre-feet. One second foot equals 448.83 gallons per minute. KE 10/7/14

3. The water to be used for irrigation
Irrigation, power, mining, commercial, etc. If for stock, state number and kind of animals. Must limit to one major use

4. The water heretofore used for irrigation
If for stock, state number and kind of animals.

5. The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.)

within the NW1/4NE1/4 of Section 22, T.43N.,R.27E., M.D.B.&M., or at a point from which the N1/4 corner of said Section 22 bears N2°18'W 1366.0 feet
45339

6. The existing point of diversion is located within (If point of diversion is not changed, do not answer.)
the SW1/4SW1/4 of Section 10, T.43N.,R.27E., M.D.B.&M., or at a point from which the SW corner of said Section 10 bears S38°07'W 1170.0 feet.
MAP 02635

7. Proposed place of use (Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.)

SW1/4 and SW1/4SE1/4 of Section 28, SE1/4SE1/4 of Section 29, NE1/4 and E1/2SE1/4 of Section 32, all of Section 33, W1/2 and S1/2SE1/4 of Section 34, T.44N., R.27E., M.D.B.&M., all of Section 3, all of Section 4, S1/2NE1/4 and N1/2SE1/4 of Section 5, T.43N., R.27E., M.D.B.&M.

8. Existing place of use (Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)

See attachment

9. Proposed use will be from March 15th to November 1st of each year.
Month and Day Month and Day

10. Existing use permitted from March 15th to November 1st of each year.
Month and Day Month and Day

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e., diversion structure, ditches, pipes and flumes or drilled well, pump and motor, etc.)

existing diversion structure, ditches, buried pipelines and circular sprinklers.

12. Estimated cost of works in excess of \$100,000.00

13. Estimated time required to construct works 2 years

If well completed, describe well.

14. Estimated time required to complete the application of water to beneficial use 5 years

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

Applicant proposes to change the place of use of Permits 25709, 28052, 45341, 52322, 52323, 62585, 81594 and Proofs 02635 and 02636 and commingle all the Permits and Proofs into one place of use, correct points of diversion, ensure that all existing wells and one proposed new well have sufficient water rights.

16. Miscellaneous remarks:

See the map supporting Proof 02635 for the existing point of diversion and place of use, see the map supporting Permit 45341 for the proposed point of diversion.

dms@winnemucca.net

E-mail Address

775-623-4414

Phone No.

Ext.

APPLICATION MUST BE SIGNED
BY THE APPLICANT OR AGENT

John H. Milton III

Type or print name clearly

John H. Milton III

Signature, applicant or agent

Desert Mountain Surveying

Company Name

146 West Second Street

Street Address or PO Box

Winnemucca, Nevada, 89445

City, State, ZIP Code

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30

		:CULTURAL ACREAGE:		: LOCATION :	DUTY OF WATER			
PRIOR-:	MEADOW :	SUB-:	SEC-:	TWP:	RGE:			
ITY :	HARVEST:	PASTURE :	DIVISION:	TION:	N.:	E.:	C.F.S. :	ACRE-FEET
1890	6.3	NE $\frac{1}{4}$ SE $\frac{1}{4}$	22	44	27	0.157	12.6	
1890	16.0	SW $\frac{1}{4}$ SE $\frac{1}{4}$	22	44	27	0.400	32.0	
1890	41.0	NW $\frac{1}{4}$ SW $\frac{1}{4}$	22	44	27	1.025	82.0	
1890	41.4	NE $\frac{1}{4}$ SW $\frac{1}{4}$	22	44	27	1.035	82.8	
1890	43.8	SW $\frac{1}{4}$ SW $\frac{1}{4}$	22	44	27	1.095	87.6	
1890	36.0	SE $\frac{1}{4}$ SW $\frac{1}{4}$	22	44	27	0.900	72.0	
1890	3.1	NW $\frac{1}{4}$ NW $\frac{1}{4}$	23	44	27	0.078	6.2	
1890	11.5	NW $\frac{1}{4}$ NW $\frac{1}{4}$	27	44	27	0.288	23.0	
1890	35.1	SW $\frac{1}{4}$ NW $\frac{1}{4}$	28	44	27	0.877	70.2	
1890	43.8	SE $\frac{1}{4}$ NW $\frac{1}{4}$	28	44	27	1.095	87.6	
1890	20.8	SW $\frac{1}{4}$ NE $\frac{1}{4}$	28	44	27	0.520	41.6	
1890	23.2	NE $\frac{1}{4}$ NW $\frac{1}{4}$	28	44	27	0.580	46.4	
1890	37.2	NW $\frac{1}{4}$ NE $\frac{1}{4}$	28	44	27	0.930	74.4	
1890	28.8	NE $\frac{1}{4}$ NE $\frac{1}{4}$	28	44	27	0.720	57.6	
1890	42.6	SW $\frac{1}{4}$ SW $\frac{1}{4}$	28	44	27	1.065	85.2	
1890	9.1	SE $\frac{1}{4}$ SW $\frac{1}{4}$	28	44	27	0.228	18.2	
1890	42.6	NW $\frac{1}{4}$ SW $\frac{1}{4}$	28	44	27	1.065	85.2	
1890	27.0	NE $\frac{1}{4}$ SW $\frac{1}{4}$	28	44	27	0.675	54.0	
1890	28.2	SW $\frac{1}{4}$ SE $\frac{1}{4}$	29	44	27	0.705	56.4	
1890	42.6	SE $\frac{1}{4}$ SE $\frac{1}{4}$	29	44	27	1.065	85.2	
1890	30.4	NE $\frac{1}{4}$ SE $\frac{1}{4}$	29	44	27	0.760	60.8	
1890	1.9	NW $\frac{1}{4}$ SE $\frac{1}{4}$	29	44	27	0.047	3.8	
1890	2.0	SE $\frac{1}{4}$ NE $\frac{1}{4}$	29	44	27	0.050	4.0	
1890	41.6	NE $\frac{1}{4}$ NE $\frac{1}{4}$	32	44	27	1.040	83.2	
1890	28.5	NW $\frac{1}{4}$ NE $\frac{1}{4}$	32	44	27	0.713	57.0	
1890	10.3	SW $\frac{1}{4}$ NE $\frac{1}{4}$	32	44	27	0.257	20.6	
1890	41.9	SE $\frac{1}{4}$ NE $\frac{1}{4}$	32	44	27	1.048	83.6	

RECEIVED
2014 SEP 15 PM 2:11
STATE ENGINEERS OFFICE

:CULTURAL ACREAGE: : LOCATION : DUTY OF WATER
 PRIOR- :MEADOW : SUB-:SEC-:TWP:RGE:
 ITY :HARVEST:PASTURE:DIVISION:TION: N. : E. : C.F.S. : ACRE-FEET

84342

ATTACHMENT
Question "8"

1890	25.6	SW $\frac{1}{4}$ NE $\frac{1}{4}$	11	44	27	0.640	51.2
1890	5.8	SE $\frac{1}{4}$ NE $\frac{1}{4}$	11	44	27	0.145	11.6
1890	5.8	NW $\frac{1}{4}$ NE $\frac{1}{4}$	11	44	27	0.145	11.6
1890	11.8	NE $\frac{1}{4}$ NE $\frac{1}{4}$	11	44	27	0.295	23.6
1890	25.9	NW $\frac{1}{4}$ SE $\frac{1}{4}$	11	44	27	0.648	51.8
1890	2.9	NE $\frac{1}{4}$ SE $\frac{1}{4}$	11	44	27	0.072	5.8
1890	1.5	SW $\frac{1}{4}$ SE $\frac{1}{4}$	11	44	27	0.038	3.0
1890	2.9	SE $\frac{1}{4}$ SE $\frac{1}{4}$	11	44	27	0.072	5.8
1890	3.0	NE $\frac{1}{4}$ SW $\frac{1}{4}$	11	44	27	0.075	6.0
1890	6.8	SE $\frac{1}{4}$ SW $\frac{1}{4}$	11	44	27	0.170	13.6
1890	0.7	SW $\frac{1}{4}$ NW $\frac{1}{4}$	12	44	27	0.017	1.4
1890	4.2	NW $\frac{1}{4}$ NE $\frac{1}{4}$	14	44	27	0.105	8.4
1890	5.7	NE $\frac{1}{4}$ NE $\frac{1}{4}$	14	44	27	0.142	11.4
1890	9.1	SW $\frac{1}{4}$ NE $\frac{1}{4}$	14	44	27	0.228	18.2
1890	3.5	NW $\frac{1}{4}$ NW $\frac{1}{4}$	14	44	27	0.087	7.0
1890	4.7	NE $\frac{1}{4}$ NW $\frac{1}{4}$	14	44	27	0.118	9.4
1890	10.5	SW $\frac{1}{4}$ NW $\frac{1}{4}$	14	44	27	0.263	21.0
1890	19.1	SE $\frac{1}{4}$ NW $\frac{1}{4}$	14	44	27	0.477	38.2
1890	41.1	NW $\frac{1}{4}$ SW $\frac{1}{4}$	14	44	27	1.028	82.2
1890	22.9	NE $\frac{1}{4}$ SW $\frac{1}{4}$	14	44	27	0.572	45.8
1890	36.9	SW $\frac{1}{4}$ SW $\frac{1}{4}$	14	44	27	0.923	73.8
1890	2.4	SE $\frac{1}{4}$ SW $\frac{1}{4}$	14	44	27	0.060	4.8
1890	1.5	NW $\frac{1}{4}$ SE $\frac{1}{4}$	15	44	27	0.037	3.0
1890	28.6	NE $\frac{1}{4}$ SE $\frac{1}{4}$	15	44	27	0.715	57.2
1890	22.2	SW $\frac{1}{4}$ SE $\frac{1}{4}$	15	44	27	0.555	44.4
1890	41.9	SE $\frac{1}{4}$ SE $\frac{1}{4}$	15	44	27	1.047	83.8
1890	0.2	SE $\frac{1}{4}$ NE $\frac{1}{4}$	21	44	27	0.005	0.4
1890	0.4	NE $\frac{1}{4}$ SE $\frac{1}{4}$	21	44	27	0.010	0.8
1890	2.4	SW $\frac{1}{4}$ SE $\frac{1}{4}$	21	44	27	0.060	4.8
1890	27.0	SE $\frac{1}{4}$ SE $\frac{1}{4}$	21	44	27	0.675	54.0
1890	43.2	NW $\frac{1}{4}$ NE $\frac{1}{4}$	22	44	27	1.080	86.4
1890	38.6	NE $\frac{1}{4}$ NE $\frac{1}{4}$	22	44	27	0.965	77.2
1890	42.9	SW $\frac{1}{4}$ NE $\frac{1}{4}$	22	44	27	1.072	85.8
1890	19.6	SE $\frac{1}{4}$ NE $\frac{1}{4}$	22	44	27	0.490	39.2
1890	1.0	NW $\frac{1}{4}$ NW $\frac{1}{4}$	22	44	27	0.025	2.0
1890	18.4	NE $\frac{1}{4}$ NW $\frac{1}{4}$	22	44	27	0.460	36.8
1890	37.6	SW $\frac{1}{4}$ NW $\frac{1}{4}$	22	44	27	0.940	75.2
1890	43.9	SE $\frac{1}{4}$ NW $\frac{1}{4}$	22	44	27	1.098	87.8
1890	38.6	NW $\frac{1}{4}$ SE $\frac{1}{4}$	22	44	27	0.965	77.2

RECEIVED
 2014 SEP 15 PM 2:11
 STATE ENGINEERS OFFICE

	: CULTURAL ACREAGE :		: LOCATION :				: DUTY OF WATER :	
	PRIOR-:	: MEADOW :	SUB-:	SEC-:	TWP:	RGS:		
	ITY :	HARVEST:	PASTURE :	DIVISION:	TION:	N. :	E.:	C.F.S. :
4	1890	32.5	NE $\frac{1}{2}$ SE $\frac{1}{2}$	32	44	27	0.812	65.0
5	1890	13.4	SE $\frac{1}{2}$ SE $\frac{1}{2}$	32	44	27	0.335	26.8
6	1890	35.6	NW $\frac{1}{2}$ NW $\frac{1}{2}$	33	44	27	0.890	71.2
7	1890	0.3	NE $\frac{1}{2}$ NW $\frac{1}{2}$	33	44	27	0.008	0.6
8	1890	36.0	SW $\frac{1}{2}$ NW $\frac{1}{2}$	33	44	27	0.900	72.0
9	1890	35.3	NW $\frac{1}{2}$ SW $\frac{1}{2}$	33	44	27	0.863	70.6
10	1890	26.2	SW $\frac{1}{2}$ SW $\frac{1}{2}$	33	44	27	0.655	52.4
11	1890	6.8	SW $\frac{1}{2}$ SW $\frac{1}{2}$	33	44	27	0.170	27.2
12	1890	10.1	SE $\frac{1}{2}$ SW $\frac{1}{2}$	33	44	27	0.253	40.4
13	1890	2.8	SE $\frac{1}{2}$ SE $\frac{1}{2}$	33	44	27	0.070	11.2
14	1890	9.4	SE $\frac{1}{2}$ SW $\frac{1}{2}$	34	44	27	0.235	37.6
	1890	14.6	SW $\frac{1}{2}$ SW $\frac{1}{2}$	34	44	27	0.365	58.4
16	1890	5.3	SW $\frac{1}{2}$ SW $\frac{1}{2}$	34	44	27	0.132	21.2
17	1890	38.9	NW $\frac{1}{2}$ NW $\frac{1}{2}$	3	43	27	0.973	155.6
18	1890	3.9	NE $\frac{1}{2}$ NW $\frac{1}{2}$	3	43	27	0.097	15.6
19	1890	2.4	SW $\frac{1}{2}$ NW $\frac{1}{2}$	3	43	27	0.060	9.6
20	1890	1.4	NW $\frac{1}{2}$ NW $\frac{1}{2}$	3	43	27	0.035	5.6
21	1890	12.7	NE $\frac{1}{2}$ NW $\frac{1}{2}$	3	43	27	0.318	50.8
22	1890	19.0	NW $\frac{1}{2}$ NW $\frac{1}{2}$	4	43	27	0.475	38.0
23	1890	1.9	SW $\frac{1}{2}$ NW $\frac{1}{2}$	4	43	27	0.047	3.8
24	1890	21.0	NW $\frac{1}{2}$ NW $\frac{1}{2}$	4	43	27	0.525	84.0
25	1890	42.3	NE $\frac{1}{2}$ NW $\frac{1}{2}$	4	43	27	1.057	169.2
26	1890	15.1	SW $\frac{1}{2}$ NW $\frac{1}{2}$	4	43	27	0.378	60.4
27	1890	40.9	SE $\frac{1}{2}$ NW $\frac{1}{2}$	4	43	27	1.022	163.6
28	1890	9.3	NW $\frac{1}{2}$ NE $\frac{1}{2}$	4	43	27	0.233	37.2
29	1890	17.4	SW $\frac{1}{2}$ NE $\frac{1}{2}$	4	43	27	0.435	69.6
30	1890	0.5	NE $\frac{1}{2}$ SW $\frac{1}{2}$	4	43	27	0.012	2.0
	1890	3.8	NE $\frac{1}{2}$ NE $\frac{1}{2}$	4	43	27	0.095	15.2
	Total	258.6	1597.7				46.408	4229.8

RECEIVED
 2014 SEP 15 PM 2:11
 STATE ENGINEERS OFFICE