



THE STATE OF NEVADA

PERMIT TO CHANGE THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Name of Permittee: R.D.D., INC.
 Source: STREAM (CRAINE CREEK)
 Basin: GRIDLEY LAKE VALLEY
 Manner of Use: IRRIGATION
 Period of Use: MARCH 15TH THROUGH NOVEMBER 1ST
 Priority Date: 02/17/1982

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit, to change the place of use of the waters of Craine Creek as heretofore granted under Permit 45341, is issued subject to the terms and conditions imposed in said Permit 45341, and with the understanding that no other rights on the source will be affected by the change proposed herein. A substantial headgate and measuring device must be installed and maintained to facilitate the measurement and control of water. The State reserves the right to regulate the use of the water herein granted at any and all times.

The total combined duty of surface water under Permits 84341, 84342, 84345 and 84352 and supplemental groundwater under Permits 84339, 84340, 84343, 84344, 84346, 84347, 84348, 84349, 84350, and 84351 shall not exceed 8,127.99 acre-feet for the irrigation of 2,535.13 acres within the described place of use. Supplemental groundwater shall not be pumped from the wells described in these permits except to the extent necessary to make up the portion of the entitled duty of surface water under Permits 84341, 84342, 84345, and 84352 in any given year.

This permit is limited to the surplus flow over and above any adjudicated rights in the Craine Creek, Knott Creek, Cove Creek, Corral Creek and Center Creek Decree and the period of use is limited to March 15 to November 1 of each year.

A monthly report shall be submitted to the State Engineer on an annual basis by February 15th of each year which shall include the amount of water diverted and the amount of water used.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 9.0 cubic feet per second, but not to exceed 4.0 acre-feet per acre from all sources.

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

April 15 2016

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:

April 15 2018

Map in support of proof of beneficial use shall be filed on or before:


April 15 2018

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 15th day of April, 2015



State Engineer



ORIGINAL

Application No. 84345

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

THIS SPACE FOR OFFICE USE ONLY

Date of filing in State Engineer's Office SEP 15 2014

Returned to applicant for correction SEP 29 2014

Corrected application filed _____ Map filed Feb 17 1982 under 45339

The applicant R.D.D., Inc.
2489 West Main Street of Littleton
Street Address or PO Box City or Town
Colorado, 80120 hereby make(s) application for permission to change the
State and ZIP Code

Point of diversion Place of use Manner of use of a portion

of water heretofore appropriated under (Identify existing rights by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

Permit 45341

RECEIVED
 2014 SEP 15 PM 2:13
 STATE ENGINEERS OFFICE

1. The source of water is Craine Creek and Tributaries
Name of stream, lake, underground, spring or other sources.

2. The amount of water to be changed 9.0 cfs
Second feet, acre-feet. One second foot equals 448.83 gallons per minute.

3. The water to be used for irrigation
Irrigation, power, mining, commercial, etc. If for stock, state number and kind of animals. Must limit to one major use

4. The water heretofore used for irrigation
If for stock, state number and kind of animals.

5. The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.)
within the NW1/4NE1/4 of Section 22, T.43N.,R.27E., M.D.B.&M., or at a point from which the N1/4 corner of said Section 22 bears N2°18'W 1366.0 feet

6. The existing point of diversion is located within (If point of diversion is not changed, do not answer.)
unchanged

1-3
HU

7. Proposed place of use (Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.)

SW1/4 and SW1/4SE1/4 of Section 28, SE1/4SE1/4 of Section 29, NE1/4 and E1/2SE1/4 of Section 32, all of Section 33, W1/2 and S1/2SE1/4 of Section 34, T.44N.,R.27E., M.D.B.&M., all of Section 3, all of Section 4, S1/2NE1/4 and N1/2SE1/4 of Section 5, T.43N.,R.27E., M.D.B.&M., 3918.0 acres

8. Existing place of use (Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)

See attachment

9. Proposed use will be from March 15th to November 1st of each year.
Month and Day Month and Day

10. Existing use permitted from March 15th to November 1st of each year.
Month and Day Month and Day

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e., diversion structure, ditches, pipes and flumes or drilled well, pump and motor, etc.)

existing diversion structure, ditches, buried pipelines and circular sprinklers.

12. Estimated cost of works in excess of \$100,000.00

13. Estimated time required to construct works 2 years

If well completed, describe well.

14. Estimated time required to complete the application of water to beneficial use 5 years

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

Applicant proposes to change the place of use of Permits 25709, 28052, 45341, 52322, 52323, 62585, 81594 and Proofs 02635 and 02636 and commingle all the Permits and Proofs into one place of use, correct points of diversion, ensure that all existing wells and one proposed new well have sufficient water rights.

16. Miscellaneous remarks:

See the map supporting Permit 45341 for the existing point of diversion and place of use.

dms@winnemucca.net

E-mail Address

775-623-4414


Phone No.

Ext.

APPLICATION MUST BE SIGNED
BY THE APPLICANT OR AGENT

John H. Milton III

Type or print name clearly



Signature, applicant or agent

Desert Mountain Surveying

Company Name

146 West Second Street

Street Address or PO Box

Winnemucca, Nevada, 89445

City, State, ZIP Code

Attachment
Quesiton "8"

NE $\frac{1}{4}$ NW $\frac{1}{4}$; NW $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 22; W $\frac{1}{2}$ E $\frac{1}{2}$; E $\frac{1}{2}$ W $\frac{1}{2}$ of Section 15;
S $\frac{1}{2}$ SW $\frac{1}{4}$; NW $\frac{1}{4}$ SW $\frac{1}{4}$; W $\frac{1}{2}$ NW $\frac{1}{4}$ of Section 10; E $\frac{1}{2}$ NE $\frac{1}{4}$ of Section 9; S $\frac{1}{2}$;
Lots 1, 2, 3 and 4 of Section 3; Lots 3 and 4 of Section 2; S $\frac{1}{2}$;
NW $\frac{1}{4}$; Lots 1 and 2 of Section 4; N $\frac{1}{2}$ SE $\frac{1}{4}$; S $\frac{1}{2}$ NE $\frac{1}{4}$; Lots 3 and 4;
SE $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 5 all within T.43N., R.27E., M.D.B.&M.; S $\frac{1}{2}$;
S $\frac{1}{2}$ of Section 34; S $\frac{1}{2}$ SE $\frac{1}{4}$; W $\frac{1}{2}$ of Section 33; E $\frac{1}{2}$ SE $\frac{1}{4}$; NE $\frac{1}{4}$ of Sec-
tion 32; SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 29; W $\frac{1}{2}$ SW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$; SE $\frac{1}{4}$ NW $\frac{1}{4}$; NE $\frac{1}{4}$;
of Section 28; SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 27; W $\frac{1}{2}$ SW $\frac{1}{4}$; NE $\frac{1}{4}$ SW $\frac{1}{4}$; NW $\frac{1}{4}$ SE $\frac{1}{4}$;
SE $\frac{1}{4}$ NW $\frac{1}{4}$; W $\frac{1}{2}$ NE $\frac{1}{4}$; NE $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 22; S $\frac{1}{2}$ SE $\frac{1}{4}$; NE $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec-
tion 15; W $\frac{1}{2}$ SW $\frac{1}{4}$ of Section 14 all within T.44N., R.27E., M.D.B.&M.

RECEIVED

2014 SEP 15 PM 2:13

STATE ENGINEERS OFFICE