



SECONDARY PERMIT
THE STATE OF NEVADA

**PERMIT TO CHANGE THE PUBLIC WATERS OF THE
STATE OF NEVADA HERETOFORE APPROPRIATED**

Name of Permittee: WASHOE COUNTY, CITY OF RENO AND CITY OF SPARKS
Source: STREAM (TRUCKEE RIVER)
Basin: TRUCKEE CANYON SEGMENT
Manner of Use: POWER
Period of Use: JANUARY 1ST THROUGH DECEMBER 31ST
Priority Date: AS DECREED

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This secondary permit is issued subject to the provisions of NRS 533.440. This permit is issued for incidental power generation upon discharge from the upstream reservoirs identified in Exhibit A of the application and is subject to the terms and conditions under the Primary Permit 84363. Any storage and transportation losses, as established by the administrator of the Truckee River Operating Agreement, must be deducted from the amount of water available for use under this secondary permit. This permit is issued subject to the continuing jurisdiction and regulation by the State Engineer and the Federal Water Master.

This permit is issued subject to existing rights.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water appropriated under this Secondary Permit shall not exceed the amount permitted under the Primary Permit. The quantity of water released and release rate from storage under this Secondary Permit in any year shall not exceed the amounts allowed by the Truckee River Operating Agreement.

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

February 27 2020

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:


February 27 2025

Map in support of proof of beneficial use shall be filed on or before:


N/A

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 27th day of February, 2015



State Engineer



SECONDARY

**APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE OF NEVADA**

THIS SPACE FOR OFFICE USE ONLY	
Date of Filing in State Engineer's Office _____	SEP 18 2014
Returned to applicant for correction _____	
Corrected Application filed _____	Map filed <u>Oct 11 2007 under 76161</u>

The applicant Washoe County, City of Reno and City of Sparks, as tenants in common as to 1/3 undivided interest each
 P.O. Box 11130 of Reno
Street Address or P.O. Box City or Town
 NV 89520-0027 hereby make(s) application for permission to appropriate the
State and ZIP Code

public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

Item 1 Remark - Truckee River water stored in Lake Tahoe, Boca Reservoir, Prosser Creek Reservoir, Donner Lake, Stampede Reservoir, and Independence Lake pursuant to the permit to be issued under Primary Storage Application supporting the secondary application and numbered the same as referenced above.

RECEIVED
 2014 SEP 18 AM 11:43
 STATE ENGINEER'S OFFICE

1. The source of the proposed appropriation is Truckee River (See Remark directly above).
Name of the stream, lake, underground, spring or other source
2. The amount of water applied for is "as decreed" cfs (see Item 12 "Remarks" for explanation.)
One second foot equals 448.83 gallons per minute.
 (a) If stored in a reservoir give the number of acre-feet 2052.47 ac. ft. (see exhibits "B" & "E")
3. The water is to be used for Power Generation
Irrigation, power, mining, commercial, domestic or other use. Must be limited to one major use.
4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated _____
 - (b) Stockwater, state number and kind of animals _____
 - (c) Other use (describe fully in No. 12) _____
 - (d) Power:
 - (1) Horsepower developed See Exhibit "D" attached hereto
 - (2) Point of return of water to stream Same as POU under Item # 6, as described in Exhibit "C".

6-91
wa

5. The water is to be diverted from its source at the following point: (Describe as being within a 40-acre subdivision of public survey, and by course and distance to a found section corner. If on unsurveyed land, it should be so stated.)

Described in Exhibit "A" attached hereto, after the water has been released from storage reservoirs described in attached Exhibit "B".

6. Place of use: (Describe by legal subdivision. If on unsurveyed land, it should be so stated)

See attached exhibit "C"

7. Use will begin about January 1 and end about December 31 of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with a pump and motor, etc.)

All works of diversion referenced in exhibits "A" and "B" are complete.

9. Estimated cost of works: No costs are needed since the works are completed.

10. Estimated time required to construct works: Complete

(If the well is complete, describe works.)

11. Estimated time required to complete the application of water to beneficial use: Ten (10) years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

See Exhibit "E" attached hereto and by this made a part hereof. Furthermore, this secondary application is filed for the purpose of Exchanges as provided in Section 7.E.2 of TROA. The potential Exchanges, implemented by the Federal Water Master, will be for equal quantities of water within storage facilities, and the Exchanges will not be to the detriment of the Water Quality Settlement Agreement and its goals and objectives.

vbehmaram@washoecounty.us


E-mail Address

(775)954-4647

Phone No.

APPLICATION MUST BE SIGNED
BY THE APPLICANT OR AGENT

Vahid Behmaram



Type or print name clearly

Signature, applicant or agent

Washoe County Community Services Department

Company Name

P.O. Box 11130

Street Address or PO Box

Reno, NV 89520-0027

City, State, ZIP Code

STATE ENGINEERS OFFICE

2014 SEP 18 AM 11:43

RECEIVED

\$250 FILING FEE AND SUPPORTING MAP MUST ACCOMPANY APPLICATION

EXHIBIT "A"

The proposed Points of Diversion are described as follows:

FARAD POWER FLUME:

Farad Power Flume is situate in the South $\frac{1}{2}$ of Lot 6 (S $\frac{1}{2}$ Lot 6) of Section 30, T. 18N., R. 18E., M.D.M., or at a point from which the northeast corner of Section 6, T.18N., R. 18E., M.D.M., bear North $23^{\circ} 02' 10''$ East, 25, 269.00 feet.

FLEISH POWER FLUME:

Fleish Power Flume is situate in the Northeast $\frac{1}{4}$ of the Southeast $\frac{1}{4}$ (NE $\frac{1}{4}$ SE $\frac{1}{4}$) of Section 6, T. 18N., R, 18E., M.D.M., or at a point from which the northeast corner of said Section 6 bears North $52^{\circ} 04' 08''$ East, 5,097.00 feet.

VERDI POWER DITCH & FLUME:

Verdi Power Ditch and Flume is situate in the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 19, T. 19N., R. 18E., M.D.M., or at a point from which the southeast corner of said Section 19 bears South $39^{\circ} 58'$ East, 845.00 feet.

WASHOE POWER DITCH:

Washoe Power Ditch is situate in the NW $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 16, T. 19N., R. 18E., M.D.M., or at a point from which the northeast corner of said Section 16 bears North $87^{\circ} 35' 00''$ East, 2,004.0 feet.

Each Point of Diversion is shown on the map filed with Amended Primary Application No. 76161.

RECEIVED
2014 SEP 18 AM 11:43
STATE ENGINEERS OFFICE

EXHIBIT "B"

The Proposed Points of Diversion (Dam) are shown on the map filed with Amended Application No. 73783 and the storage capacity (AF) and maximum outlet capacity (cfs) for each Storage Reservoir are as follows:

Lake Tahoe:

Situate in the NE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Section 7, T. 15N., R. 17E., M.D.M., or from the Dam the Southwest corner of said Section 7 bears South $29^{\circ} 09' 30''$ West a distance of 5,182 feet, more or less. The storage capacity of Lake Tahoe is approximately 744,600 AF with a maximum outlet capacity of 2,500 cfs.

Donner Lake:

Situate in the SE $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Section 18, T. 17N., R. 16E., M.D.M., or from the Dam the Southeast corner of said Section 18 bears South $04^{\circ} 07' 14''$ East a distance of 2,981 feet, more or less. The storage capacity of Donner Lake is approximately 9,500 AF with a maximum outlet capacity of 660 cfs.

Prosser Creek Dam (Reservoir):

Situate in the NW $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Section 30, T. 18N., R. 17E., M.D.M., or from the Dam the southwest corner of said Section 30 bears South $22^{\circ} 58' 48''$ West a distance of 2,006 feet, more or less. The storage capacity of Prosser Creek Reservoir is approximately 29,840 AF with a maximum outlet capacity of 1,850 cfs.

Boca Dam (Reservoir):

Situate in the SE $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Section 21, T. 18N., R. 17E., M.D.M., or from the Dam the southwest corner of said Section 21 bears South $81^{\circ} 05' 07''$ West a distance of 2,647 feet, more or less. The storage capacity of Boca Reservoir is approximately 40,870 AF with a maximum outlet capacity of 1,200 cfs.

Stampede Dam (Reservoir):

Situate in the NW $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Section 28, T. 19N., R. 17E., M.D.M., or from the Dam the northwest corner of said Section 28 bears North $36^{\circ} 08' 27''$ West a distance of 636 feet, more or less. The storage capacity of Stampede Reservoir is approximately 226,500 AF with a maximum outlet capacity of 2,740 cfs.

Independence Lake Dam:

Situate in the NW $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Section 35, T. 19N., R. 15E., M.D.M., or from the Dam the Southwest corner of said Section 35 bears South $20^{\circ} 06' 47''$ West a distance of 1,945 feet, more or less. The storage capacity of Independence Lake is approximately 17,500 AF with a maximum outlet capacity of 540 cfs.

RECEIVED
2014 SEP 18 AM 11:43
STATE ENGINEERS OFFICE

EXHIBIT "C"

The Proposed Place of Use of the Hydroelectric Generation Plants are described as follows:

Farad Hydroelectric Generation Plant:

Situate in the Southeast $\frac{1}{4}$ (SE $\frac{1}{4}$) of Section 12, T. 18N., R. 17E., M.D.M.

Fleish Hydroelectric Generation Plant:

Situate in the Northeast $\frac{1}{4}$ of the Southeast $\frac{1}{4}$ (NE $\frac{1}{4}$ SE $\frac{1}{4}$) of Section 30, T. 19N., R. 18E., M.D.M.

Verdi Hydroelectric Generation Plant:

Situate in the Southeast $\frac{1}{4}$ (SE $\frac{1}{4}$) of Section 8, T.19N., R. 18E., M.D.M.

Washoe Hydroelectric Generation Plant:

Situate in the Southwest $\frac{1}{4}$ of the Southwest $\frac{1}{4}$ (SW $\frac{1}{4}$ SW $\frac{1}{4}$) of Section 14, T.19N., R. 18E., M.D.M.

Each Hydroelectric Generation Plant is shown on the map filed with Amended Primary Application No. 76161.

RECEIVED

2014 SEP 18 AM 11:43

STATE ENGINEERS OFFICE

EXHIBIT "D"

This secondary use is a non-consumptive use which will be incidental to the use of water released under other Secondary Permits numbered the same as this secondary permit. The quantity released under one of those Secondary Permits and other water in the River will be used to allow incidental hydroelectric generation at one or more of the four hydro generation plants, Farad, Fleish, Verdi or Washoe. Water will be diverted at one or more of the four hydroelectric generation plants' Points of Diversion listed in Exhibit "A" and allowed to flow to each plant through the penstock to the generating facility and returned back to the river at each plant location. The horsepower generated depends on the flow diverted. Listed below is the minimum and maximum horsepower each plant can generate at a maximum and minimum rate of flow diverted.

<u>Plant</u>	<u>Maximum</u>	<u>Minimum</u>
Farad	400 cfs (3,862 hp)	100 cfs (701 hp)
Fleish	327 cfs (3,640 hp)	100 cfs (798 hp)
Verdi	399 cfs (3,321 hp)	100 cfs (774 hp)
Washoe	396 cfs (2,823 hp)	100 cfs (731 hp)

RECEIVED
2014 SEP 18 AM 11:43
STATE ENGINEERS OFFICE

EXHIBIT "E"

12. Remarks

This application is filed as part of the implementation of the operating agreement described in Section 205(a) of Public Law 101-618, which operating agreement is referred to as the Truckee River Operating Agreement (TROA) and the Water Quality Settlement Agreement (WQSA). The quantity of water released and used from storage under this and related secondary permits in any one year shall not exceed the amounts allowed by the Truckee River Operating Agreement. The water released from one of the listed reservoirs may be re-diverted or exchanged into any of the other listed reservoirs in Exhibit "B". The water released from one or more of the reservoirs described in Exhibit "B" may be used for incidental hydroelectric Power Generation purposes in accordance with the Truckee River Operating Agreement. The use under this secondary application is a non consumptive use and will be returned to the Truckee River and may be used under one of the other secondary permits.

Any secondary permit issued under this application shall enter into effect simultaneously with the entry into effect of the Truckee River Operating Agreement.

RECEIVED
2014 SEP 18 AM 11:43
STATE ENGINEERS OFFICE