



**SECONDARY PERMIT  
THE STATE OF NEVADA**

**PERMIT TO CHANGE THE PUBLIC WATERS OF THE  
STATE OF NEVADA HERETOFORE APPROPRIATED**

**Name of Permittee:** WASHOE COUNTY, CITY OF RENO AND CITY OF SPARKS  
**Source:** STREAM (TRUCKEE RIVER)  
**Basin:** TRUCKEE CANYON SEGMENT  
**Manner of Use:** MUNICIPAL  
**Period of Use:** JANUARY 1ST THROUGH DECEMBER 31ST  
**Priority Date:** AS DECREED

\*\*\*\*\*

**APPROVAL OF STATE ENGINEER**

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This secondary permit is issued subject to the provisions of NRS 533.440. This permit is issued for municipal use upon discharge from the upstream reservoirs identified in Exhibit A of the application and is subject to the terms and conditions under the Primary Permit 84367. Any storage and transportation losses, as established by the administrator of the Truckee River Operating Agreement, must be deducted from the amount of water available for use under this secondary permit. This permit is issued subject to the continuing jurisdiction and regulation by the State Engineer and the Federal Water Master.

This permit is issued subject to existing rights.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water appropriated under this Secondary Permit shall not exceed the amount permitted under the Primary Permit. The quantity of water released and release rate from storage under this Secondary Permit in any year shall not exceed the amounts allowed by the Truckee River Operating Agreement.

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

February 27 2020

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:


February 27 2025


Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 27<sup>th</sup> day of February, 2015

  
\_\_\_\_\_  
State Engineer



Application No. 84367 S2

**SECONDARY**

**APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

|   |  |
|---|--|
| THIS SPACE FOR OFFICE USE ONLY            |  |
| Date of Filing in State Engineer's Office | <b>SEP 18 2014</b>                       |
| Returned to applicant for correction      | _____                                    |
| Corrected Application filed               | Map filed <u>Oct 13 2008 under 77478</u> |

The applicant Washoe County, City of Reno and City of Sparks, as tenants in common as to 1/3 undivided interest each  
4930 Energy Way of Reno  
Street Address or P.O. Box City or Town  
NV 89502 hereby make(s) application for permission to appropriate the  
State and ZIP Code

public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

Item 1 Remark - Truckee River water stored in Lake Tahoe, Boca Reservoir, Prosser Creek Reservoir, Donner Lake, Stampede Reservoir, and Independence Lake pursuant to the permit to be issued under Primary Storage Application supporting this secondary application and numbered the same as referenced above.

1. The source of the proposed appropriation is Truckee River (See Remark directly above).  
Name of the stream, lake, underground, spring or other sources.
2. The amount of water applied for is Per TROA (see Item 12 "Remarks" for explanation.)  
One second foot equals 448.83 gallons per minute.  
 (a) If stored in a reservoir give the number of acre-feet 3.475 ac. ft. (see exhibits "B" & "D")
3. The water is to be used for Municipal purposes  
Irrigation, power, mining, commercial, domestic or other use. Must be limited to one use.
4. If use is for:
  - (a) Irrigation, state number of acres to be irrigated \_\_\_\_\_
  - (b) Stockwater, state number and kind of animals \_\_\_\_\_
  - (c) Other use (describe fully in No. 12) \_\_\_\_\_
  - (d) Power:
    - (1) Horsepower developed \_\_\_\_\_
    - (2) Point of return of water to stream \_\_\_\_\_

RECEIVED  
 2014 SEP 18 AM 11:50  
 STATE ENGINEERS OFFICE

*b-91  
wa*

5. The water is to be diverted from its source at the following point: (Describe as being within a 40-acre subdivision of public survey, and by course and distance to a found section corner. If on unsurveyed land, it should be so stated.)

Described in Exhibit "A" attached hereto, after the water has been released from storage reservoirs described in attached Exhibit "B".

6. Place of use: (Describe by legal subdivision. If on unsurveyed land, it should be so stated)

See attached exhibit "C"

7. Use will begin about January 1 and end about December 31 of each year.  
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with a pump and motor, etc.)

All works of diversion referenced in exhibits "A" and "B" are complete.

9. Estimated cost of works: No costs are needed since the works are completed.

10. Estimated time required to construct works: Complete  
(if the well is complete, describe works.)


11. Estimated time required to complete the application of water to beneficial use: Ten (10) years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

See Exhibit "D" attached hereto and by this made a part hereof. Furthermore, this secondary application is filed for the purpose of Exchanges as provided in Section 7.E.2 of TROA. The potential Exchanges, implemented by the Federal Water Master, will be for equal quantities of water within storage facilities, and the Exchanges will not be to the detriment of the Water Quality Settlement Agreement and its goals and objectives.

vbehmaram@washoecounty.us  
E-mail Address  
(775)954-4647  
Phone No.

APPLICATION MUST BE SIGNED BY THE APPLICANT OR AGENT

Vahid Behmaram  
Type or print name clearly  
  
Signature, applicant or agent  
Washoe County Community Services Department  
Company Name  
P.O. Box 11130  
Street Address or PO Box  
Reno, NV 89520-0027  
City, State, ZIP Code

RECEIVED  
2014 SEP 18 AM 11:50  
STATE ENGINEERS OFFICE

\$250 FILING FEE AND SUPPORTING MAP MUST ACCOMPANY APPLICATION

**EXHIBIT "A"**

The following describes the multiple points of diversion for Truckee Meadows Water Authority Water Treatment Plants, which are shown on the map accompanying Application No. 71606 on file with the State of Nevada, Division of Water Resources, more particularly described as follows:

STEAMBOAT CANAL (HUNTER CREEK RESERVOIR):

The existing point of diversion is situate within the Northeast one-quarter of the Southwest one-quarter (NE ¼ SW ¼) of Section 31, T.19N., R.18E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Southeast corner of said Section 31 bears South 62°04' East, a distance of 3,195.00 feet.

HIGHLAND DITCH (HIGHLAND RESERVOIR):

The existing point of diversion is situate within the Southwest one-quarter of the Southeast one-quarter (SW ¼ SE ¼) of Section 9, T.19N., R.18E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Southeast corner of said Section 9 bears South 75°16' East, a distance of 1,650.00 feet.

IDLEWILD TREATMENT PLANT:

The existing point of diversion is situate within the Southeast one-quarter of the Southeast one-quarter (SE ¼ SE ¼) of Section 10, T.19N., R.19E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Southeast corner of said Section 10 bears South 69°57'58" East, a distance of 842.34 feet.

NORTH TRUCKEE DITCH (GLENDALE TREATMENT PLANT):

The existing point of diversion is situate within the Southwest one-quarter of the Northeast one-quarter (SW ¼ NE ¼) of Section 7, T.19N., R.20E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Northeast corner of said Section 7 bears North 39°28' East, a distance of 3,015.00 feet.

ORR DITCH PUMP STATION (CHALK BLUFF TREATMENT PLANT):

The point of diversion is situate within the Northeast one-quarter of the Southeast one-quarter (NE ¼ SE ¼) of Section 17, T.19N., R.19E., M.D.B.&M., Washoe County, Nevada, from said point of diversion the Northeast corner of said Section 17 bears North 15°39'36" East, a distance of 3,264.77 feet.

ORR DITCH (CHALK BLUFF TREATMENT PLANT):

The point of diversion is situate within the Northeast one-quarter of the Southwest one-quarter (NE ¼ SE ¼) of Section 17, T.19N., R.19E., M.D.B.&M., Washoe County, Nevada, from said point of diversion the Southwest corner of said Section 17 bears South 44°40' West, a distance of 3,211.00 feet.

RECEIVED  
 2014 SEP 18 AM 11:50  
 STATE ENGINEERS OFFICE

**EXHIBIT "B"**

The Proposed Points of Diversion (Dam) are shown on the map filed with Amended Application No. 73783 and the storage capacity (AF) and maximum outlet capacity (cfs) for each Storage Reservoir are as follows:

**Lake Tahoe:**

Situate in the NE  $\frac{1}{4}$  of the NW  $\frac{1}{4}$  of Section 7, T. 15N., R. 17E., M.D.M., or from the Dam the Southwest corner of said Section 7 bears South  $29^{\circ} 09' 30''$  West a distance of 5,182 feet, more or less. The storage capacity of Lake Tahoe is approximately 744,600 AF with a maximum outlet capacity of 2,500 cfs.

**Donner Lake:**

Situate in the SE  $\frac{1}{4}$  of the NE  $\frac{1}{4}$  of Section 18, T. 17N., R. 16E., M.D.M., or from the Dam the Southeast corner of said Section 18 bears South  $04^{\circ} 07' 14''$  East a distance of 2,981 feet, more or less. The storage capacity of Donner Lake is approximately 9,500 AF with a maximum outlet capacity of 660 cfs.

**Prosser Creek Dam (Reservoir):**

Situate in the NW  $\frac{1}{4}$  of the SW  $\frac{1}{4}$  of Section 30, T. 18N., R. 17E., M.D.M., or from the Dam the southwest corner of said Section 30 bears South  $22^{\circ} 58' 48''$  West a distance of 2,006 feet, more or less. The storage capacity of Prosser Creek Reservoir is approximately 29,840 AF with a maximum outlet capacity of 1,850 cfs.

**Boca Dam (Reservoir):**

Situate in the SE  $\frac{1}{4}$  of the SW  $\frac{1}{4}$  of Section 21, T. 18N., R. 17E., M.D.M., or from the Dam the southwest corner of said Section 21 bears South  $81^{\circ} 05' 07''$  West a distance of 2,647 feet, more or less. The storage capacity of Boca Reservoir is approximately 40,870 AF with a maximum outlet capacity of 1,200 cfs.

**Stampede Dam (Reservoir):**

Situate in the NW  $\frac{1}{4}$  of the NW  $\frac{1}{4}$  of Section 28, T. 19N., R. 17E., M.D.M., or from the Dam the northwest corner of said Section 28 bears North  $36^{\circ} 08' 27''$  West a distance of 636 feet, more or less. The storage capacity of Stampede Reservoir is approximately 226,500 AF with a maximum outlet capacity of 2,740 cfs.

**Independence Lake Dam:**

Situate in the NW  $\frac{1}{4}$  of the SW  $\frac{1}{4}$  of Section 35, T. 19N., R. 15E., M.D.M., or from the Dam the Southwest corner of said Section 35 bears South  $20^{\circ} 06' 47''$  West a distance of 1,945 feet, more or less. The storage capacity of Independence Lake is approximately 17,500 AF with a maximum outlet capacity of 540 cfs.

RECEIVED  
2014 SEP 18 AM 11:50  
STATE ENGINEERS OFFICE

**EXHIBIT "C"**  
**PROPOSED PLACE OF USE**

| <u>DIVISION</u> | <u>SECTION</u> | <u>T-N</u> | <u>R-E</u> |             |
|-----------------|----------------|------------|------------|-------------|
| ALL             | 1 - 5          | 18         | 18         | M.D.B. & M. |
| E ½             | 6 & 7          | 18         | 18         | M.D.B. & M. |
| ALL             | 8 - 17         | 18         | 18         | M.D.B. & M. |
| E ½             | 18 & 19        | 18         | 18         | M.D.B. & M. |
| ALL             | 20 - 29        | 18         | 18         | M.D.B. & M. |
| E ½             | 30 & 31        | 18         | 18         | M.D.B. & M. |
| ALL             | 32 - 36        | 18         | 18         | M.D.B. & M. |
| ALL             | 1 - 5          | 19         | 18         | M.D.B. & M. |
| E ½             | 6 & 7          | 19         | 18         | M.D.B. & M. |
| ALL             | 8 - 17         | 19         | 18         | M.D.B. & M. |
| E ½             | 18 & 19        | 19         | 18         | M.D.B. & M. |
| ALL             | 20 - 29        | 19         | 18         | M.D.B. & M. |
| E ½             | 30 & 31        | 19         | 18         | M.D.B. & M. |
| ALL             | 32 - 36        | 19         | 18         | M.D.B. & M. |
| ALL             | 1 - 5          | 20         | 18         | M.D.B. & M. |
| E ½             | 6 & 7          | 20         | 18         | M.D.B. & M. |
| ALL             | 8 - 17         | 20         | 18         | M.D.B. & M. |
| E ½             | 18 & 19        | 20         | 18         | M.D.B. & M. |
| ALL             | 20 - 29        | 20         | 18         | M.D.B. & M. |
| E ½             | 30 & 31        | 20         | 18         | M.D.B. & M. |
| ALL             | 32 - 36        | 20         | 18         | M.D.B. & M. |
| ALL             | 1 - 5          | 21         | 18         | M.D.B. & M. |
| E ½             | 6 & 7          | 21         | 18         | M.D.B. & M. |
| ALL             | 8 - 17         | 21         | 18         | M.D.B. & M. |
| E ½             | 18 & 19        | 21         | 18         | M.D.B. & M. |
| ALL             | 20 - 29        | 21         | 18         | M.D.B. & M. |
| E ½             | 30 & 31        | 21         | 18         | M.D.B. & M. |
| ALL             | 32 - 36        | 21         | 18         | M.D.B. & M. |
| ALL             | 1 - 36         | 17         | 19         | M.D.B. & M. |
| ALL             | 1 - 36         | 18         | 19         | M.D.B. & M. |
| ALL             | 1 - 36         | 19         | 19         | M.D.B. & M. |
| ALL             | 1 - 36         | 20         | 19         | M.D.B. & M. |
| ALL             | 1 - 36         | 21         | 19         | M.D.B. & M. |
| ALL             | 5 & 6          | 16         | 20         | M.D.B. & M. |
| ALL             | 1 - 36         | 17         | 20         | M.D.B. & M. |
| ALL             | 2 - 35         | 18         | 20         | M.D.B. & M. |
| W ½             | 36             | 18         | 20         | M.D.B. & M. |
| ALL             | 1 - 12         | 19         | 20         | M.D.B. & M. |
| N ½             | 13             | 19         | 20         | M.D.B. & M. |
| ALL             | 14 - 23        | 19         | 20         | M.D.B. & M. |
| ALL             | 26 - 35        | 19         | 20         | M.D.B. & M. |
| ALL             | 06, 07 & 18    | 19         | 21         | M.D.B. & M. |
| ALL             | 1 - 36         | 20         | 20         | M.D.B. & M. |
| ALL             | 1 - 36         | 21         | 20         | M.D.B. & M. |
| ALL             | 1 - 36         | 20         | 21         | M.D.B. & M. |
| ALL             | 1 - 36         | 21         | 21         | M.D.B. & M. |

See supporting map on file under Application No. 75116.

RECEIVED  
 11/15/50  
 OFFICE

**EXHIBIT "D"**

## 12. Remarks

This application is filed as part of the implementation of the operating agreement described in Section 205(a) of Public Law 101-618, which operating agreement is referred to as the Truckee River Operating Agreement (TROA) and the Water Quality Settlement Agreement (WQSA). The quantity of water released and used from storage under this and related secondary permits in any one year shall not exceed the amounts allowed by the Truckee River Operating Agreement. The water released from one of the listed reservoirs may be re-diverted or exchanged into any of the other listed reservoirs in Exhibit "B". The water released from one or more of the reservoirs described in Exhibit "B" may be used for Municipal purposes in the Truckee Meadows.

Any secondary permit issued under this application shall enter into effect simultaneously with the entry into effect of the Truckee River Operating Agreement.

RECEIVED  
2014 SEP 18 AM 11:50  
STATE ENGINEERS OFFICE