



THE STATE OF NEVADA

PERMIT TO CHANGE THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Name of Permittee: HIGH TEST HAY, LLC
Source: UNDERGROUND
Basin: STONE CABIN VALLEY
Manner of Use: IRRIGATION
Period of Use: JANUARY 1ST THROUGH DECEMBER 31ST
Priority Date: 01/29/1979

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit, to change the place of use of a portion of the waters of an underground source as heretofore granted under Permit 81634, is issued subject to the terms and conditions imposed in said Permit 81634 and with the understanding that no other rights on the source will be affected by the change proposed herein. This well shall be equipped with a two (2) inch opening for measuring depth to water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The total combined duty of water under Permits 77989, 77994, 77997, 77998, 77999, 78001, 81634, 82515, 82516, 84400, 84427, and 84428 shall not exceed 3,264 acre-feet annually for the irrigation of 816 acres within the described place of use.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.06 cubic feet per second or 14.1 acre-feet annually for the irrigation of 3.525 acres within the described place of use.

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

April 16 2016

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:


April 16 2018

Map in support of proof of beneficial use shall be filed on or before:


April 16 2018

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 16th day of April, 2015



State Engineer



APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

THIS SPACE FOR OFFICE USE ONLY

Date of filing in State Engineer's Office SEP 29 2014

Returned to applicant for correction _____

Corrected application filed _____ Map filed Feb 6 2013 under 82515

The applicant High Test Hay, LLC
4715 Jacqueline Court of Winnemucca
Street Address or PO Box City or Town
Nevada, 89445 hereby make(s) application for permission to change the
State and ZIP Code

- Point of diversion Place of use Manner of use of a portion

of water heretofore appropriated under (Identify existing rights by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

Permit 81634

RECEIVED
 2014 SEP 29 PM 2:27
 STATE ENGINEERS OFFICE

- The source of water is Underground
Name of stream, lake, underground, spring or other sources.
- The amount of water to be changed 0.06cubic feet per second or 14.1 acre-feet annually
Second feet, acre-feet. One second foot equals 448.83 gallons per minute.
- The water to be used for Irrigation
Irrigation, power, mining, commercial, etc. If for stock, state number and kind of animals. Must limit to one major use
- The water heretofore used for Irrigation
If for stock, state number and kind of animals.
- The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.)
WITHIN THE SE 1/4 NW 1/4 OF SECTION 16, T. 3 N., R. 48 E., M.D.B.&M. OR AT A POINT FROM WHICH THE W 1/4 CORNER OF SECTION 16, T. 3 N., R. 48 E., M.D.B.&M. BEARS S. 70° 25' 51.6" W., A DISTANCE OF 1,606.6 FEET.
- The existing point of diversion is located within (If point of diversion is not changed, do not answer.)

StoneCabin Valley
10-149
Naga

7. Proposed place of use (Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.)

WITHIN THE NE 1/4 NE 1/4, SE 1/4 NE 1/4 SECTION 20, & NW 1/4 NW 1/4, NE 1/4 NW 1/4, SW 1/4 NW 1/4 SECTION 21, ALL WITHIN T. 3 N., R. 48 E., M.D.B.&M. [See map filed under Application 82515]

8. Existing place of use (Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)

~~WITHIN THE NE 1/4 NE 1/4 SECTION 20, & NW 1/4 NW 1/4, NE 1/4 NW 1/4, SW 1/4 NW 1/4 SECTION 21, ALL WITHIN T. 3 N., R. 48 E., M.D.B.&M.~~ *see attachment 1*

*KE
10/6/14*

9. Proposed use will be from January 1st to December 31st of each year.
Month and Day Month and Day

10. Existing use permitted from January 1st to December 31st of each year.
Month and Day Month and Day

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e., diversion structure, ditches, pipes and flumes or drilled well, pump and motor, etc.)

Well and conveyance system in place. New center pivot irrigation system constructed in 2014.

12. Estimated cost of works \$10,000

13. Estimated time required to construct works 1 year

If well completed, describe well.

14. Estimated time required to complete the application of water to beneficial use 5 years

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

16. Miscellaneous remarks:

david@stanakconsulting.com
E-mail Address
775-885-9283
Phone No. Ext.

APPLICATION MUST BE SIGNED
BY THE APPLICANT OR AGENT

David G. Hillis Jr. P.E. [Agent]

Type or print name clearly

[Signature]
Signature, applicant or agent

Stanka Consulting LTD

Company Name

3032 Silver Sage Drive, Suite 101

Street Address or PO Box

Carson City, NV 89701

City, State, ZIP Code

RECEIVED
2014 SEP 29 PM 2:27
STATE ENGINEERS OFFICE

84400

ATTACHMENT 1:

Proposed Place of Use				
SECTION	SUBDIVISION	TOWNSHIP	RANGE	ACRES
8	NE 1/4 SE 1/4	3 NORTH	48 EAST	40
8	SE 1/4 SE 1/4	3 NORTH	48 EAST	40
9	NW 1/4 SW 1/4	3 NORTH	48 EAST	40
9	NE 1/4 SW 1/4	3 NORTH	48 EAST	40
9	NW 1/4 SE 1/4	3 NORTH	48 EAST	40
9	SW 1/4 SW 1/4	3 NORTH	48 EAST	40
9	SE 1/4 SW 1/4	3 NORTH	48 EAST	40
9	SW 1/4 SE 1/4	3 NORTH	48 EAST	40
16	NW 1/4 NW 1/4	3 NORTH	48 EAST	40
16	NE 1/4 NW 1/4	3 NORTH	48 EAST	40
16	NW 1/4 NE 1/4	3 NORTH	48 EAST	40
16	SW 1/4 NW 1/4	3 NORTH	48 EAST	40
16	SE 1/4 NW 1/4	3 NORTH	48 EAST	40
16	SW 1/4 NE 1/4	3 NORTH	48 EAST	40
16	NE 1/4 SW 1/4	3 NORTH	48 EAST	40
16	NW 1/4 SE 1/4	3 NORTH	48 EAST	40
16	SE 1/4 SW 1/4	3 NORTH	48 EAST	40
16	SW 1/4 SE 1/4	3 NORTH	48 EAST	40
17	NE 1/4 NE 1/4	3 NORTH	48 EAST	40
17	SE 1/4 NE 1/4	3 NORTH	48 EAST	40
20	NE 1/4 NE 1/4	3 NORTH	48 EAST	40
21	NW 1/4 NW 1/4	3 NORTH	48 EAST	40
21	SW 1/4 NW 1/4	3 NORTH	48 EAST	40
21	NE 1/4 NW 1/4	3 NORTH	48 EAST	40
TOTAL				960