

**THE STATE OF NEVADA****PERMIT TO APPROPRIATE WATER**

**Name of Permittee:** HIGH TEST HAY, LLC  
**Source:** UNDERGROUND  
**Basin:** STONE CABIN VALLEY  
**Manner of Use:** IRRIGATION  
**Period of Use:** JANUARY 1ST THROUGH DECEMBER 31ST  
**Priority Date:** 10/08/2014

\*\*\*\*\*

**APPROVAL OF STATE ENGINEER**

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit, for diversion rate only, is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins or before the proof of completion of work is filed. The State retains the right to regulate the use of the water granted herein at any and all times.

The total combined duty of water under Permits 77989, 77994, 77997, 77998, 77999, 78001, 81364, 82515, 82516, 84400, 84427, and 84428 shall not exceed 3,264 acre-feet annually for the irrigation of 816 acres within the described place of use.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

This permit is issued for diversion rate only. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, **and not to exceed 3.0 cubic feet per second or 1,000 acre-feet annually.**

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

April 16 2016

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:


April 16 2018


Map in support of proof of beneficial use shall be filed on or before:

April 16 2018

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 16<sup>th</sup> day of **April, 2015**

  
\_\_\_\_\_  
State Engineer



Application No. 84427

### APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

THIS SPACE FOR OFFICE USE ONLY

Date of Filing in State Engineer's Office OCT 08 2014

Returned to applicant for correction \_\_\_\_\_

Corrected Application filed \_\_\_\_\_ Map filed Feb 9 2009 under 77989 2of3

The applicant High Test Hay, LLC  
 \_\_\_\_\_  
 HC76 Box 36006 \_\_\_\_\_ of Tonopah  
Street Address or P.O. Box City or Town  
 Nevada, 89049 \_\_\_\_\_ hereby make(s) application for permission to appropriate the  
State and ZIP Code  
 public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)  
Carson City, Nevada 3/12/2004

RECEIVED  
 2014 OCT -8 PM 4:44  
 STATE ENGINEERS OFFICE

- 
1. The source of water is Underground  
Name of the stream, lake, underground, spring or other sources.
  2. The amount of water applied for is 1,000 AFA, 3.0 CFS [DIVERSION RATE ONLY]  
One second foot equals 448.83 gallons per minute.  
 (a) If stored in a reservoir give the number of acre-feet \_\_\_\_\_
  3. The water is to be used for Irrigation  
Irrigation, power, mining, commercial, domestic or other use. Must be limited to one major use.
  4. If use is for:
    - (a) Irrigation, state number of acres to be irrigated 960
    - (b) Stockwater, state number and kind of animals \_\_\_\_\_
    - (c) Other use (describe fully in No. 12) \_\_\_\_\_
    - (d) Power:
      - (1) Horsepower developed \_\_\_\_\_
      - (2) Point of return of water to stream \_\_\_\_\_

*Stone Cabin Valley*  
*10-149*  
*Nye*

5. The water is to be diverted from its source at the following point: (Describe as being within a 40-acre subdivision of public survey, and by course and distance to a found section corner. If on unsurveyed land, it should be so stated.)

WITHIN THE SW 1/4 NW 1/4 OF SECTION 9, T. 3 N., R. 48 E., M.D.B.&M. OR AT A POINT FROM WHICH THE W 1/4 CORNER OF SECTION 9, T. 3 N., R. 48 E., M.D.B.&M. BEARS S. 3° 34' 8.4" W., A DISTANCE OF 1,155.4 FEET.

6. Place of use: (Describe by legal subdivision. If on unsurveyed land, it should be so stated)

See Attachment 1

7. Use will begin about January 1st and end about December 31st of each year.  
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with a pump and motor, etc.)

All wells, pipeline, and center pivot irrigation systems are installed. This application is to increase diversion rate only.

9. Estimated cost of works: \$0

10. Estimated time required to construct works: Complete

(If the well is complete, describe works.)

11. Estimated time required to complete the application of water to beneficial use: 1 Year

12. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

All wells, pipeline, and center pivot irrigation systems are installed. This application is to increase diversion rate only.

13. Miscellaneous remarks:

This application is to increase diversion rate only.

RECEIVED  
2014 OCT - 8 PM 4:44  
STATE ENGINEERS OFFICE

david@stankaconsulting.com

E-mail Address


775-885-9283

Phone No.

Ext.

David G. Hillis Jr., P.E., W.R.S.

Type or print name clearly



Signature, applicant or agent

Stanka Consulting, LTD.

Company Name

3032 Silver Sage Dr., Suite 101

Street Address or PO Box

Carson City NV, 89701

City, State, ZIP Code

APPLICATION MUST BE SIGNED  
BY THE APPLICANT OR AGENT

## ATTACHMENT 1:

Proposed Place of Use				
SECTION	SUBDIVISION	TOWNSHIP	RANGE	ACRES
8	NE 1/4 SE 1/4	3 NORTH	48 EAST	40
8	SE 1/4 SE 1/4	3 NORTH	48 EAST	40
9	NW 1/4 SW 1/4	3 NORTH	48 EAST	40
9	NE 1/4 SW 1/4	3 NORTH	48 EAST	40
9	NW 1/4 SE 1/4	3 NORTH	48 EAST	40
9	SW 1/4 SW 1/4	3 NORTH	48 EAST	40
9	SE 1/4 SW 1/4	3 NORTH	48 EAST	40
9	SW 1/4 SE 1/4	3 NORTH	48 EAST	40
16	NW 1/4 NW 1/4	3 NORTH	48 EAST	40
16	NE 1/4 NW 1/4	3 NORTH	48 EAST	40
16	NW 1/4 NE 1/4	3 NORTH	48 EAST	40
16	SW 1/4 NW 1/4	3 NORTH	48 EAST	40
16	SE 1/4 NW 1/4	3 NORTH	48 EAST	40
16	SW 1/4 NE 1/4	3 NORTH	48 EAST	40
16	NE 1/4 SW 1/4	3 NORTH	48 EAST	40
16	NW 1/4 SE 1/4	3 NORTH	48 EAST	40
16	SE 1/4 SW 1/4	3 NORTH	48 EAST	40
16	SW 1/4 SE 1/4	3 NORTH	48 EAST	40
17	NE 1/4 NE 1/4	3 NORTH	48 EAST	40
17	SE 1/4 NE 1/4	3 NORTH	48 EAST	40
20	NE 1/4 NE 1/4	3 NORTH	48 EAST	40
21	NW 1/4 NW 1/4	3 NORTH	48 EAST	40
21	SW 1/4 NW 1/4	3 NORTH	48 EAST	40
21	NE 1/4 NW 1/4	3 NORTH	48 EAST	40
TOTAL				960