

**THE STATE OF NEVADA****PERMIT TO CHANGE THE PUBLIC WATERS OF THE  
STATE OF NEVADA HERETOFORE APPROPRIATED**

**Name of Permittee:** DAVID E. GRISWOLD  
**Source:** UNDERGROUND  
**Basin:** DAYTON VALLEY  
**Manner of Use:** IRRIGATION AND DOMESTIC  
**Period of Use:** JANUARY 1ST THROUGH DECEMBER 31ST  
**Priority Date:** 05/17/1972

\*\*\*\*\*

**APPROVAL OF STATE ENGINEER**

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit, to change the place of use of the waters of an underground source as heretofore granted under Permit 53595, Certificate 14754, is issued subject to the terms and conditions imposed in said Permit 53595, Certificate 14754 and with the understanding that no other rights on the source will be affected by the change proposed herein. This well shall be equipped with a two (2) inch opening for measuring depth to water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

Any replacement well must be sealed from ground level to 100 feet in accordance with NAC 534.380.

The total combined duty of water under Permit 50544, Certificate 14753, and Permit 84590 shall not exceed 47.2 acre-feet annually for the irrigation of 11.8 acres.

This permit is entirely supplemental to 11.8 acres of surface water rights under Permit 84591, and as such, cannot be pumped unless there is no surface water available.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.236 cubic feet per second or 47.2 acre-feet annually.

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

May 27 2016

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:


May 27 2018


Map in support of proof of beneficial use shall be filed on or before:

May 27 2018

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 27<sup>th</sup> day of May, 2015

  
\_\_\_\_\_  
State Engineer



**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED**

THIS SPACE FOR OFFICE USE ONLY

Date of filing in State Engineer's Office DEC 17 2014

Returned to applicant for correction \_\_\_\_\_

Corrected application filed \_\_\_\_\_ Map filed Nov 6 1997 under 50544

The applicant David E. Griswold  
2801 Barranca Parkway of Irvine  
Street Address or PO Box City or Town  
CA, 92606 hereby make(s) application for permission to change the  
State and ZIP Code

- Point of diversion       Place of use       Manner of use       of a portion

of water heretofore appropriated under (Identify existing rights by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)  
Permit 53595 / Certificate 14754

RECEIVED  
 2014 DEC 17 PM 1:49  
 STATE ENGINEERS OFFICE

- The source of water is underground  
Name of stream, lake, underground, spring or other sources.
- The amount of water to be changed 0.236 c.f.s., not to exceed 47.2 acre-feet annually  
Second feet, acre-feet. One second foot equals 448.83 gallons per minute.
- The water to be used for Irrigation and Domestic  
Irrigation, power, mining, commercial, etc. If for stock, state number and kind of animals. Must limit to one major use
- The water heretofore used for Irrigation and Domestic  
If for stock, state number and kind of animals.
- The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.)  
SW 1/4 SE 1/4 Section 6, T. 16 N., R. 22 E., M.D.B.&M., or at a point from which the SW corner of said Section 6 bears S. 86° 00' 00" W., a distance of 3,300.0 feet.
- The existing point of diversion is located within (If point of diversion is not changed, do not answer.)  
Unchanged

*D.V.*  
*8-103*  
*L4*

7. Proposed place of use (Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.)

Portions of the SW 1/4 SE 1/4 and SE 1/4 SE 1/4 Section 6, and the NW 1/4 NE 1/4 and NE 1/4 NE 1/4 Section 7, all in T. 16 N., R. 22 E., M.D.B.&M. [See map filed under 50544]

8. Existing place of use (Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)

Portions of the S 1/2 SE 1/4 of Section 6, and portions of the N 1/2 NE 1/4 of Section 7, all in T. 16 N., R. 22 E., M.D.B.&M.

9. Proposed use will be from January 1 to December 31 of each year.

10. Existing use permitted from January 1 to December 31 of each year.

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e., diversion structure, ditches, pipes and flumes or drilled well, pump and motor, etc.)

Works already in place

12. Estimated cost of works \$0

13. Estimated time required to construct works N/A

If well completed, describe well.

14. Estimated time required to complete the application of water to beneficial use 5 year

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

Water will be used to irrigate portions of Parcel Number 016-331-06.

16. Miscellaneous remarks:

This change application is seeking to provide the owner the ability to reconfigure the irrigation practices appurtenant to Parcel Number 016-331-06. The reconfiguration will be detailed in the PBU process.

RECEIVED  
2014 DEC 7 PM 1:49  
STATE ENGINEERS OFFICE

david@stankaconsulting.com  
E-mail Address  
(775) 885-9283  
Phone No. Ext.

David G. Hillis Jr., P.E., W.R.S.  
Type or print name clearly  
*David G. Hillis Jr.*  
Signature, applicant or agent  
Stanka Consulting, LTD  
Company Name  
3032 Silver Sage Drive, Suite 101  
Street Address or PO Box  
Carson City, NV 89701  
City, State, ZIP Code

APPLICATION MUST BE SIGNED  
BY THE APPLICANT OR AGENT