



THE STATE OF NEVADA

PERMIT TO CHANGE THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Name of Permittee: RALPH C. AND MARY R. NUTI
Source: UNDERGROUND
Basin: SMITH VALLEY
Manner of Use: COMMERCIAL AND DOMESTIC
Period of Use: JANUARY 1ST THROUGH DECEMBER 31ST
Priority Date: 03/24/2000

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit, to change the point of diversion and place of use of the waters of an underground source as heretofore granted under Permit 66209, is issued subject to the terms and conditions imposed in said Permit 66209 and with the understanding that no other rights on the source will be affected by the change proposed herein. This well shall be equipped with a two (2) inch opening for measuring depth to water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, **and not to exceed 0.2 cubic feet per second or 2.02 acre-feet annually.**

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

May 27 2016

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:


May 27 2018

Map in support of proof of beneficial use shall be filed on or before:


N/A

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 27th day of May, 2015



State Engineer



ORIGINAL

Application No. 84597

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

THIS SPACE FOR OFFICE USE ONLY

Date of filing in State Engineer's Office DEC 19 2014

Returned to applicant for correction DEC 30 2014

Corrected application filed _____ Map filed JAN 02 2015

The applicant RALPH C. and MARY R. NUTI
P.O. BOX 5 of SMITH
Street Address or PO Box City or Town
NEVADA 89430 hereby make(s) application for permission to change the
State and ZIP Code

Point of diversion Place of use Manner of use of a portion

of water heretofore appropriated under (Identify existing rights by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

PERMIT No 66209

1. The source of water is UNDERGROUND
Name of stream, lake, underground, spring or other sources.
2. The amount of water to be changed 0.2 CFS
Second feet, acre-feet. One second foot equals 448.83 gallons per minute.
3. The water to be used for COMMERCIAL & DOMESTIC
Irrigation, power, mining, commercial, etc. If for stock, state number and kind of animals. Must limit to one major use
4. The water heretofore used for COMMERCIAL & DOMESTIC
If for stock, state number and kind of animals.
5. The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.)
SE1/4 SE1/4, SEC. 29 T.11 N., R.24 E., M.D.B. & M. OR AT A POINT FROM THE SE CORNER OF SEC. 29 BEARS S 56°52'21" E A DISTANCE OF 1,211.05'
6. The existing point of diversion is located within (If point of diversion is not changed, do not answer.)
SE1/4 SE1/4, SEC. 29 T.11 N., R.24 E., M.D.B. & M. OR AT A POINT FROM THE SE CORNER OF SEC. 29 BEARS S 49°08'59" E A DISTANCE OF 1,057.00'

S.V.
9-107
4

7. Proposed place of use (Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.)

E1/2 SE1/4 SE1/4 OF SEC. 29, T.11 N., R.24 E., M.D.B. & M.

8. Existing place of use (Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)

NW1/4 SE1/4 SE1/4 OF SEC. 29, T.11 N., R.24 E., M.D.B. & M.

9. Proposed use will be from JANUARY 1 to DECEMBER 31 of each year.
Month and Day Month and Day

10. Existing use permitted from JANUARY 1 to DECEMBER 31 of each year.
Month and Day Month and Day

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e., diversion structure, ditches, pipes and flumes or drilled well, pump and motor, etc.)

Well, Pump, Storage Tank & Distribution System

12. Estimated cost of works Completed

13. Estimated time required to construct works Completed

If well completed, describe well.

14. Estimated time required to complete the application of water to beneficial use 1 Year

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

A 1500 gallon tank is filled with water as needed. The water is then used for blending and preparing liquid fertilizers. The business also plants, builds and maintains a number of test plots of assorted vegetables and grains upon which the liquid fertilizers are tested. the plants are watered mostly by drip systems, but also some row irrigation.

16. Miscellaneous remarks:

This change application is being done to cover the area of the test plot locations that were not cover on the original permit No. 66209.

rcsdurvey01@gmail.com
E-mail Address
(775) 463*3611
Phone No. Ext.

Rick P. Christian, agent
Type or print name clearly
Rick P. Christian
Signature, applicant or agent
Denson Surveying, Inc.
Company Name

P.O. Box 528
Street Address or PO Box
Yerington, Nevada 89447
City, State, ZIP Code

APPLICATION MUST BE SIGNED
BY THE APPLICANT OR AGENT