Permit No. 84697

THE STATE OF NEVADA

PERMIT TO CHANGE THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Name of Permittee:	**BRUCE A. AND PAMELA G. JENSEN**
Source:	**UNDERGROUND (SWIMMING POOL WELL)**
Basin:	**WHITE RIVER VALLEY**
Manner of Use:	**STOCKWATERING**
Period of Use:	**JANUARY 1ST THROUGH DECEMBER 31ST**
Priority Date:	**11/28/2001**

****

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit, to change the point of diversion, place and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 68238, is issued subject to the terms and conditions imposed in said Permit 68238 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, **not to exceed 0.0817 cubic feet per second and 11.2 acre-feet annually, or sufficient to water 500 head of cattle.**

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:	**September 16 2017**
Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:	**September 16 2018**
Map in support of proof of beneficial use shall be filed on or before:	**N/A**

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 16th day of **September, 2015**

P.E.

State Engineer

Application No. 84697

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

THIS SPACE FOR OFFICE USE ONLY

Date of filing in State Engineer's Office JAN 12 2015

Returned to applicant for correction _____

Corrected application filed _____ Map filed Jan 12 2015 under 84596

The applicant Bruce A. and Pamela G. Jensen

P.O. Box 253 (Street Address or P.O. Box) of Lund (City or Town)

Nevada, 89317 (State and Zip Code), hereby make(s) application for permission to change the

☒ Point of Diversion ☒ Place of Use ☒ Manner of Use ☐ Period of Use ☒ of a Portion

of water heretofore appropriated under Permit 68238
Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.

1. The source of water is underground – Swimming Pool Well
Name of stream, lake, underground, spring or other sources.

2. The amount of water to be changed .0817 cfs, 11.2 acre-feet
Second feet, acre-feet. One second foot equals 448.83 gallons per minute.

3. The water to be used for Stockwater - 500 head of cattle
Irrigation, power, mining, commercial, etc. If for stock state number and kind of animals. Must limit to one major use.

4. The water heretofore used for Irrigation
If for stock state number and kind of animals.

5. The water is to be diverted at the following point within the SE¼ SW¼ of Section 17, Township 08 North,
Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.
Range 62 East M.D.M., at a point from which the Northeast Corner of Section 33, Township 08 North, Range 61 East, M.D.M. bears South 65° 46' 41" West a distance of 25,789 feet.

6. The existing point of diversion is located within the NW¼ NE¼ of Section 27, Township 04 North, Range 61
If point of diversion is not changed, do not answer.
East, M.D.M. at a point from which the Southwest Corner of Section 22, Township 07 North, Range 62 East, M.D.M., bears North 16° 37' 09" East a distance of 99,679 feet.
See map filed under permit No. 68238.

13-207 Nye

84697

7. Proposed place of use the SE¼ SW¼ of Section 17, Township 08 North, Range 62 East, M.D.M.
Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.

8. Existing place of use 2.8 acres within the SW¼ NE¼ of Section 27 Township 04 North, Range 61 East, M.D.M.
Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation
See Area C on accompanying Stripping Map.

9. Proposed use will be from January 1st (Month and Day) to December 31st (Month and Day) of each year.

10. Existing use permitted from January 1st (Month and Day) to December 31st (Month and Day) of each year.

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works) Drilled well with a solar powered submersible pump, discharging
State manner in which water is to be diverted, i.e. diversion structure, ditches, pipes and
water to multiple stockwater troughs.
flumes or drilled well, pump and motor, etc.

12. Estimated cost of works $20,000.00

13. Estimated time required to construct works Two (2) years to install pump equipment on existing 6" drilled
If well completed, describe well.
well, see well log 10118.

14. Estimated time required to complete the application of water to beneficial use Five (5) years

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary):
Failure to provide a detailed description may cause a delay in processing.
The water being changed under this application will be used to provide water to approximately 500 head of cattle grazing within the Hardy Spring grazing allotment No. 11022.

16. Miscellaneous

RECEIVED
2015 JAN 12 PM 4:42
STATE ENGINEERS OFFICE

E-mail

(702) 525-1923
Phone No.

By Robert Coache, P.E.
Print or type name clearly

P.E.
Signature, Applicant or Agent

Hydrotech Consulting Services, LLC
Company Name

4280 North Tioga Way
Street Address or P.O. Box

Las Vegas, NV 89129
City, State, Zip Code

APPLICATION MUST BE SIGNED BY THE APPLICANT OR AGENT

$240 FILING FEE MUST ACCOMPANY APPLICATION