



## THE STATE OF NEVADA

### PERMIT TO CHANGE THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

**Name of Permittee:** SCEIRINE ENTERPRISES, LLC  
**Source:** UNDERGROUND  
**Basin:** MASON VALLEY  
**Manner of Use:** STOCKWATERING  
**Period of Use:** SEPTEMBER 15TH THROUGH JUNE 15TH  
**Priority Date:** 02/28/2014

\*\*\*\*\*

#### APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit, to change the point of diversion and place of use of the waters of an underground source as heretofore granted under Permit 83578, is issued subject to the terms and conditions imposed in said Permit 83578 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening for measuring depth to water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of water herein granted at any and all times.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use.

If any water under this permit is cancelled or any water is not put to beneficial use, it will revert to the groundwater source and not back to the base water right.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, not to exceed 0.003 cubic feet per second and 1.62 acre-feet per season to water 200 head of cattle.

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

September 15 2016

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:


September 15 2018


Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 15<sup>th</sup> day of September, 2015

  
\_\_\_\_\_  
State Engineer



**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED**

THIS SPACE FOR OFFICE USE ONLY

Date of filing in State Engineer's Office MAR 16 2015

Returned to applicant for correction \_\_\_\_\_

Corrected application filed \_\_\_\_\_ Map filed MAR 16 2015

The applicant Sceirine Enterprises, LLC  
P.O. Box 1013 of Yerington  
Street Address or PO Box City or Town  
Nevada 89447 hereby make(s) application for permission to change the  
State and ZIP Code

- Point of diversion       Place of use       Manner of use       of a portion *J.M.J.*

of water heretofore appropriated under (Identify existing rights by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)  
Permit 83578

RECEIVED  
 DISMISSED  
 STATE ENGINEERS OFFICE  
 MAR 16 AM 11:25

- The source of water is Underground  
Name of stream, lake, underground, spring or other sources.
- The amount of water to be changed 0.003cfs (1.25 gpm) *(1.62 AFS)*  
Second feet, acre-feet. One second foot equals 448.83 gallons per minute.
- The water to be used for Stockwater  
Irrigation, power, mining, commercial, etc. If for stock, state number and kind of animals. Must limit to one major use
- The water heretofore used for 200 Head of Cattle  
If for stock, state number and kind of animals.
- The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.)  
SE 1/4 NE 1/4 of Section 34, T.14N., R.25E., MDB&M or at a point which the South 1/4 corner of Section 28, T.14N., R. 25E., MDB&M bears N 76° 36' 31" W a distance of 7,602.95'.
- The existing point of diversion is located within (If point of diversion is not changed, do not answer.)  
NW 1/4 SE 1/4 of Section 28, T.14N., R.25E., MDB&M or at a point which the South 1/4 corner of Section 28, T.14N., R.25E., MDB&M bears S 43° 57' 05" W a distance of 1,878.04'.

*108-24*

7. Proposed place of use (Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.)

S 1/2 of Section 27, NE 1/4 of Section 34, NW 1/4 SE 1/4, NE 1/4 SE 1/4, and SE 1/4 SE 1/4 of Section 34, SW 1/4 NW 1/4, E 1/2 SW 1/4 of Section 35, all in Township 14 North, Range 25 East MDB&M.

8. Existing place of use (Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)

S 1/2 NW 1/4 of Section 28, SW 1/4 NE 1/4, NW 1/4 SE 1/4, NE 1/4 SE 1/4, SW 1/4 SE 1/4, N 1/2 SW 1/4 of Section 28, T.14N., R.25E., MDB&M.

9. Proposed use will be from September 15 to June 15 of each year.  
Month and Day Month and Day

10. Existing use permitted from September 15 to June 15 of each year.  
Month and Day Month and Day

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e., diversion structure, ditches, pipes and flumes or drilled well, pump and motor, etc.)

Water will be diverted using a drilled well with solar run pump and motor.

12. Estimated cost of works \$10,000

13. Estimated time required to construct works 6 months

If well completed, describe well.

14. Estimated time required to complete the application of water to beneficial use 5 years

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

Due to the drought conditions this year and expected future years additional stock water wells are needed to provide water to our cattle. This well will only be used when we do not have sufficient surface water. We understand that the amount of water is not sufficient for the total number of cattle we have, but we are limited by Order 1125.

16. Miscellaneous remarks:

Please see attached map.

kate@heggennelson.com

E-mail Address

775-852-2888

Phone No.

Ext.

APPLICATION MUST BE SIGNED  
BY THE APPLICANT OR AGENT

Kathryn S. Nelson

Type or print name clearly



Signature, applicant or agent

Heggen Nelson Engineering

Company Name

10597 Double R Blvd.

Street Address or PO Box

Reno, NV 89521

City, State, ZIP Code

RECEIVED  
2015 MAR 16 AM 11:25  
STATE ENGINEERS OFFICE