

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

THIS SPACE FOR OFFICE USE ONLY

Date of filing in State Engineer's Office APR 10 2015

Returned to applicant for correction _____

Corrected application filed _____ Map filed Sept 25 2007 under 76322

The applicant R.W.D. Currant Creek, LLC 72% & Richard W. Dieleman 28%
5454 Arville Street of Las Vegas
Street Address or PO Box City or Town
Nevada 89118 hereby make(s) application for permission to change the
State and ZIP Code

- Point of diversion Place of use Manner of use of a portion

of water heretofore appropriated under (Identify existing rights by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

Permit 6165, Certificate 1206

- The source of water is Underground
Name of stream, lake, underground, spring or other sources.
- The amount of water to be changed 0.1787 cfs (85.778 acf) (cfs)
Second feet, acre-feet. One second foot equals 448.83 gallons per minute.
- The water to be used for Irrigation and domestic
Irrigation, power, mining, commercial, etc. If for stock, state number and kind of animals. Must limit to one major use
- The water heretofore used for Irrigation and domestic
If for stock, state number and kind of animals.
- The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.)
Within the NE1/4 SE1/4 of Section 7, T. 10 N., R. 58 E., M.D.B.&M., or at a point from which the NW corner of said Section 7 bears N 59°41'41"W, a distance of 5232.40 feet. Reference Map #76322.
- The existing point of diversion is located within (If point of diversion is not changed, do not answer.)
NW1/4 NW1/4 Section 32, T. 10 N., R. 57 E., at a point which bears S. 82°7' E. from the NW corner of said Section 32, a distance of 187 feet.

4-20-15
cmj

10-173B
Nye

7. Proposed place of use (Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.)

Portions of the SE1/4 NE1/4, NE1/4 SE1/4 in Section 7, and portions of the SW1/4 NW1/4, SE1/4 NW1/4, SW1/4 NE1/4, NW1/4 SW1/4, NE1/4 SW1/4, NW1/4 SE1/4 in Section 8 all within T. 10N., R. 58 E., M.D.B.&M. The NW1/4 SW1/4, NE1/4 SW1/4, SW1/4 SW1/4, SE1/4 SW1/4, NW1/4 SE1/4, SW1/4 SE1/4, SE1/4 SE1/4, and portions of the NE1/4 SE1/4 of Section 12, in T. 10 N., R. 57 E., M.D.B.&M (416 acre). Reference Map #76322.

8. Existing place of use (Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)

19.00 acres with the NE1/4 SW1/4 and 17.87 acres within the SE1/4 SW1/4 of Section 31, T. 10 N., R. 57 E., M.D.B.&M., for a total of 36.87 acres. 17.87 acres within the SE1/4 SW1/4 of Section 31, T. 10 N., R. 57 E., M.D.B.&M. is to be stripped.

9. Proposed use will be from March 1st to November 1st of each year.
Month and Day Month and Day

10. Existing use permitted from March 1st to November 1st of each year.
Month and Day Month and Day

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e., diversion structure, ditches, pipes and flumes or drilled well, pump and motor, etc.)

Existing 16" well and irrigation system.

12. Estimated cost of works Complete

13. Estimated time required to construct works Complete

If well completed, describe well.

14. Estimated time required to complete the application of water to beneficial use One (1) year

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)


Applicant owns both existing POU and proposed POU. This temporary application is to supplement water rights from Currant Creek which is experiencing low flows due to the drought. This application is being filed concurrently with a temporary change application on Permit 22050. This is a temporary/emergency solution to the reduced water from Currant Creek until application 76322 can be processed.

16. Miscellaneous remarks:

RECEIVED
 2015 APR 10 AM 11:00
 STATE ENGINEERS OFFICE

almberg@basineng.com
E-mail Address
(775) 289-9800
Phone No. Ext.

APPLICATION MUST BE SIGNED
 BY THE APPLICANT OR AGENT

Emil W. Almberg, Jr., P.E./P.L.S.
Type or print name clearly

Signature, applicant or agent
Basin Engineering
Company Name
1070 E. Aultman Street
Street Address or PO Box
Ely, NV 89301
City, State, ZIP Code