



THE STATE OF NEVADA

PERMIT TO CHANGE THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Name of Permittee: BARTELL RANCH, LLC
Source: STREAM (DOG CREEK)
Basin: QUINN RIVER VALLEY-OROVADA SUBAREA
Manner of Use: IRRIGATION AND STOCKWATERING
Period of Use: MARCH 15TH THROUGH JULY 15TH
Priority Date: 01/01/1873

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit, to change the place of use of a portion of the waters of Dog Creek as heretofore granted under Proof V02938, is issued subject to the terms and conditions imposed in said Proof V02938, and with the understanding that no other rights on the source will be affected by the change proposed herein. A substantial headgate and measuring device must be installed and maintained to facilitate the measurement and control of water. The State reserves the right to regulate the use of the water herein granted at any and all times.

The total combined duty of water under Permits 84954, 85124, 85125, 85126, 85127, and 85128 shall not exceed 80 acre-feet per season.

The total combined duty of surface water under Proofs of Appropriation V02934, V02935, V02936, V02937, V02938, and V02939 and Permits 82341-S01, 82342-S01, 83845, 84954, 85124, 85125, 85126, 85127, and 85128 shall not exceed 5,261.96 acre-feet per season for the irrigation of 1,395.49 acres within the described place of use.

Permit 85127 to change Proof V02938 is subject to any future decree of the waters named in the Order of Determination under McConnell Creek et al.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 1.25 cubic feet per second or 50.0 acre-feet per season.

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

October 4 2018

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:


October 4 2021

Map in support of proof of beneficial use shall be filed on or before:

October 4 2021

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 4th day of October, 2016



APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

THIS SPACE FOR OFFICE USE ONLY

Date of filing in State Engineer's Office APR 28 2015

Returned to applicant for correction _____

Corrected application filed _____ Map filed Jul 11 1977 Under V02934

The applicant Bartell Ranch, LLC
P.O. Box 130 of Orovada
Street Address or PO Box City or Town
Nevada 89425 hereby make(s) application for permission to change the
State and ZIP Code

- Point of diversion Place of use Manner of use of a portion

of water heretofore appropriated under (Identify existing rights by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

Claim of Vested Right V02938

1. The source of water is Dog Creek
Name of stream, lake, underground, spring or other sources.
2. The amount of water to be changed 1.25 cfs, 50.0 AFA (50.0 Acres)
Second feet, acre-feet. One second foot equals 448.83 gallons per minute.
3. The water to be used for Irrigation and Stockwater [Unchanged]
Irrigation, power, mining, commercial, etc. If for stock, state number and kind of animals. Must limit to one major use
4. The water heretofore used for Irrigation and Stockwater
If for stock, state number and kind of animals.
5. The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.)
Please See Attachment A - Unchanged
6. The existing point of diversion is located within (If point of diversion is not changed, do not answer.)
Unchanged

2-33A
Hv

RECEIVED

2015 APR 28 PM 3:15

STATE ENGINEERS OFFICE

85127 #

7. Proposed place of use (Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.)

Portions of the S 1/2, S 1/2 N 1/2, NE 1/4 NE 1/4, NW 1/4 NW 1/4, ~~S 1/2 NE 1/4 NW 1/4, S 1/2 NW 1/4 NE 1/4~~ of Section 15, E 1/2 Section 16, E 1/2 Section 21, and Section 22, T. 42 N., R. 37 E., M. D. B. & M. *# per email 5/5/2015*

Proposed Place of Use and Area to Be Stripped of Irrigation Map is Filed With Application to Change Portion of V02936.

8. Existing place of use (Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)

See Attachment B - Existing Place of use.

RECEIVED
15 APR 28 PM 3:15
STATE ENGINEERS OFFICE

9. Proposed use will be from March 15 to July 15 of each year.
Month and Day Month and Day

10. Existing use permitted from March 15 to July 15 of each year.
Month and Day Month and Day

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e., diversion structure, ditches, pipes and flumes or drilled well, pump and motor, etc.)

The proposed works will consist of channels/ditches to convey water to a storage pond. From this location it will be pumped into distribution pipelines and applied to the crop.

12. Estimated cost of works \$50,000

13. Estimated time required to construct works 2 Years

If well completed, describe well.

14. Estimated time required to complete the application of water to beneficial use 5 Years

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

Applicant proposes to install necessary works for flood or wheel line irrigation.

The land associated with the existing place of use has recently been traded to Hetrick Brothers, Inc. The land obtained is the N 1/2 of the NE 1/4 T. 42 N., R. 37 E., M.D.B.&M.

16. Miscellaneous remarks:

The applicant intends to irrigate to to 40 acres at a duty of 2.0 AFA from all sources under Vested Claims V02934-V02939.

These water rights are not intended to become supplemental to the existing rights associated with the 80 acres described.

david@turnipseedengineering.com
E-mail Address
775-885-2101
Phone No. Ext.

David G. Hillis, Jr. P.E., W.R.S.
David G. Hillis, Jr. P.E.
Signature, applicant or agent
Turnipseed Engineering, LTD
Company Name
4621 Gentry Lane
Street Address or PO Box
Carson City, Nevada, 89701
City, State, ZIP Code

APPLICATION MUST BE SIGNED BY THE APPLICANT OR AGENT

Attachment A – Question 5

1. NE 1/4 NE 1/4 Section 18, T. 42N., R. 38 E., M.D.B.&M., (unsurveyed) or at a point from which the SE corner of Section 12, T. 42N., R. 37 E., M.D.B.&M. bears S. 89° 41' 15" W., a distance of 5,007.9 feet.
2. NW 1/4 NW 1/4 Section 14, T. 42N., R. 37 E., M.D.B.&M., or at a point from which the NW corner of said Section 14 bears N. 27° 14' W., a distance of 1,490 feet.

RECEIVED
2015 APR 28 PM 3:15
STATE ENGINEERS OFFICE

Attachment B - Acreage for Proof Number V02938 as Detailed in Order of Determination for McConnell Creek, Dog Creek, Horse Creek, Falls Creek, Pine Creek, and Buffalo Creek - October 23, 1985

QQ	Q	Section	Township	Range (E.)	Acreage	C.F.S.	Acres to Be Removed by This Application	C.F.S. to Be Removed by This Application	Acre-Ft to Be Removed by This Application	Final Acres Remaining in V02934	Final C.F.S. Remaining in V02934	Final Acre-Ft Remaining in V02934
SW 1/4	NW 1/4	15	42	37	27.05	0.676	0	0.000	0.00	27.05	0.68	108.20
SE 1/4	NW 1/4	15	42	37	32.65	0.816	0	0.000	0.00	32.65	0.82	130.60
SW 1/4	NE 1/4	15	42	37	22.20	0.555	0	0.000	0.00	22.20	0.56	88.80
SE 1/4	NE 1/4	15	42	37	14.60	0.365	0	0.000	0.00	14.60	0.37	58.40
NW 1/4	SE 1/4	15	42	37	20.00	0.500	0	0.000	0.00	20.00	0.50	80.00
NE 1/4	SE 1/4	15	42	37	20.00	0.500	0	0.000	0.00	20.00	0.50	80.00
NW 1/4	SW 1/4	15	42	37	40.00	1.000	0	0.000	0.00	40.00	1.00	160.00
NE 1/4	SW 1/4	15	42	37	40.00	1.000	0	0.000	0.00	40.00	1.00	160.00
SW 1/4	SW 1/4	15	42	37	2.50	0.063	0	0.000	0.00	2.50	0.06	10.00
NW 1/4	SW 1/4	15	42	37	20.00	0.500	0	0.000	0.00	20.00	0.50	80.00
NE 1/4	SW 1/4	15	42	37	20.00	0.500	0	0.000	0.00	20.00	0.50	80.00
SE 1/4	SE 1/4	15	42	37	40.00	1.000	0	0.000	0.00	40.00	1.00	160.00
SW 1/4	SE 1/4	15	42	37	40.00	1.000	0	0.000	0.00	40.00	1.00	160.00
SE 1/4	SW 1/4	15	42	37	40.00	1.000	0	0.000	0.00	40.00	1.00	160.00
SW 1/4	SW 1/4	15	42	37	36.95	0.924	0	0.000	0.00	36.95	0.92	147.80
SE 1/4	SE 1/4	16	42	37	4.96	0.124	0	0.000	0.00	4.96	0.12	19.84
SE 1/4	NE 1/4	16	42	37	20.80	0.520	0	0.000	0.00	20.80	0.52	83.20
SW 1/4	NE 1/4	16	42	37	28.60	0.715	0	0.000	0.00	28.60	0.72	114.40
NE 1/4	SE 1/4	16	42	37	13.15	0.329	0	0.000	0.00	13.15	0.33	52.60
NW 1/4	NE 1/4	21	42	37	22.50	0.563	0	0.000	0.00	22.50	0.56	90.00
NE 1/4	NE 1/4	21	42	37	32.88	0.822	0	0.000	0.00	32.88	0.82	131.52
SE 1/4	NE 1/4	21	42	37	4.63	0.116	0	0.000	0.00	4.63	0.12	18.52
SW 1/4	NE 1/4	21	42	37	5.29	0.132	0	0.000	0.00	5.29	0.13	21.16
NW 1/4	SW 1/4	21	42	37	40.00	1.000	40	1.000	40.00	0.00	0.00	0.00
NE 1/4	SW 1/4	21	42	37	10.00	0.250	10	0.250	10.00	0.00	0.00	0.00
NW 1/4	NW 1/4	22	42	37	7.00	0.175	0	0.000	0.00	7.00	0.18	28.00
NW 1/4	NW 1/4	22	42	37	30.74	0.769	0	0.000	0.00	30.74	0.77	122.96
NE 1/4	NW 1/4	22	42	37	40.00	1.000	0	0.000	0.00	40.00	1.00	160.00
NW 1/4	NE 1/4	22	42	37	40.00	1.000	0	0.000	0.00	40.00	1.00	160.00
NE 1/4	NE 1/4	22	42	37	40.00	1.000	0	0.000	0.00	40.00	1.00	160.00
Total	-	-	-	-	756.50	18.914	50.00	1.250	50.00	706.50	17.664	2826.00

STATE ENGINEERS OFFICE
 2015 APR 28 PM 3:16
 RECEIVED

85127