



TEMPORARY
THE STATE OF NEVADA

**PERMIT TO CHANGE THE PUBLIC WATERS OF THE
STATE OF NEVADA HERETOFORE APPROPRIATED**

Name of Permittee: KENT AND PAT FAMILY TRUST
Source: UNDERGROUND
Basin: TRUCKEE MEADOWS
Manner of Use: IRRIGATION
Period of Use: ONE YEAR FROM DATE OF ISSUANCE.
Priority Date: 12/15/1955

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This temporary permit, to change the point of diversion and place of use of the waters of an underground source as heretofore granted under Permit 69760, is issued subject to the terms and conditions imposed in said Permit 69760, and with the understanding that no other rights on the source will be affected by the change proposed herein. This well shall be equipped with a two (2) inch opening for measuring depth to water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This temporary permit is issued pursuant to the provisions of NRS 533.345 Section 2 and will expire 1 year after the approval of the permit at which time all rights herein granted shall revert to the right being changed by this temporary permit.

This temporary permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this temporary permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, **and not to exceed 0.04 cubic feet per second or 3.19 acre-feet annually, and not to exceed 4.0 acre-feet per acre from all sources.**

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

N/A

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:

N/A

Map in support of proof of beneficial use shall be filed on or before:


N/A

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 18th day of **September, 2015**



P.E.
State Engineer



APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

THIS SPACE FOR OFFICE USE ONLY
Date of filing in State Engineer's Office JUN 17 2015
Returned to applicant for correction JUN 23 2015
Corrected application filed _____ Map filed JUN 25 2015

The applicant THE KENT AND PAT FAMILY TRUST
8490 HOLIDAY LANE of RENO
Street Address or PO Box City or Town
NEVADA 89511 hereby make(s) application for permission to change the
State and ZIP Code

Point of diversion Place of use Manner of use of a portion
of water heretofore appropriated under (Identify existing rights by Permit, Certificate, Proof or Claim Nos. If Decree, give No. of Decree and identify right in Decree.)
69760

RECEIVED
2015 JUN 17 PM 2:39
STATE ENGINEERS OFFICE

1. The source of water is UNDERGROUND
Name of stream, lake, underground, spring or other sources.
2. The amount of water to be changed 0.04 CFS [3.19 AFA]
Second feet, acre-feet. One second foot equals 448.83 gallons per minute.
3. The water to be used for IRRIGATION
Irrigation, power, mining, commercial, etc. If for stock, state number and kind of animals. Must limit to one major use
4. The water heretofore used for IRRIGATION
If for stock, state number and kind of animals.
5. The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.)
WITHIN THE SW 1/4 SW 1/4, OF SECTION 1 T. 18 N., R. 19 E., M.D.B. & M. OR AT A POINT FROM WHICH THE NW CORNER OF SAID SECTION 1, BEARS N. 9° 42' 32.1" W., A DISTANCE OF 4,446.52 FEET.
6. The existing point of diversion is located within (If point of diversion is not changed, do not answer.)
WITHIN THE SW 1/4 SW 1/4, OF SECTION 1 T. 18 N., R. 19 E., M.D.B. & M. OR AT A POINT FROM WHICH THE SW CORNER OF SAID SECTION 1, BEARS S. 55° 26' 16" W., A DISTANCE OF 395.10 FEET.

T.M.
6-87
we

7. Proposed place of use (Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.)

PORTIONS OF THE SW 1/4 SW 1/4, OF SECTION 1 T. 18 N., R. 19 E., M.D.B. & M., OR IDENTIFIED AS PORTIONS OF WASHOE COUNTY APN# 040-632-04

8. Existing place of use (Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)

SECTION 1 T. 18 N., R. 19 E., M.D.B. & M., SW 1/4 SW 1/4, - 2.97 ACRES APN# 040-631-01

9. Proposed use will be from JANUARY 1 to DECEMBER 31 of each year.
Month and Day Month and Day

10. Existing use permitted from JANUARY 1 to DECEMBER 31 of each year.
Month and Day Month and Day

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e., diversion structure, ditches, pipes and flumes or drilled well, pump and motor, etc.)

The proposed works consist of a groundwater well, pump, and meter, channels/ditches to convey water to the place of irrigation.

12. Estimated cost of works Existing

13. Estimated time required to construct works Completed
If well completed, describe well.


14. Estimated time required to complete the application of water to beneficial use 3 Years

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

16. Miscellaneous remarks:

david@turnipseedengineering.com
E-mail Address
775-885-2101
Phone No. Ext.

APPLICATION MUST BE SIGNED BY THE APPLICANT OR AGENT

David G. Hillis, Jr. P.E., W.R.S.
Type or print name clearly

Signature, applicant or agent
Turnipseed Engineering, LTD
Company Name
4621 Gentry Lane
Street Address or PO Box
Carson City, Nevada, 89701
City, State, ZIP Code

RECEIVED
 2015 JUN 17 PM 2:33
 STATE ENGINEERS OFFICE