



## THE STATE OF NEVADA

### PERMIT TO CHANGE THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

**Name of Permittee:** CITY OF SPARKS, CITY OF RENO AND WASHOE COUNTY  
**Source:** STREAM (TRUCKEE RIVER)  
**Basin:** TRUCKEE CANYON SEGMENT  
**Manner of Use:** WILDLIFE  
**Period of Use:** AS DECREED  
**Priority Date:** AS DECREED

\*\*\*\*\*

#### APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit, to change the point of diversion, place and manner of use of a portion of the waters of the Truckee River as heretofore granted under Permit 74062, which changed the point of diversion, place and manner of use of a portion of Claims 93/93a, Truckee River Decree, is issued subject to the terms and conditions imposed in said decree and with the understanding that no other rights on the source will be affected by the change proposed herein. A suitable measuring device must be installed and accurate measurements of water placed to beneficial use must be kept.

The issuance of this permit fully abrogates 52.60 acre-feet per season associated with 11.69 acres under Permit 74062, being formerly a portion of Claims 93/93a, and described as the existing place of use under this permit.

The issuance of this permit is for the consumptive use portion only, being 2.50 acre-feet per acre of the base right. The remaining portion of the base right will remain in the river for use by other decreed right holders.

This permit is subject to the continuing jurisdiction of the Federal Water Master and the State Engineer.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.57 cubic feet per second or 29.225 acre-feet as decreed.


Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before: Filed Under 82371 on April 25, 2014

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before: October 24 2019

Map in support of proof of beneficial use shall be filed on or before: N/A

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 24<sup>th</sup> day of October, 2016



**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED**

THIS SPACE FOR OFFICE USE ONLY

Date of filing in State Engineer's Office SEP 30 2015

Returned to applicant for correction \_\_\_\_\_

Corrected application filed \_\_\_\_\_ Map filed Feb 2 2001 Under 67182

The applicant The City of Reno, a municipal corp., The City of Sparks, a municipal corp., Washoe County, a political subdivision of the State of Nevada as tenants in common each 1/3 UDI  
c/o Washoe County, P.O. Box 11130 of Reno  
Street Address or PO Box City or Town  
Nevada 89502-0027 hereby make(s) application for permission to change the  
State and ZIP Code

- Point of diversion       Place of use       Manner of use       of a portion

of water heretofore appropriated under (Identify existing rights by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

Permit 74062

RECEIVED  
 2015 SEP 30 PM 4:06  
 STATE ENGINEERS OFFICE

- The source of water is Truckee River  
Name of stream, lake, underground, spring or other sources.
- The amount of water to be changed 52.6 acre-feet annually along with a pro-rata portion of the diversion rate  
Second feet, acre-feet. One second foot equals 448.83 gallons per minute.
- The water to be used for Wildlife purposes, including instream flows for fish (cui-ui & Lahontan cutthroat trout)  
Irrigation, power, mining, commercial, etc. If for stock, state number and kind of animals. Must limit to one major use
- The water heretofore used for Municipal & Domestic  
If for stock, state number and kind of animals.
- The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.)  
SE 1/4 NE 1/4, Section 30, T.19N., R.18E., M.D.B. & M., or at a point from which the NE corner of said Section 30 bears N. 08° 33' 00" E., a distance of 1520 feet (Coldron Ditch). Refer to map filed under Permit 67182 (Detail 2)
- The existing point of diversion is located within (If point of diversion is not changed, do not answer.)  
See Attachment "A" and map supporting Application 71534 on file with the State Engineer

6-91  
W4

7. Proposed place of use (Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.)

The proposed place of use is the Truckee River stream channel downstream to the Pyramid Lake inlet as shown on the map accompanying Application 67182

8. Existing place of use (Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)

Refer to Attachment "B" and map filed under Application 71534

9. Proposed use will be from As Decreed to As Decreed of each year.  
Month and Day Month and Day

10. Existing use permitted from January 1 to December 31 of each year.  
Month and Day Month and Day

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e., diversion structure, ditches, pipes and flumes or drilled well, pump and motor, etc.)

No new diversion or storage works will be constructed

12. Estimated cost of works N/A

13. Estimated time required to construct works N/A

If well completed, describe well.

14. Estimated time required to complete the application of water to beneficial use One (1) year after approval

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

There will be no physical diversion. The water is to remain in the Truckee River stream channel from the existing permitted point(s) of diversion to Pyramid Lake to be used for wildlife, including instream flows for fish (cui-ui and Lahontan cutthroat trout)

16. Miscellaneous remarks:

Permit 74062 changed a portion of DTR Claim 93 from the Coldron Ditch

gregb@tecreno.com  
E-mail Address  
(775) 352-7800 227  
Phone No. Ext.

APPLICATION MUST BE SIGNED  
BY THE APPLICANT OR AGENT

Gregory M. Bilyeu

Type or print name clearly

Signature, applicant or agent

TEC Civil Engineering Consultants

Company Name

9480 Double Diamond Parkway, Suite 200

Street Address or PO Box

Reno, NV 89521

City, State, ZIP Code

## Attachment "A"

## 6. Existing Point of Diversion

STEAMBOAT CANAL (HUNTER CREEK RESERVOIR):

The existing point of diversion is situate within the Northeast one-quarter of the Southwest one-quarter (NE $\frac{1}{4}$  SW $\frac{1}{4}$ ) of Section 31, T.19N., R.18E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Southeast corner of said Section 31 bears South 62°04' East, a distance of 3,195.00 feet.

HIGHLAND DITCH (HIGHLAND RESERVOIR):

The existing point of diversion is situate within the Southwest one-quarter of the Southeast one-quarter (SW $\frac{1}{4}$  SE $\frac{1}{4}$ ) of Section 9, T.19N., R.18E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Southeast corner of said Section 9 bears South 75°16' East, a distance of 1,650.00 feet.

IDLEWILD TREATMENT PLANT:

The existing point of diversion is situate within the Southeast one-quarter of the Southeast one-quarter (SE $\frac{1}{4}$  SE $\frac{1}{4}$ ) of Section 10, T.19N., R.19E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Southeast corner of said Section 10 bears South 69°57'58" East, a distance of 842.34 feet.

NORTH TRUCKEE DITCH (GLENDALE TREATMENT PLANT):

The existing point of diversion is situate within the Southwest one-quarter of the Northeast one-quarter (SW $\frac{1}{4}$  NE $\frac{1}{4}$ ) of Section 7, T.19N., R.20E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Northeast corner of said Section 7 bears North 39°28' East, a distance of 3,015.00 feet.

ORR DITCH PUMP STATION (CHALK BLUFF TREATMENT PLANT):

The point of diversion is situate within the Northeast one-quarter of the Southeast one-quarter (NE $\frac{1}{4}$  SE $\frac{1}{4}$ ) of Section 17, T.19N., R.19E., M.D.B.&M., Washoe County, Nevada, from said point of diversion the Northeast corner of said Section 17 bears North 15°39'36" East, a distance of 3,264.77 feet.

ORR DITCH (CHALK BLUFF TREATMENT PLANT):

The point of diversion is situate within the Northeast one-quarter of the Southwest one-quarter (NE $\frac{1}{4}$  SW $\frac{1}{4}$ ) of Section 17, T.19N., R.19E., M.D.B.&M., Washoe County, Nevada, from said point of diversion the Southwest corner of said Section 17 bears South 44°40' West, a distance of 3,211.00 feet.

WASHOE COUNTY (HIDDEN VALLEY INDUCTION WELL #4)

The point of diversion is situate within the West one-half of the Northwest one-quarter (W $\frac{1}{2}$  NW $\frac{1}{4}$ ) of Section 16 T.19N., R.20E., M.D.B.&M., Washoe County, Nevada from said point of diversion the West one-quarter corner of Section 21, T.19N., R.20E., M.D.B.&M. bears South 09°54'07" West, a distance of 6929.94 feet.

RECEIVED  
21 SEP 30 PM 4:06  
ENGINEERS OFFICE

Attachment "B"

8. Existing Place of Use

<u>DIVISION</u>	<u>SECTION</u>	<u>T-N</u>	<u>R-E</u>	
ALL	1-5	18	18	M.D.B.& M.
E 1/2	6 & 7	18	18	M.D.B.& M.
ALL	8-17	18	18	M.D.B.& M.
E 1/2	18 & 19	18	18	M.D.B.& M.
ALL	20-29	18	18	M.D.B.& M.
E 1/2	30 & 31	18	18	M.D.B.& M.
ALL	32-36	18	18	M.D.B.& M.
ALL	1-5	19	18	M.D.B.& M.
E 1/2	6 & 7	19	18	M.D.B.& M.
ALL	8-17	19	18	M.D.B.& M.
E 1/2	18 & 19	19	18	M.D.B.& M.
ALL	20-29	19	18	M.D.B.& M.
E 1/2	30 & 31	19	18	M.D.B.& M.
ALL	32-36	19	18	M.D.B.& M.
ALL	1-5	20	18	M.D.B.& M.
E 1/2	6 & 7	20	18	M.D.B.& M.
ALL	8-17	20	18	M.D.B.& M.
E 1/2	18 & 19	20	18	M.D.B.& M.
ALL	20-29	20	18	M.D.B.& M.
E 1/2	30 & 31	20	18	M.D.B.& M.
ALL	32-36	20	18	M.D.B.& M.
ALL	1-5	21	18	M.D.B.& M.
E 1/2	6 & 7	21	18	M.D.B.& M.
ALL	8-17	21	18	M.D.B.& M.
E 1/2	18 & 19	21	18	M.D.B.& M.
ALL	20-29	21	18	M.D.B.& M.
E 1/2	30 & 31	21	18	M.D.B.& M.
ALL	32-36	21	18	M.D.B.& M.
ALL	1-36	17	19	M.D.B.& M.
ALL	1-36	18	19	M.D.B.& M.
ALL	1-36	19	19	M.D.B.& M.
ALL	1-36	20	19	M.D.B.& M.
ALL	1-36	21	19	M.D.B.& M.
<u>DIVISION</u>	<u>SECTION</u>	<u>T-N</u>	<u>R-E</u>	
ALL	5 & 6	16	20	M.D.B.& M.
ALL	1-36	17	20	M.D.B.& M.
ALL	2-35	18	20	M.D.B.& M.
W 1/2	36	18	20	M.D.B.& M.
ALL	1-12	19	20	M.D.B.& M.
ALL	14-23	19	20	M.D.B.& M.
ALL	26-35	19	20	M.D.B.& M.
ALL	1-36	20	20	M.D.B.& M.
ALL	1-36	21	20	M.D.B.& M.
ALL	1-36	20	21	M.D.B.& M.
ALL	1-36	21	21	M.D.B.& M.

RECEIVED  
 2015 SEP 30 PM 4:06  
 STATE ENGINEERS OFFICE