



THE STATE OF NEVADA

PERMIT TO CHANGE THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Name of Permittee: INTERMOUNTAIN LAND COMPANY,
REBECCA D. DUIN, KATHLEEN K. EVES,
THOMAS W. MARSHALL AND VICTORIA H. MILLER

Source: UNDERGROUND

Basin: WARM SPRINGS VALLEY

Manner of Use: IRRIGATION AND DOMESTIC

Period of Use: JANUARY 1ST THROUGH DECEMBER 31ST

Priority Date: 04/19/1974

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit, to change the place of use of a portion of the waters of an underground source as heretofore granted under Permit 49670, Certificate 11975, is issued subject to the terms and conditions imposed in said Permit 49670, Certificate 11975, and with the understanding that no other rights on the source will be affected by the change proposed herein. This well shall be equipped with a two (2) inch opening for measuring depth to water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The total combined duty of water under Permit 49669, Certificate 11974; Permit 49670, Certificate 11975; and Permits 85492 and 85493 shall not exceed 2.25 cubic feet per second and 458.99 acre-feet annually.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, **and not to exceed 0.3596 cubic feet per second or 71.98 acre-feet annually.**

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

January 26 2017

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:


January 26 2019

Map in support of proof of beneficial use shall be filed on or before:


January 26 2019

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 26th day of **January, 2016**



State Engineer



APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

THIS SPACE FOR OFFICE USE ONLY

Date of filing in State Engineer's Office OCT 02 2015

Returned to applicant for correction _____

Corrected application filed _____ Map filed Oct 2 2015 Under 85492

INTERMOUNTAIN LAND COMPANY, REBECCA D. DUIN, KATHLEEN K. EVES,
 The applicant THOMAS W. MARSHALL AND VICTORIA H. MILLER
625 Onyo Way of SPARKS
Street Address or PO Box City or Town
NV 89441 hereby make(s) application for permission to change the
State and ZIP Code

Point of diversion Place of use Manner of use of a portion

of water heretofore appropriated under (Identify existing rights by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)
Permit 49670 Certificate 11975

1. The source of water is Underground
Name of stream, lake, underground, spring or other sources.
2. The amount of water to be changed 0.35961898 cfs 71.9837953 acre feet
Second feet, acre-feet. One second foot equals 448.83 gallons per minute.
3. The water to be used for Irrigation and Domestic
Irrigation, power, mining, commercial, etc. If for stock, state number and kind of animals. Must limit to one major use
4. The water heretofore used for Irrigation and Domestic
If for stock, state number and kind of animals.
5. The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.)
Within the NW 1/4 of the NE 1/4 of Section 22, T.23N., R.20 E., M.D.M. at a point from which the NW corner of Section 15, T.23N., R.20E., M.D.M. bears N 32°08'11" W. a distance of 6,255.90 feet distant.
6. The existing point of diversion is located within (If point of diversion is not changed, do not answer.)

6-84
Wa

7. Proposed place of use (Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.)

The NW 1/4 of the NE 1/4; the SW 1/4 of the NE 1/4, and Lots 1 and 4 of Section 22, T.23N., R.20E., M.D.M.

8. Existing place of use (Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)

LOT 1, LOT 4, NW NE, SW NE, SE NE, specifically: 2.27 acres in the NW NE, 6.36 acres in the SW NE, 18.51 acres in Lot 1 and 4.95 acres within Lot 4, all within Section 22, T.23N., R20E., M.D.M. A total of 32.09 acres.

9. Proposed use will be from January 1 to December 31 of each year.
Month and Day Month and Day

10. Existing use permitted from January 1 to December 31 of each year.
Month and Day Month and Day

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e., diversion structure, ditches, pipes and flumes or drilled well, pump and motor, etc.)

Existing well pump, and distribution system

12. Estimated cost of works \$100,000

13. Estimated time required to construct works 3 years

If well completed, describe well.

14. Estimated time required to complete the application of water to beneficial use 5 years

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

Additional pipelines will be added to deliver water to the new place of use within the W 1/2 of the NE 1/4 of said Section 22.

16. Miscellaneous remarks:

Water is being moved from areas lost because of the installation of a pivot irrigation system and to re-irrigate areas previously stripped of water.

george@summitnv.com
E-mail Address
775 747-8550 361
Phone No. Ext.

APPLICATION MUST BE SIGNED
BY THE APPLICANT OR AGENT

George G. Lindesmith

Type or print name clearly

George G. Lindesmith
Signature, applicant or agent

Summit Engineering Corporation

Company Name

5405 Mae Anne Avenue

Street Address or PO Box

Reno, NV 89523

City, State, ZIP Code

RECEIVED
2015 OCT - 2 PM 4:05
STATE ENGINEERS OFFICE