THE STATE OF NEVADA

PERMIT TO CHANGE THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Name of Permittee:	**QUILICI INVESTMENTS, LLC**
Source:	**STREAM (TRUCKEE RIVER)**
Basin:	**TRUCKEE CANYON SEGMENT**
Manner of Use:	**MUNICIPAL**
Period of Use:	**AS DECREED**
Priority Date:	**AS DECREED**

****

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit, to change the point of diversion and place of use of a portion of the waters of the Truckee River as heretofore granted under Permit 73063, which changed the point of diversion, place and manner of use of a portion of Claims 17/17A, Truckee River Decree, is issued subject to the terms and conditions imposed in said decree and with the understanding that no other rights on the source will be affected by the change proposed herein. A suitable measuring device must be installed and accurate measurements of water placed to beneficial use must be kept.

A monthly report shall be submitted to the Federal Water Master's Office and the Office of the State Engineer within 10 days from the end of each month which shall include the amount of water of pumped from the induction well and the amount of water used.

The total combined duty of water under Permits 85608 and 85609 shall not exceed 196.06 acre-feet as decreed.

This permit is subject to continuing jurisdiction by the Federal Water Master and the State Engineer.

A construction plan for the induction well must be submitted and approved by the State Engineer prior to construction of this well.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, **and not to exceed 0.631 cubic feet per second or 175.96 acre-feet as decreed.**

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before: **May** 10 **2018**

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before: **May** 10 **2026**

Map in support of proof of beneficial use shall be filed on or before: **N/A**

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 10th day of **May, 2016**

State Engineer

Application No. 85609

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

THIS SPACE FOR OFFICE USE ONLY

Date of filing in State Engineer's Office OCT 29 2015

Returned to applicant for correction

Corrected application filed Map filed OCT 29 2015 Under 85609

The applicant Quilici Investments LLC

951 Jacks Valley Road Suite E (Street Address or PO Box) of Carson City (City or Town)

Nevada 89705 (State and ZIP Code) hereby make(s) application for permission to change the

☑ Point of diversion ☑ Place of use ☐ Manner of use ☑ of a portion

of water heretofore appropriated under (Identify existing rights by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

Permit 73063

1. The source of water is Truckee River
   Name of stream, lake, underground, spring or other sources.

2. The amount of water to be changed 0.6507 cfs 175.96 acre feet
   Second feet, acre-feet. One second foot equals 448.83 gallons per minute.

3. The water to be used for Municipal
   Irrigation, power, mining, commercial, etc. If for stock, state number and kind of animals. Must limit to one major use

4. The water heretofore used for Municipal
   If for stock, state number and kind of animals.

5. The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.)

   SE1/4SE1/4 Section 19, T.19N., R.18E., M.B.D. &M., or at a point from which the SE1/4 corner of said Section 19, T.19N., R.18E., bears S00° 15' 47.85"E a distance of 1,074.6 feet.

6. The existing point of diversion is located within (If point of diversion is not changed, do not answer.)

   See Exhibit "A" attached

   Use Map filed under 71534 on file with the Office of the State Engineer

6-91
Wa

85609

7. Proposed place of use (Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.)
See Exhibit B Attached

8. Existing place of use (Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)
See Exhibit C Attached
Use Map filed under 71534 on file with the Office of the State Engineer

9. Proposed use will be from January 1 (Month and Day) to December 31 (Month and Day) of each year.

10. Existing use permitted from January 1 (Month and Day) to December 31 (Month and Day) of each year.

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e., diversion structure, ditches, pipes and flumes or drilled well, pump and motor, etc.)
Water will be diverted through a point of diversion adjacent to the Truckee River via a drilled infiltration well, pump and motor to a distribution system by piping to water tanks and distribution of the water for Municipal Purposes

12. Estimated cost of works $300,000

13. Estimated time required to construct works 2 years
If well completed, describe well.

14. Estimated time required to complete the application of water to beneficial use 10 years

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)
The area within the Place of Use consists of a Master Planned Residential Community, Industrial Properties and Commercial Properties that will consume the waters of the Truckee River infiltrated through a drilled will that will convey water to the described properties.

RECEIVED
2014 OCT 29 PM 1:49
ENGINEERS OFFICE

16. Miscellaneous remarks:

George M. Thiel, P.E., S.W.R.S
Type or print name clearly

Signature, applicant or agent

Thiel Engineering Associates, Inc.
Company Name

2801 Tamara Court
Street Address or PO Box

Minden, Nevada 89423
City, State, ZIP Code

GeorgeT@water4NV.com
E-mail Address

775-722-5380
Phone No. Ext.

APPLICATION MUST BE SIGNED
BY THE APPLICANT OR AGENT

Revised 07/13 $240 FILING FEE AND SUPPORTING MAP MUST ACCOMPANY APPLICATION

EXHIBIT "A"

85609

The following describes the multiple points of diversion for Truckee Meadows Water Authority Water Treatment Plants, as well as Washoe County Hidden Valley Induction Well #4 which are shown on the map accompanying this application, more particularly described as follows:

STEAMBOAT CANAL (HUNTER CREEK RESERVOIR):

The existing point of diversion is situate within the Northeast one-quarter of the Southwest one-quarter (NE¼ SW¼) of Section 31, T.19N., R.18E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Southeast corner of said Section 31 bears South 62°04' East, a distance of 3,195.00 feet.

HIGHLAND DITCH (HIGHLAND RESERVOIR):

The existing point of diversion is situate within the Southwest one-quarter of the Southeast one-quarter (SW¼ SE¼) of Section 9, T.19N., R.18E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Southeast corner of said Section 9 bears South 75°16' East, a distance of 1,650.00 feet.

IDLEWILD TREATMENT PLANT:

The existing point of diversion is situate within the Southeast one-quarter of the Southeast one-quarter (SE¼ SE¼) of Section 10, T.19N., R.19E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Southeast corner of said Section 10 bears South 69°57'58" East, a distance of 842.34 feet.

NORTH TRUCKEE DITCH (GLENDALE TREATMENT PLANT):

The existing point of diversion is situate within the Southwest one-quarter of the Northeast one-quarter (SW¼ NE¼) of Section 7, T.19N., R.20E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Northeast corner of said Section 7 bears North 39°28' East, a distance of 3,015.00 feet.

ORR DITCH PUMP STATION (CHALK BLUFF TREATMENT PLANT):

The point of diversion is situate within the Northeast one-quarter of the Southeast one-quarter (NE¼ SE¼) of Section 17, T.19N., R.19E., M.D.B.&M., Washoe County, Nevada, from said point of diversion the Northeast corner of said Section 17 bears North 15°39'36" East, a distance of 3,264.77 feet.

ORR DITCH (CHALK BLUFF TREATMENT PLANT):

The point of diversion is situate within the Northeast one-quarter of the Southwest one-quarter (NE¼ SW¼) of Section 17, T.19N., R.19E., M.D.B.&M., Washoe County, Nevada, from said point of diversion the Southwest corner of said Section 17 bears South 44°40' West, a distance of 3,211.00 feet.

WASHOE COUNTY (HIDDEN VALLEY INDUCTION WELL #4)

The point of diversion is situate within the West one-half of the Northwest one-quarter (W½ NW¼) of Section 16 T.19N., R.20E., M.D.B.&M., Washoe County, Nevada from said point of diversion the West one-quarter corner of Section 21, T.19N., R.20E., M.D.B.&M. bears South 09°54'07"W a distance of 6929.94 feet.

RECEIVED
2015 OCT 29 PM 1:49
STATE ENGINEERS OFFICE

85609

EXHIBIT B
Proposed Place of Use

Section 16, T.19N., R.18E., M.D.B.&M- A Portion of the following:

N1/2NW1/4
S1/2NW14
W1/2NE1/4
N1/2SE1/4
S1/2SE1/4
N1/2SW1/4
S1/2SW1/4

Section 17, T.19N., R.18E., M.D.B.&M- A Portion of the following:

S1/2NW1/4
N1/2NE1/4
S1/2NE1/4
N1/2SE1/4
S1/2SE1/4
N1/2SW1/4
S1/2SW1/4

Section 19, T.19N., R.18E., M.D.B.&M- A Portion of the following:

E1/2NE1/4
E1/2SE1/4

Section 20, T.19N., R.18E., M.D.B.&M- A Portion of the following:

NE1/4
E1/2NW1/4
W1/2NW1/4
SE1/4
E1/2SW1/4
W1/2SW1/4

Section 29, T.19N., R.18E., M.D.B.&M- A Portion of the following:

NW1/4NE1/4
S1/2NE1/4
E1/2NW1/4
W1/2NW1/4
NE1/2SW1/4

RECEIVED
2015 OCT 29 PM 1:49
STATE ENGINEERS OFFICE

85609

EXHIBIT C
Existing Place of Use

DIVISION	SECTION	T-N	R-E	
ALL	1 – 5	18	18	M.D.B.& M.
E ½	6 & 7	18	18	M.D.B.& M.
ALL	8 – 17	18	18	M.D.B.& M.
E ½	18 & 19	18	18	M.D.B.& M.
ALL	20 – 29	18	18	M.D.B.& M.
E ½	30 & 31	18	18	M.D.B.& M.
ALL	32 – 36	18	18	M.D.B.& M.
ALL	1 – 5	19	18	M.D.B.& M.
E ½	6 & 7	19	18	M.D.B.& M.
ALL	8 – 17	19	18	M.D.B.& M.
E ½	18 & 19	19	18	M.D.B.& M.
ALL	20 – 29	19	18	M.D.B.& M.
E ½	30 & 31	19	18	M.D.B.& M.
ALL	32 – 36	19	18	M.D.B.& M.
ALL	1 – 5	20	18	M.D.B.& M.
E ½	6 & 7	20	18	M.D.B.& M.
ALL	8 – 17	20	18	M.D.B.& M.
E ½	18 & 19	20	18	M.D.B.& M.
ALL	20 – 29	20	18	M.D.B.& M.
E ½	30 & 31	20	18	M.D.B.& M.
ALL	32 – 36	20	18	M.D.B.& M.
ALL	1 – 5	21	18	M.D.B.& M.
E ½	6 & 7	21	18	M.D.B.& M.
ALL	8 – 17	21	18	M.D.B.& M.
E ½	18 & 19	21	18	M.D.B.& M.
ALL	20 – 29	21	18	M.D.B.& M.
E ½	30 & 31	21	18	M.D.B.& M.
ALL	32 – 36	21	18	M.D.B.& M.
ALL	1 – 36	17	19	M.D.B.& M.
ALL	1 – 36	18	19	M.D.B.& M.
ALL	1 – 36	19	19	M.D.B.& M.
ALL	1 – 36	20	19	M.D.B.& M.
ALL	1 – 36	21	19	M.D.B.& M.

DIVISION	SECTION	T-N	R-E	
ALL	5 & 6	16	20	M.D.B.& M.
ALL	1 – 36	17	20	M.D.B.& M.
ALL	2 – 35	18	20	M.D.B.& M.
W ½	36	18	20	M.D.B.& M.
ALL	1 – 12	19	20	M.D.B.& M.
ALL	14 – 23	19	20	M.D.B.& M.
ALL	26 – 35	19	20	M.D.B.& M.
ALL	1 – 36	20	20	M.D.B.& M.
ALL	1 – 36	21	20	M.D.B.& M.
ALL	1 – 36	20	21	M.D.B.& M.
ALL	1 – 36	21	21	M.D.B.& M.

RECEIVED
2015 OCT 29 PM 1:49
STATE ENGINEERS OFFICE

85609

DIVISION	SECTION	T-N	R-E	
ALL	1 – 5	18	18	M.D.B.& M.
E ½	6 & 7	18	18	M.D.B.& M.
ALL	8 – 17	18	18	M.D.B.& M.
E ½	18 & 19	18	18	M.D.B.& M.
ALL	20 – 29	18	18	M.D.B.& M.
E ½	30 & 31	18	18	M.D.B.& M.
ALL	32 – 36	18	18	M.D.B.& M.
ALL	1 – 5	19	18	M.D.B.& M.
E ½	6 & 7	19	18	M.D.B.& M.
ALL	8 – 17	19	18	M.D.B.& M.
E ½	18 & 19	19	18	M.D.B.& M.
ALL	20 – 29	19	18	M.D.B.& M.
E ½	30 & 31	19	18	M.D.B.& M.
ALL	32 – 36	19	18	M.D.B.& M.
ALL	1 – 5	20	18	M.D.B.& M.
E ½	6 & 7	20	18	M.D.B.& M.
ALL	8 – 17	20	18	M.D.B.& M.
E ½	18 & 19	20	18	M.D.B.& M.
ALL	20 – 29	20	18	M.D.B.& M.
E ½	30 & 31	20	18	M.D.B.& M.
ALL	32 – 36	20	18	M.D.B.& M.
ALL	1 – 5	21	18	M.D.B.& M.
E ½	6 & 7	21	18	M.D.B.& M.
ALL	8 – 17	21	18	M.D.B.& M.
E ½	18 & 19	21	18	M.D.B.& M.
ALL	20 – 29	21	18	M.D.B.& M.
E ½	30 & 31	21	18	M.D.B.& M.
ALL	32 – 36	21	18	M.D.B.& M.
ALL	1 – 36	17	19	M.D.B.& M.
ALL	1 – 36	18	19	M.D.B.& M.
ALL	1 – 36	19	19	M.D.B.& M.
ALL	1 – 36	20	19	M.D.B.& M.
ALL	1 – 36	21	19	M.D.B.& M.

DIVISION	SECTION	T-N	R-E	
ALL	5 & 6	16	20	M.D.B.& M.
ALL	1 – 36	17	20	M.D.B.& M.
ALL	2 – 35	18	20	M.D.B.& M.
W ½	36	18	20	M.D.B.& M.
ALL	1 – 12	19	20	M.D.B.& M.
ALL	14 – 23	19	20	M.D.B.& M.
ALL	26 – 35	19	20	M.D.B.& M.
ALL	1 – 36	20	20	M.D.B.& M.
ALL	1 – 36	21	20	M.D.B.& M.
ALL	1 – 36	20	21	M.D.B.& M.
ALL	1 – 36	21	21	M.D.B.& M.

RECEIVED
2015 OCT 29 PM 1:49
STATE ENGINEERS OFFICE