



## THE STATE OF NEVADA

### PERMIT TO CHANGE THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

**Name of Permittee:** 2008 VLOT REVOCABLE TRUST  
**Source:** UNDERGROUND  
**Basin:** SMITH VALLEY  
**Manner of Use:** STOCKWATERING  
**Period of Use:** JANUARY 1ST THROUGH DECEMBER 31ST  
**Priority Date:** 02/13/1948

\*\*\*\*\*

#### APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit, to change the point of diversion and place of use of the waters of an underground source as heretofore granted under Permit 12265, Certificate 3222, is issued subject to the terms and conditions imposed in said Permit 12265, Certificate 3222 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening for measuring depth to water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of water herein granted at any and all times.

The well must be sealed from ground level to 100 feet in accordance with NAC 534.380.

The total combined duty of water under Permits 86145 and 86146 shall not exceed 18.823 acre-feet.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.02 cubic feet per second or 14.48 acre-feet annually.

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

October 24 2017

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:


October 24 2019

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 24<sup>th</sup> day of October, 2016



**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED**

THIS SPACE FOR OFFICE USE ONLY

Date of filing in State Engineer's Office APR 27 2016

Returned to applicant for correction \_\_\_\_\_

Corrected application filed \_\_\_\_\_ Map filed Sept. 27, 2013 Under 83121

The applicant 2008 Vlot Revocable Trust  
P.O. Box 497 of Wellington  
Street Address or PO Box City or Town  
NV, 89444 hereby make(s) application for permission to change the  
State and ZIP Code

- Point of diversion       Place of use       Manner of use

of water heretofore appropriated under (Identify existing rights by Permit, Certificate, Proof or Claim Nos. If Decreed, give No. of Decree and identify right in Decree.)

Permit 12265 / Certificate 3222

STATE ENGINEER'S OFFICE  
 2016 APR 27 AM 8:21

- The source of water is UNDERGROUND  
Name of stream, lake, underground, spring or other sources.
- The amount of water to be changed 0.02 CFS [14.4794 AFA]  
Second feet, acre-feet. One second foot equals 448.83 gallons per minute.
- The water to be used for Stockwater [Partial Water For Up to 5,000 Dairy Cattle]  
Irrigation, power, mining, commercial, etc. If for stock, state number and kind of animals. Must limit to one major use
- The water heretofore used for Stockwater \* <sup>SW</sup> 5/27/2016  
If for stock, state number and kind of animals.
- The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.)  
WITHIN THE SW 1/4 NW 1/4, OF SECTION 26 T. 12 N., R. 23 E., M.D.B. & M. OR AT A POINT FROM WHICH THE W 1/4 CORNER OF SAID SECTION BEAR S. 46° 19' 25" W., A DISTANCE OF 1,625.21 FEET. PLEASE SEE MAP SUBMITTED WITH APPLICATION 83121.
- The existing point of diversion is located within (If point of diversion is not changed, do not answer.)  
WITHIN THE NW 1/4 NW 1/4, OF SECTION 36 T. 12 N., R. 23 E., M.D.B. & M. OR AT A POINT FROM WHICH THE SE CORNER OF SECTION 11, T. 11 N., R. 23 E., M.D.B. & M., BEAR S. 0° 21' 32" W., A DISTANCE OF 14,892.8 FEET.

9-107  
L4

7. Proposed place of use (Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.)

S 1/2 SW 1/4, OF SECTION 23, AND THE NW 1/4 AND N 1/2 OF THE SW 1/4 OF SECTION 26, T. 12 N., R. 23 E., M. D.B.& M. PLEASE SEE MAP SUBMITTED WITH APPLICATION 83121.

8. Existing place of use (Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)

WITHIN THE NW 1/4 NW 1/4, OF SECTION 36 T. 12 N., R. 23 E., M.D.B.& M.

9. Proposed use will be from JANUARY 1 to DECEMBER 31 of each year.  
Month and Day Month and Day

10. Existing use permitted from JANUARY 1 to DECEMBER 31 of each year.  
Month and Day Month and Day

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e., diversion structure, ditches, pipes and flumes or drilled well, pump and motor, etc.)

DRILLED WELL, PIPELINE, AND TROUGHS.

12. Estimated cost of works At least \$10,000

13. Estimated time required to construct works 1 YEAR

If well completed, describe well.

14. Estimated time required to complete the application of water to beneficial use 5 Years

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

THE WATER IS TO BE USED FOR STOCKWATER OF DAIRY CATTLE.

STATE ENGINEERING OFFICE  
2016 APR 27 AM 8:21

16. Miscellaneous remarks:

david@turnipseedengineering.com  
E-mail Address  
775-885-2101  
Phone No. Ext.

APPLICATION MUST BE SIGNED  
BY THE APPLICANT OR AGENT

David G. Hillis, Jr. P.E., W.R.S.

Type or print name clearly  
David G. Hillis, Jr. P.E.

Signature, applicant or agent

Turnipseed Engineering, LTD

Company Name

490 Hot Springs Rd.

Street Address or PO Box

Carson City, Nevada, 89706

City, State, ZIP Code