

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

THIS SPACE FOR OFFICE USE ONLY

Date of filing in State Engineer's Office MAY 09 2016

Returned to applicant for correction _____

Corrected application filed _____ Map filed MAY 09 2016

The applicant Raymond E. Kretschmer, Cheryl A. Kretschmer and Chance Kretschmer (each an undivided 1/3 interest)

HC 60 Box 53 E11 of Round Mountain
Street Address or P.O. Box City or Town

Nevada, 89045, hereby make(s) application for permission to change the
State and Zip Code

- Point of Diversion Place of Use Manner of Use Period of Use of a Portion

of water heretofore appropriated under Permit 5027, Certificate 2457
Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.

STATE ENGINEER'S OFFICE
2016 MAY 09 10:53

1. The source of water is Peavine Creek
Name of stream, lake, underground, spring or other sources.
2. The amount of water to be changed 0.25 cfs, 25.0 acres, 91.0 acre-feet annually
Second feet, acre-feet. One second foot equals 448.83 gallons per minute.
3. The water to be used for Irrigation
Irrigation, power, mining, commercial, etc. If for stock state number and kind of animals. Must limit to one major use.
4. The water heretofore used for Irrigation
If for stock state number and kind of animals.
5. The water is to be diverted at the following point within the NE 1/4 SE 1/4 of Section 16 Township 08 North,
Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.
Range 42 East M.D.M., at a point from which the NE corner of said Section 16, bears North 08° 16' 12" East a distance of 2,857 feet.
6. The existing point of diversion is located within the NE 1/4 SE 1/4 of Section 16 Township 08 North,
If point of diversion is not changed, do not answer.
Range 42 East M.D.M., at a point from which the SE corner of said Section 16 bears South 24° 21' East a distance of 2,775 feet.

B5V TF
10-137A
Nye

7. Proposed place of use A total of 25.0 acres within a portion of the SE 1/4 NE 1/4, NE 1/4 SE 1/4 and the SE 1/4 SE 1/4
Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.
of Section 16, Township 08 North, Range 42 East M.D.M.

8. Existing place of use a total of 25 acres to be removed from irrigation, specifically described as 4.0 acres within
Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation
the NE 1/4 SE 1/4 and 21 acres within the SE 1/4 SE 1/4 of Section 16 Township 08 North, Range 42 East M.D.M.

9. Proposed use will be from January 1st to December 31st of each year.
Month and Day Month and Day

10. Existing use permitted from March 16 to Sept 15 of each year. sun still on AS DECIDED
Month and Day Month and Day
~~January 1st~~ ~~December 31st~~

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works) Existing diversion dam and ditches
State manner in which water is to be diverted, i.e. diversion structure, ditches, pipes and flumes or drilled well, pump and motor, etc.

12. Estimated cost of works <\$10,000.00

13. Estimated time required to construct works Diversion dam and ditches are existing
If well completed, describe well.

14. Estimated time required to complete the application of water to beneficial use Five (5) years

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary):
Failure to provide a detailed description may cause a delay in processing.


16. Miscellaneous This change application is being submitted along two other change applications transferring a total of 39.81 acres of surface water from Peavine Creek (Decreed Right V-02226 and Permit 5027) and 70.82 acres of ground water (Permit 51404) of which 39.81 acres of the 70.82 acres is supplemental to the surface water rights from Peavine Creek.

dixonjm@gmail.com
E-mail

(702) 249-5223
Phone No.

By Jason Dixon, P.E.

Print or type name clearly



Signature, Applicant or Agent

Dixon Hydrologic, PLLC
Company Name

10299 Culiacan Pass Trail
Street Address or P.O. Box

Reno, NV 89521
City, State, Zip Code

STATE ENGINEERING OFFICE
1000 N. RENO AVENUE
RENO, NV 89501
775-333-3333

**APPLICATION MUST BE SIGNED
BY THE APPLICANT OR AGENT**

\$240 FILING FEE MUST ACCOMPANY APPLICATION