

Amended

Application No. 86320

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

THIS SPACE FOR OFFICE USE ONLY	
Date of Filing in State Engineer's Office	<u>Jul 11 2016</u>
Returned to applicant for correction	JUL 13 2016
Corrected Application filed	AUG 31 2016
Map filed	AUG 31 2016

The applicant Richard Wagner
13160 Seneca Rd of Stagecoach
Street Address or P.O. Box City or Town
Nevada 89429 hereby make(s) application for permission to appropriate the
State and ZIP Code

public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

RECEIVED
 2016 AUG 31 AM 10:33
 STATE ENGINEERS OFFICE

-
- The source of water is Underground
Name of the stream, lake, underground, spring or other sources.
 - The amount of water applied for is 0.002761 c.f.s. Not to exceed 2.0 A.F.A.
One second foot equals 448.83 gallons per minute.
 (a) If stored in a reservoir give the number of acre-feet _____
 - The water is to be used for Commercial
Irrigation, power, mining, commercial, domestic or other use. Must be limited to one major use.
 - If use is for:
 - Irrigation, state number of acres to be irrigated _____
 - Stockwater, state number and kind of animals _____
 - Other use (describe fully in No. 12) _____
 - Power:
 - Horsepower developed _____
 - Point of return of water to stream _____

5. The water is to be diverted from its source at the following point: (Describe as being within a 40-acre subdivision of public survey, and by course and distance to a found section corner. If on unsurveyed land, it should be so stated.)

N2 of Parcel #345 Mountain View Subdivision #4 Lyon County A.P.N. 018-514-03 2.27 Acre Parcel
4860 Deodar St. Silver Springs, NV 89429

WITHIN THE SE 1/4 OF THE SE 1/4 OF SECTION 36, T.18N., R.24E., M.D.M. AT A POINT FROM WHICH THE NE CORNER OF SAID SECTION 36 BEARS N 13°01' E, 4,780' DISTANT.

6. Place of use: (Describe by legal subdivision. If on unsurveyed land, it should be so stated)

WITHIN THE SE 1/4 OF THE SE 1/4 OF SECTION 36, T.18N., R.24E., M.D.M. LYON COUNTY ASSESSOR'S PARCEL NO. 18-514-03.

7. Use will begin about January 1 and end about December 31 of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with a pump and motor, etc.)

Drilled and cased well, pump, motor, totalizing meter and distribution system.

9. Estimated cost of works: \$25,000

10. Estimated time required to construct works: One (1) Year

(If the well is complete, describe works.)

11. Estimated time required to complete the application of water to beneficial use: Three (3) Years

12. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

Proposed use is for a 3,000 sq. ft. retail building selling Aquaponics and Hydroponic systems and supplies. Along with other garden statuary, a garden art, planters, hanging plants that would be seen in a retail nursery. We will have small inside and outside growing areas to demonstrate aquaponic and hydroponic growing. Aquaponic and hydroponic systems use recirculating water to promote water conservation. We will have 2 handicap, family type restrooms.

13. Miscellaneous remarks:

RECEIVED
2016 AUG 31 AM 10:35
STATE ENGINEERS OFFICE

rick@lyghtnyng.com
E-mail Address
775-538-2798
Phone No. Ext.

Richard Wagner

Richard Wagner
Type of print name clearly
Signature, applicant or agent

Company Name
13160 Seneca Rd.
Street Address or PO Box
Stagecoach, NV. 89429
City, State, ZIP Code

APPLICATION MUST BE SIGNED
BY THE APPLICANT OR AGENT