

WELL LOG AND REPORT TO THE STATE  
ENGINEER OF NEVADA

Log No. 698  
Rec'd 10-30-1948



Well No. \_\_\_\_\_  
Permit No. \_\_\_\_\_  
Do not fill in

Owner Kernita & Leo B. Hallinger Driller Danell Znea  
Address Waine Nevada Address Pickens Lic. No. 30  
Location of well: S 4SW 1/4 Sec. 16, T. 2 N, R. 67 E, in Lincoln Co. County

Water will be used for Stock water Total depth of well 52 ft

Size of drilled hole 7 1/2 in Weight of casing per linear foot \_\_\_\_\_

Thickness of casing \_\_\_\_\_ Temp. of water \_\_\_\_\_

Diameter and length of casing 6 in 153 ft long  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 22 ft

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well Sep 7 Date of completion of well Sep 13

Type of well rig Churnmill Cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	3	3	sandy clay
3	52	49	Clay with particles of rock some as large as 1/2 in

Chief aquifer:  
from 33 to 52 ft.  
First water at 33 ft.

Water-bearing Formation, Casing Perforations, Etc.

Chief water-bearing formation \_\_\_\_\_  
from \_\_\_\_\_ to \_\_\_\_\_  
Casing perforated from 20 to 52 ft.  
Size of perforations 1/4 by 12 staggered in rows

