

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Log No. 6962  
 Rec. U.A.N. 7 1963  
 Well No. \_\_\_\_\_  
 Permit No. 19471  
*Do not fill in*

Owner William H. Schofield Driller Darrell Free

Address Hiko Nevada Address Rocky view Lic. No. 30

Location of well: NE 1/4 SE 1/4 Sec. 32, T. 6 N 8, R. 59 E, in Nye County

or \_\_\_\_\_

Water will be used for Culinary Total depth of well 81 ft

Size of drilled hole 10 in to 53 (30-81) 8 in Weight of casing per linear foot 9 lbs

Thickness of casing 1/4 in Temp. of water \_\_\_\_\_

Diameter and length of casing 8 in for 81 ft  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 0 ft

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well April 11 Date of completion of well April 27

Type of well rig Churndrill

### LOG OF FORMATIONS

| From feet | To feet | Thickness feet | Type of material |
|-----------|---------|----------------|------------------|
| 0         | 4       | 4              | Gravel           |
| 4         | 15      | 11             | Soil sandy       |
| 15        | 49      | 34             | sandy Gravel     |
| 49        | 52      | 3              | Cemented Hardpan |
| 52        | 81      | 29             | sandy Gravel     |

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 52 to 81 ft.

Other aquifers \_\_\_\_\_

First water at 52 feet.

Casing perforated from 52 to 81 ft.

Size of perforations

1/8 to 1/2 in

