

Neo & copy

WELL LOG AND REPORT TO THE STATE
ENGINEER OF NEVADA

Log No. 4981
 Rec. Jan 13 1960
 Well No.
 Permit No. 18829
 Do not fill in

Owner Gordon & Kay Kirkeby, Kirkeby Ranch Driller Patrick H. Thompson
 Address Ely, Nevada Address 217 S. 26th St. L. V. Lic. No. 192
 Location of well: NW 1/4 NW 1/4 Sec. 24, T.12.N/S, R.67.E, in White Pine County
 or
 Water will be used for STOCK WATERING Total depth of well 155'
 Size of drilled hole 8" Weight of casing per linear foot 12#
 Thickness of casing 10 guage Temp. of water cool
 Diameter and length of casing 8" dia. - 155' length
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure 7 G.P.M.
 If nonflowing well give depth of standing water from surface
 If flowing well describe control works
 (Type and size of valve, etc.)
 Date of commencement of well July 25, 1959 Date of completion of well July 30, 1959
 Type of well rig Cable tools 60L B.E.

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	8	8	sandy soil
8	22	14	fine sand
22	48	26	clay & gravel - water
48	86	18	fine sand
86	89	3	gravel - water
89	94	5	clay
94	146	52	sandy clay
146	155	9	red clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 22 to 48 ft.

Other aquifers 86 - 89

First water at 8 feet.

Casing perforated
 from 93 to 138 ft.

Size of perforations
3/16 x 12 - 4 rows



