

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 64779  
 Rec. Oct 16 1961  
 Well No. ....  
 Permit No. ....  
*Do not fill in*

Owner Thomas Clay Driller Paul Free  
 Address 1201 Panamint Nevada Address Sioche, Nevada Lic. No. 30  
 Location of well:  $\frac{1}{4}$   $\frac{1}{4}$  Sec. 1, T. 2 N/S, R. 6 E, in Lincoln County  
 or 1/2 mile west of 7 Service Station Panamint Nevada  
 Water will be used for stock Total depth of well 90'  
 Size of drilled hole 8" Weight of casing per linear foot .....  
 Thickness of casing 3/8" Temp. of water .....  
 Diameter and length of casing 6" 92'  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure .....  
 If nonflowing well give depth of standing water from surface 62'  
 If flowing well describe control works .....  
(Type and size of valve, etc.)  
 Date of commencement of well September 25, 1961 Date of completion of well September 30, 1961  
 Type of well rig Columb Drill

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	22	22	gravel	Chief aquifer (water-bearing formation) from <u>72</u> to <u>90</u> ft.  Other aquifers .....  First water at <u>62</u> feet.  Casing perforated from <u>72</u> to <u>92</u> ft.  Size of perforations <u>1/8 x 12"</u>
22	28	6	clay	
28	55	27	gravel	
55	72	17	sand	
72	90	18	gravel	

