

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 8307  
 Rec. Jan 8 1965  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner Lester Matthews Driller Darrell Lee  
 Address Panama Nevada Address Panama Nevada Lic. No. 30  
 Location of well: N.W. 1/4 NW 1/4 Sec. 8, T. 2 N/S, R. 68 E, in Lincoln County

Water will be used for Domestic Total depth of well 116'

Size of drilled hole 14" Weight of casing per linear foot \_\_\_\_\_

Thickness of casing 10 gauge Temp. of water \_\_\_\_\_

Diameter and length of casing 6" 55'  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 35'

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well December 14, 1964 Date of completion of well December 16, 1964

Type of well rig Cable Tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	116	116	sandy silt

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from \_\_\_\_\_ to \_\_\_\_\_ ft.

Other aquifers \_\_\_\_\_

it all makes some water

First water at 35 feet.

Casing perforated  
 from 35 to 55 ft.

Size of perforations

1/8 x 8"

