WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 8733
Rec. Nov. 15
Well No.
Permit No.
Do not fill in.

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner Panaca Farmstead Water Assoc Driller

Address Address Lic. No.

Location of well: ¼ ¼ Sec., T. N/S, R. E, in Count

or

Water will be used for Total depth of well

Size of drilled hole Weight of casing per linear foot

Thickness of casing Temp. of water

Diameter and length of casing
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface

If flowing well describe control works
(Type and size of valve, etc.)

Date of commencement of well Date of completion of well

Type of well rig

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material

Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)

from to ft.

Other aquifers

First water at feet.

Casing perforated

from to ft.

Size of perforations

LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	REMARKS—Seals, Grouting, etc.

GENERAL INFORMATION—Pumping Test, Quality of Water, etc.

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed.....
Well Driller

By.....

License No.....

Dated....., 19.....

(Not to be filled in by Driller)

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 8733
Rec. Nov. 15 1965
Well No.
Permit No.
Do not fill in.

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner Panaca Farmstead Water Association Driller Darell Free

Address Panaca, Nevada Address Panaca, Nevada Lic. No. 30

Location of well S.E.¼ S.W.¼ Sec. 5, T. 2 N/S, R 68 E, in Lincoln County

or

Water will be used for Domestic Total depth of well 172'

Size of drilled hole 16" 52' - 14" 68' - 12" 52' Weight of casing per linear foot

Thickness of casing 10 gauge Temp. of water Warm

Diameter and length of casing 16" 52' sealed 12" 172'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface 11'

If flowing well describe control works
(Type and size of valve, etc.)

Date of commencement of well October 5, 1965 Date of completion of well November 1, 1965

Type of well rig Cable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	108	108	Clay
108	120	12	sand
120	172	52	gravel

Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)

from 120 to 172 ft.

Other aquifers

First water at 16 feet.

Casing perforated

from 120 to 172 ft.

Size of perforations

1/8 x 1 1/2"

LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	REMARKS—Seals, Grouting, etc.
				gravel pack between 16" & 12" to 120' – 1/2 + 1/8 gravel

GENERAL INFORMATION—Pumping Test, Quality of Water, etc.

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed Darrell Free
Well Driller

By Owner

License No. 30

Dated November 2, 1965

(Not to be filled in by Driller)