

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 717 ~~4712~~
 Rec. 11/18 1942
 Well No. _____
 Permit No. 2011
 Do not fill in

Owner M M Horman Driller Darrell Free
 Address Caliente Nevada Address Rockeover Lic. No. 30
 Location of well: SE 1/4 SW 1/4 Sec. 5, T. 4 N/S, R. 67 E, in Lincoln Coun. _____
 or _____
 Water will be used for Domestic Total depth of well 57 1/2 in
 Size of drilled hole 7 in Weight of casing per linear foot _____
 Thickness of casing 1/4 Temp. of water _____
 Diameter and length of casing 5 3/4 in 57 ft 8 in
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 22 ft
 If flowing well describe control works _____
(Type and size of valve, etc.)
 Date of commencement of well Nov 12 Date of completion of well Nov 15
 Type of well rig Chumdrill

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	57-8	57-8	sandy Clay

Water-bearing Formation, Casing Perforations, Etc.
 Chief aquifer (water-bearing formation)
 from 22 to 57-8 ft.
 Other aquifers _____
 First water at 22 ft feet.
 Casing perforated
 from 12 to 57-8 ft.
 Size of perforations
1/8 by 12 in

WELL LOG AND REPORT TO THE STATE
ENGINEER OF NEVADA

Log No. 717 4/18
 Rec. 11/18 1942
 Well No. 25711
 Permit No. 25711
 Do not fill in

Owner Zerger G. Wallis
M. M. Mohammed
 Driller Darrell Free
 Address Caliente Nevada
Roche nev Lic. No. 30
 Location of well: S E 1/4 Sec. 5, T. 4 N/S, R. 67 E, in Lincoln County

Water will be used for Domestic Total depth of well 57 1/2 in
 Size of drilled hole 7 in Weight of casing per linear foot
 Thickness of casing 1/4 Temp. of water
 Diameter and length of casing 5 3/4 in 57 ft 8 in
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure
 If nonflowing well give depth of standing water from surface 22 ft
 If flowing well describe control works
 (Type and size of valve, etc.)

Date of commencement of well Nov 12 Date of completion of well Nov 15
 Type of well rig Churndrill

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	57-8	57-8	sandy Clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 22 to 57-8 ft.

Other aquifers

First water at 22 ft feet.

Casing perforated

from 12 to 57-8 ft.

Size of perforations

1/8 by 12 in

