UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

OREANA SPRING QUADRANGLE
NEVADA—LINCOLN CO
7.5 MINUTE SERIES (TOPOGRAPHIC)



Mapped, edited, and published by the Geological Survey
Control by USGS and USC&GS
Topography by photogrammetric methods from aerial photographs taken 1969. Field checked 1970
Polyconic projection. 1927 North American datum
10,000-foot grid based on Nevada coordinate system, east zone
1000-meter Universal Transverse Mercator grid ticks, zone 11, shown in blue
Fine red dashed lines indicate selected fence lines
Where omitted, land lines have not been established

UTM GRID AND 1970 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR WASHINGTON, D.C. 20242
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

OREANA SPRING, NEV.
N3752.5—W11507.5/7.5
1970
AMS 2959 I NW—SERIES V884

STATE OF NEVADA
COUNTY OF WHITE PINE } S.S.

I, Richard E. Fonger, being first duly sworn, depose and say that this map has been drawn to the designated scale, from U.S.G.S. 7.5' Topograpic map between the dates of April 23, 1989 and April 29th, 1989; that it truly and correctly represents the proposed location and extent of works used to devert water from Willow Spring in Lincoln County by Stuart L. Twitchell for stockwatering purposes. That the proposed point of diversion, the approximate location and size of the diverting conduct, the place and manner of use, and the location and names of all other works or streams which are crossed by or connected with said works are fully and correctly designated thereon.

Richard E. Fonger
Richard E. Fonger R.L.S. 4235

Subscribed and sworn before me this 6th day of May 1989,
Notary Public in and for White Pine County, Nevada.

Tracy M. Lindsland

My Commission Expires June 3, 1990

Basis of Bearing Scaled from Map

2000' 0' 2000' 4000'
Scale: 1" = 2000'

FILED
SEP 12 1989
STATE ENGINEER'S OFFICE

Rev. 9/8/89 by R.E.F.

MAP

TO ACCOMPANY APPLICATION
TO
APPROPRIATE WATER
for
STOCKWATERING
By
Stuart L. Twitchell from Willow Spring

Scale as shown 4/28/89 GWP

52775 PERMIT No. 52775