

Gold Quarry Pit Dewatering
POINTS OF DIVERSION
Scale: one inch = 800 feet (1:9,600)

N:\DWGS\J28826_NEWMONT\GOLDQUARRY_GQ_2008.DWG



PROPOSED POINTS OF DIVERSION

Bearing and distance to found tie:
NW corner of Section 35, T34N, R51E, MDM

ID	BEARING	DISTANCE (FT)
GQDW-10	N 74°59'02" W	4068
GQDW-11	N 81°25'10" W	4250
GQDW-14	N 71°47'54" W	3588
GQDW-15	N 58°40'25" W	3218
GQDW-16	S 83°14'56" W	5553
GQDW-17	N 62°08'43" W	4611
GQDW-18	N 46°35'55" W	5927
GQDW-19	N 86°44'40" W	4504
LK-40	N 09°08'23" W	9221
LK-42	N 08°18'28" W	9010
LK-43	N 08°02'20" W	9374
LK-44	N 08°27'23" W	9624
LK-45	N 05°01'24" W	9873
LK-46	N 08°33'02" W	8757

**Gold Quarry Mine
PLACE OF USE**

Scale: one inch = 4000 feet (1:48,000)

LEGEND

- PROPOSED POINTS OF DIVERSION (SEE TABLE)
- EXISTING POINTS OF DIVERSION
- ◇ FOUND SECTION CORNERS
- ◆ FOUND QUARTER-SECTION CORNERS
- PLACE OF USE
- WELL-SPACING BLOCK
- ORDER JURISDICTION
- ADMINISTRATIVE AREAS
- COUNTY BOUNDARIES


MAP NOTES

THIS MAP ACCOMPANIES APPLICATIONS FOR TEMPORARY PERMITS. Deviation from the Guidelines and Rules for the Preparation of Water Right Maps (2000) includes use of color and water based ink, absence of water right surveyor affidavit, paper medium, a scale of less than one-inch-to-1000-feet for Place of Use, use of imagery instead of showing features by signs and symbols, omission of quarter-section and sixteenth-section details, and strict adherence to Basis of Bearings guidelines (which would require an actual field survey; see Basis of Bearings notes below).

2006 U.S.D.A. National Agricultural Image Program (NAIP) 1 meter color orthophotography.

(2002) Boundaries of hydrographic areas of the Humboldt River Region courtesy of Nevada Division of Water Resources (NDWR), Department of Conservation and Natural Resources. These are administrative boundaries rather than strictly hydrologic ones.

BASIS OF BEARING
The line bearing N89°37'27"E from the NW corner of the N quarter-corner of Section 35, T34N, R51E, M.D.M. is referenced to a compilation of surveyed and protracted BLM GCDDB data and historical survey records in the Nevada State Plane Coordinate System, NAD27, East Zone by Mark Boge, Water Rights Surveyor 662, translated to the UTM (NAD27) Coordinate System, Zone 11N (see Map Notes above).



STATE ENGINEER'S USE



Map to Accompany Applications to Change the Points of Diversion of Portions Under Permits 56831, 56833, 56835, 56836, 56837, and 68272

For Mining, Milling, Dewatering, Domestic, Irrigation, Infiltration, and Surface Discharge
By Newmont Gold Company
From Underground
In Eureka County, Nevada

78527T 78526T 78525T 78524T 78523T 78522T 78521T 78520T 78519T 78518T 78517T 78516T 78515T 78514T 78513T 78512T 78511T 78510T