

WORKS - Small catch basin at spring, water is then conveyed 103' through a 1 1/2" pipe to 2 troughs. One a wooden trough, 16" sp. and 16' long, the other a tin trough, 11' long, 18" wide, 12" deep. The pipe and troughs are northwesterly from spring.

STONEHOUSE MIDDLE SPRING  
Catch Basin and  
Point of Diversion  
SW 1/4 or SW 1/4 SEC. 16  
T 21 N R 25 E

STATE OF NEVADA } ss  
COUNTY OF LYON


I, W. A. PRAY, being first duly sworn, depose and say, that this map, consisting of one sheet, has been correctly drawn, to the designated scale, from field notes of a survey made by me on July 15th, 1928, that it truly and correctly represents the location and extent of the works used to divert water from Stonehouse Middle Spring in Pershing County, by R. H. Cowles for stockwatering purposes. That the point of diversion, the approximate location and size of the diverting channel or other conduit, the place and manner of use, and the location and names of all other works or streams, which are crossed by, or connected with the said works, are fully and correctly designated thereon.

W. A. Pray  
STATE WATER RIGHT SURVEYOR.

Subscribed and sworn to before me this  
21st day of July, 1928.

Arnie J. Christensen  
Notary Public in and for  
Lyon County.

SCALE 1 IN. = 300 FT.



FILED  
Aug 1, 1928  
STATE ENGINEER'S OFFICE

MAP TO ACCOMPANY  
APPLICATION  
TO APPROPRIATE WATER  
FOR  
STOCK WATERING  
BY  
R. H. COWLES  
FROM  
STONEHOUSE MIDDLE SPRING

8628