T.17S., R.50E., M.D.B.&M.



SIZE AND GRADES OF DIVERSION CHANNEL

Cross section and grade of diversion channel not obtainable as the old channel has been partly filled up and banks leveled by the elements over the long period of years. Average top width is approximately 3 ft.

Note: It is doubtful that the discharge of Longstreet Spring has ever been measured but the old records of Nye County Records show that the applicant made application for 200 inches of water.

SECTION	SUB DIVISION	TOWNSHIP	RANGE	CULTIVATED ACREAGE	DESCRIPTION OF CULTURE	DATE OF FIRST CULTURE
22	W½ NE¼	17 S.	50 E.	45		1896

STATE OF NEVADA
COUNTY OF CLARK } S.S.

I, L.A. Harris being first duly sworn, depose and say that this map, consisting of one sheet, has been correctly drawn to the designated scale from field notes of a survey made by me between the 27 and 29 days of October 1961; that it truly and correctly represents the location and extent of the works used to divert water from Longstreet Spring in Nye County, by the original owners of the W½ NE¼ Section 22, T.17S., R.50E., M.D.B.&M. for irrigation purposes. That all other works or streams which are crossed by or connected with said works, and the boundary, and estimated acreage of lands irrigated, shown by 40-acre boundaries are correctly shown and designated thereon

L.A. Harris

STATE WATER RIGHT SURVEYOR

Subscribed and sworn to before me this 24th day of November 1961

Frederic A. Weichman

NOTARY PUBLIC IN AND FOR CLARK COUNTY, NEVADA.

My commission expires April 3, 1964

FILED
Dec. 4, 1961
STATE ENGINEER'S OFFICE

Scale: 1-IN. = 400 FT.

0 200 400 600 800 1000 1500 2000 FT.

N

MAP TO ACCOMPANY
PROOF OF APPROPRIATION
FOR
IRRIGATION
BY
NYE COUNTY LAND CO.
FROM
LONGSTREET SPRING

02491