

THE STATE OF NEVADA  
PROOF OF APPROPRIATION OF WATER FOR  
STOCK WATERING PURPOSES

From Ottaway Spring  
Name of natural water course

Through 20 ft of 1 1/4" pipe  
Name of ditch, pipe line, etc.

J.E. Carr, the undersigned, being first  
duly sworn, deposes and says that the statements herein contained relative to the appropriation of  
water by Carr, Cornell & Hesse & Predecessors are full and correct to the  
best of his knowledge and belief.

One of the claimants  
If proof is not made by claimant, deponent should state on this line by virtue of what authority he represents the claimant

(1) Name of claimant Carr, Cornell & Hesse  
Address Fallon, County of Churchill  
State of Nevada

(2) The means of diversion employed is pipe  
Dam and ditch, pipe line, flume, etc.

(3) The water is impounded in Tank  
Troughs, reservoirs, tanks, etc.

✓ (4) The construction of the ditch or other works was begun Prior to 1905  
and completed

(5) The nature of the claimant's title to the land upon which the works are located is  
No title to land

✓ (6) The claimant's water right was (was not) recorded in the office of the County Recorder of  
County, at Page of Book of

6 (7) The approximate number of animals watered by the claimant during the first year was 200  
and said watering was conducted for an approximate period of 30 days during each  
of the following months November 1st to April 1st

(8) The approximate number of animals watered by claimant in subsequent years was as follows:

Same as shown under question No 7.

(9) The amount of water which it has been necessary to divert for the said purpose has been

0.25 cubic feet per second.  
40 miners inches equals 1 cubic foot per second

(10) The water is diverted from its source at  $N. 57^{\circ} 05' E, 21,458 \text{ ft}$  feet from  
True bearing to nearest 5 minutes distance  
the U.S. Min. Men. No 1 at Downeyville Nevada, approx. in S. 10, 1/4 N.W. 1/4 SEC 33,  
corner of Section T, R, E,

$T13N R37E$ , Mount Diablo Base and Meridian.

Note—Information under (10) must invariably be given when a public corner is within 4 miles, unless the State Engineer consents to some other form of description.

(11) The works are located at same point described in question 10.  
Describe as within a 40-acre subdivision of public survey or by tie in same manner as under (10)

Remarks: Water is diverted from spring to <sup>tank</sup> trough through  
20 ft. of 1 1/4" pipe. Dimensions of tank 5 ft diam.  
2'6" deep.

Remarks: .....

*Carr Cornell & Wessie*  
*by John E. Carr, one of claimants*

Subscribed and sworn to before me this 5th day of May, 1923, 191

*Ethel L. Fletcher*

Notary Public in and for the County of Ormsby

My commission expires March 31, 1927, 191

This part of form to be left blank by claimant

Filing Serial No. 01820

STATE OF NEVADA

Proof of Appropriation of  
Water for Stock Purposes

Water Source Outaway Spring  
Through .....

Claimant Sam Cornell & Wife

Filed in State Engineer's Office on

May 5, 1923, 191

Arthur A. Allen

4 State Engineer

Certificate No. .... issued hereunder

....., 191

