01914

THE STATE OF NEVADA

PROOF OF APPROPRIATION OF WATER FOR STOCK WATERING PURPOSES

FILED AUG 28 1925 STATE ENGINEER'S OFFICE

From Summitt Spring
Name of natural water course

Through One inch pipe and one-half inch pipe (unnamed)
Name of ditch, pipe line, etc.

....., the undersigned, being first duly sworn, deposes and says that the statements herein contained relative to the appropriation of water by Martin Filippini and predecessors are full and correct to the best of his knowledge and belief.

If proof is not made by claimant, deponent should state on this line by virtue of what authority he represents the claimant

(1) Name of claimant Martin Filippini
Address Beowawe, County of Eureka,
State of Nevada

(2) The means of diversion employed is one inch pipe and one half inch pipe
Dam and ditch, pipe line, flume, etc.

(3) The water is impounded in troughs
Troughs, reservoirs, tanks, etc.

(4) The construction of the ditch or other works was begun 1876
and completed 1876

(5) The nature of the claimant's title to the land upon which the works are located is Government Range land

(6) The claimant's water right ~~was~~ (was not) recorded in the office of the County Recorder of ..... County, at Page ..... of Book ..... of .....

(7) The approximate number of animals watered by the claimant during the first year was 100 cattle, and said watering was conducted for an approximate period of 210 days during each of the following months May, June, July, August, September, October and November

(8) The approximate number of animals watered by claimant in subsequent years was as follows:
About 100 head of cattle water at different springs and this is approximation. They range in the vicinity of this spring and other springs and some cattle do not water at this spring each day on account of their roving disposition.

(9) The amount of water which it has been necessary to divert for the said purpose has been enough to water 100 head of cattle ////////////// cubic feet per second.
40 miners inches equals 1 cubic foot per second

(10) The water is diverted from its source at N. 67° W 30078 feet from
True bearing to nearest 5 minutes distance

the SW corner of Section ....., T. 25 N, R. 47 E., Mount Diablo Base and Meridian. or SE¼ of SE¼ of Sec 19 T. 25 N. Range 46 E

NOTE—Information under (10) must invariably be given when a public corner is within 6 miles, unless the State Engineer consents to some other form of description.

(11) The works are located at (unsurveyed) same point as point of diversion
Describe as within a 40-acre subdivision of public survey or by a tie in same manner as under (10)

Remarks: The works have been kept up by affiant and his predecessors since said spring was taken. Affaint has been acquainted with the spring since 1892 and owned same since 1900.

Remarks:

Martin Filippini

Subscribed and sworn to before me this 24th day of July, 192 5

E. P. Carville

Notary Public in and for the County of Elko

My commission expires October 20th, 192 6